

AGENDA

*Village of Hoffman Estates
Second Meeting of the Month
Village Board of Trustees*

*1900 Hassell Road
Hoffman Estates, IL 60169
847-882-9100*

Board Room	7:00 p.m.	June 17, 2013
-------------------	------------------	----------------------

1. **CALL TO ORDER/ROLL CALL**
2. **PLEDGE OF ALLEGIANCE TO THE FLAG**
3. **RECOGNITION OF AUDIENCE**
4. **APPROVAL OF MINUTES** – May 28, 2013 & June 3, 2013
5. **CONSENT AGENDA/OMNIBUS VOTE (Roll Call Vote)**
(All items under the Consent Agenda are considered to be routine in nature and will be enacted by one motion. There will be no separate discussion of these items unless a Trustee so requests. In that event, the discussion will be the first item of business after approval of the Consent Agenda.)
 - A. Approval of Agenda
 - B. Approval of the schedule of bills for June 17, 2013 - \$1,685,040.56.
 - C. Request Board approval of an Ordinance authorizing the sale of personal property owned by the Village of Hoffman Estates (online auction).
 - D. Request Board approval of request by Hoffman Estates Park District for site plan approval for a governmental land use for a concessions/storage building addition at Sycamore Park.
 - E. Request Board approval of request by Willow Creek Community Church of a plat of easement and plat of vacation for watermain at Willow Creek Church located at 67 E. Algonquin Road, South Barrington.
 - F. Request Board approval of the Community Development Block Grant (CDBG) Annual Action Plan 2013, for Program Year 8, Consolidated Plan 2011-2015.
 - G. Request Board approval of an Intergovernmental Agreement with PACE for Park-and-Ride services.
 - H. Request Board approval of an agreement with IDOT for LED traffic signal upgrade to LED related improvements.
6. **REPORTS**
 - A. **President's Report**
 - ... Proclamation(s)
 - Karen Cardoza Day (15 Years Service)
 - David Ganziano Day (15 Years Service)
 - Harold Bergman Day
 - Purposeful Parenting Month
 - PTSD Awareness Month
 - ... Presentation(s)
 - Great Citizen Award – Joanne Rinaldo
 - K9 Bundo Award

6. REPORTS – Continued

- B. **Trustee Comments**
- C. **Village Manager's Report**
- D. **Village Clerk's Report**
- E. **Treasurer's Report**
- F. **Committee Reports**
 - 1) Finance
 - 2) Public Health & Safety
 - 3) Public Works & Utilities

7. PLANNING & ZONING COMMISSION REPORT

- A. Request by James Morris (owner) for a seven foot, six inch (7'6") corner side yard setback variation from Section 9-3-6-E to allow a patio to be set back twenty-two feet, six inches (22'6") from the south corner side property line instead of the minimum required thirty feet (30') in the location and extent as show in the petitioner's application submitted with this request located at 1340 Dennison Road.

Voting: 7 Ayes, 2 Absent, 2 Vacancies

Motion carried.

- B. Request by Grace Management Enterprises V, LLC (owner) to consider a site plan amendment for a building expansion and a special use for an animal hospital/veterinary clinic located at 2370 W. Higgins Road, with 5 conditions (see packets).

Voting: 7 Ayes, 2 Absent, 2 Vacancies

Motion carried.

- C. Request by Grace Management Enterprises V, LLC (owner) to consider a variation from Section 9-3-8-M-10-d-4 of the Zoning Code to permit a ground sign to be located zero feet (0') from the east side property line and zero feet (0') from the curb along the east side of the parking lot on the property located at 2370 W. Higgins Road.

Voting: 7 Ayes, 2 Absent, 2 Vacancies.

Motion carried.

- D. Request by Barrington & Hassell, LLC (owner) for a site plan amendment for site lighting for the property located at 2081-2095 N. Barrington Road, with 3 conditions (see packets).

Voting: 7 Ayes, 2 Absent, 2 Vacancies

Motion carried.

8. ADDITIONAL BUSINESS *(All other new business; those items not recommended unanimously by the Committee)*

- A. Request approval of an Ordinance amending Section 8-7-13, Resale Business, of the Hoffman Estates Municipal Code *(Item deferred – see minutes of June 3, 2013)*.

9. ADJOURNMENT

MEETING: HOFFMAN ESTATES VILLAGE BOARD
DATE: MAY 28, 2013
PLACE: COUNCIL CHAMBERS
MUNICIPAL BUILDING COMPLEX
1900 HASSELL ROAD
HOFFMAN ESTATES, ILLINOIS

1. CALL TO ORDER:

Village President William McLeod called the meeting to order at 8:01 p.m. The Village Clerk called the roll. Trustees present: Gary Pilafas, Gary Stanton, Mike Gaeta, Gayle Vandenberg, Anna Newell.

A quorum was present.

Trustee Mills arrived at 8:03 p.m.

ADMINISTRATIVE PERSONNEL PRESENT:

J. Norris, Village Manager
D. O'Malley, Deputy Village Manager
A. Janura, Corporation Counsel
P. Cross, Asst. Corporation Counsel
M. Koplin, Asst. Village Manager
B. Gorvett, Fire Chief
M. Hish, Police Chief
R. Musiala, Finance Director
D. Schultz, Community Relations Coordinator
P. Seger, HRM Director
J. Nebel, PW Director
B. Anderson, CATV Coordinator
P. Gugliotta, Planning Director
M. Hankey, Transportation & Engineering Director
Y. Ahmed, Levy Food Service
T. Messino, GG Intern
E. Kerous, Director of Operations-Mayor & Board

2. PLEDGE OF ALLEGIANCE TO THE FLAG:

The Pledge was led by Trustee Pilafas.

6. REPORTS:

6.A. President's Report

- 1) Presentation(s)

Great Citizen(s) Award – Lillirose Farnell and Wanda Farnell

Lillirose and Wanda Farnell were presented with the Great Citizen Award for starting up the Cupcakes for a Cause and raising funds for autism.

Motion by Trustee Pilafas, seconded by Trustee Newell, to recess the Board meeting and return to the Transportation & Road Improvement Committee meeting. Voice vote taken. All ayes. Motion carried. Time: 8:04 p.m.

Village President William McLeod called the meeting back to order at 8:50 p.m. The Village Clerk called the roll. Trustees present: Gary Pilafas, Gary Stanton, Mike Gaeta, Gayle Vandenberg, Karen Mills, Anna Newell.
A quorum was present.

3. RECOGNITION OF AUDIENCE:

Don Ross, 671 Wainsford Drive, asked if his Planning & Zoning item was on the agenda. He was told that yes it was.

4. APPROVAL OF MINUTES:

Motion by Trustee Pilafas, seconded by Trustee Mills, to approve Item 4. Voice vote taken. All ayes. Motion carried.

Approval of Minutes
Minutes from May 6, 2013.

5. CONSENT AGENDA/OMNIBUS VOTE:

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 5.A.

5.A. Approval of Agenda

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 5.B.

5.B. Approval of the schedule of bills for May 28, 2013: \$3,770,050.58.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell,

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 5.C.

5.C. Request Board approval of Ordinance No. 4369-2013 granting a special use amendment to Morizzo Funeral Home (owner) 2550 Hassell Road, Hoffman Estates.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

6. REPORTS:

6.A. President's Report

1) Proclamations

Trustee Gaeta read the following proclamation:

Motion by Trustee Pilafas, seconded by Trustee Mills, to concur with the proclamation proclaiming Saturday, June 1, 2013 as Christopher Lenczewski Day. Voice vote taken. All ayes. Motion carried.

Chief Gorvett accepted the proclamation for Firefighter Lenczewski.

2) Presentation(s)

Great Citizen(s) Award – Lillirose Farnell and Wanda Farnell

This Item was recognized earlier in the meeting.

Motion by Trustee Pilafas, seconded by Trustee Mills, to accept the appointment of Rachel Musiala to the position of Assistant Treasurer. Voice vote taken. All ayes. Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to accept with regrets the resignation of Carrie Hart from the Celebrations Commission. Voice vote taken. All ayes. Motion carried.

Mayor McLeod stated that he attended a NWMC Executive meeting, a reception for the Eisenhower Jr. High Littlest Mermaid cast and crew, a reception for Hanover Township Principal of the Year which honored a District U-46 principal, a 4th of July meeting, Rachel's 5K Run/Walk, Touch a Truck, a birthday party for Eric Kopin, a local suburban mayor feedback meeting held at Harper College, a NWMC meeting, D-54 Special Olympics, the Open House at Public Works, a Kumon Award Ceremony, the ICSC, Wine Wednesday at Jersey's, the Chamber Golf Outing Dinner, the Valeo Academy graduation, Chris Moore's retirement luncheon, a block party, The Memorial Day Observance, the DARE Graduation at Lakeview School and the Noteables Spring Concert.

6.B. Trustee Comments

Trustee Pilafas stated that he participated in the Rachel's 5K run, has been attending many baseball and soccer games, announced that funds have been secured to purchase a swing set for Eisenhower Jr. High now that the autism program has been moved there, that he attended the ICSC, Wine Wednesday and the Memorial Day ceremony.

Trustee Newell stated that she attended the Littlest Mermaid recognition ceremony, Stella's Open House, Rachel's 5K Walk, St Baldrick's at America's Bar, the Public Works and Police Department Open Houses, the swearing ceremony for the Palatine Township Officials, a JAWA meeting, a block party, the Memorial Day ceremony, she thanked all of the service people, attended the Noteables concert, wished Joane a Happy Birthday and congratulated those involved with the Annual Report.

Trustee Gaeta stated that he attended the Anniversary celebration for Officer Caceras, the Whiteley DARE graduation, the Eisenhower Jr. High reception, Rachel's Walk, St. Baldrick's, a Governing with Confidence class, the Police Department and Public Works Open houses, toured the Sears Centre Arena, he attended a Schaumburg Airport meeting, Chris Moore's retirement luncheon, a block party, the Memorial Day ceremony, the Lakeview DARE graduation, the Noteables concert and announced that the demolition permits were issued for the barn on Shoe Factory Road.

Trustee Vandenberg stated that she attended the Eisenhower Jr. High cast and crew reception, the D54 Special Olympics, a Governing with Confidence class, the Kumon Award Ceremony, the Police Department Open House, the Palatine Township Officials swearing-in, toured the Sears Centre Arena and Public Works, attended the Chamber Golf Outing, the Memorial Day ceremony and congratulated fellow Rotarian Chuck Lincolnheld on receiving his award.

Trustee Stanton stated that he did many of the events that everyone else attended including attending the ICSC and the Memorial Day ceremony and he congratulated the Arts Commission on the Noteables concert.

Trustee Mills stated that she too did many of the events that everyone else did including the Memorial Day ceremony and the ICSC.

6.C. Village Manager's Report

Mr. Norris had no report.

6.D. Village Clerk's Report

The Village Clerk stated that the Deputy Village Clerk Karen Karaffa has been selected to be Secretary of the North and Northwest Municipal Clerks.

6.E. Committee Reports

Public Works & Utilities

Trustee Newell stated that they would be meeting to have a discussion regarding a potential 2014 spring brush pick-up program and request approval to reallocate funds in the fiscal year 2013 budget to purchase a related used loader vehicle, in an amount not to exceed \$59,810; recommend approval of A. The Village Drainage Policy detailing when the Village is responsible for improvements and B. Four locations for inclusion in the 2013 Drainage Improvement project, not to exceed \$25,000; request authorization for the Village to participate in the Northwest Municipal Conference (NWMC) Suburban Purchasing Cooperative (SPC) for a one-year contract with Palatine Oil Co., Schaumburg, IL, for joint purchase of diesel fuel and gasoline; request authorization to extend 2011 contract for 2013-2014 Janitorial Maintenance Service for Village Hall, Police Department, Susan Kenley-Rupnow Center and Fleet Services Facilities, including periodic cleaning extras to Total Facility Maintenance Inc., Wood Dale, IL, for total contract monthly fee of \$5,505.87, total amount not to exceed \$75,540; request authorization to award contract for engineering and mechanical services for the replacement of the Public Works Center cooling system to Hayes Mechanical, Inc., Chicago, IL, in an amount not to exceed \$142,191; request authorization to award contract for 2013-2014 winter tractor rentals to Illinois Truck & Equipment, Morris IL (low bid), in an amount not to exceed \$23,700; request acceptance of the Department of Public Works and Department of Development Services for the Transportation and Engineering Division Monthly Reports.

Finance

Trustee Pilafas stated that they would be meeting to request approval of an ordinance to amend the 2012 Budget; request approval to award the Northwest Fourth-Fest Beverage Contract to Euclid Beverage of

North Aurora, Illinois for beverage services at the 2013 festival; request acceptance of Finance Department, Information Systems Department and Sears Centre Arena Monthly Reports.

Public Health & Safety

Trustee Gaeta stated that they would be meeting to request authorization to waive bidding and purchase one (1) 2013 Ford Expedition Special Fleet Service Package 4WD vehicle in an amount not to exceed \$27,939.00 from Bob Ridings Inc., Taylorville, IL (State of Illinois Joint Purchasing Program Contract); request authorization to waive bidding and purchase six (6) 2014 Ford AWD Interceptor Utility vehicles in an amount not to exceed \$160,450.00 from Morrow Brothers Ford, Greenfield, IL, State of Illinois Joint Purchasing (low bidder); request authorization to purchase twelve (12) sets of structural firefighting clothing: seven (7) sets from MES-Illinois, Washington, IL, sole source vendor, in an amount not to exceed \$15,407.00; and five (5) sets from AirOne Equipment, Inc., South Elgin, IL, sole source vendor, in an amount not to exceed \$11,200.00, for a total request not to exceed \$26,607.00; request approval to amend the Rules and Regulations of the Board of Fire and Police Commissioners of the Village of Hoffman Estates, State of Illinois, Chapter IV-Eligibility Register, Section 8B: to require an original firefighter appointee to obtain the Illinois Department of Public Health – EMT-P, Emergency Medical Technician – Paramedic license at the time of application; request approval of an ordinance to declare personal property as surplus and to authorize the sale of personal property owned by the Village of Hoffman Estates; request approval of an ordinance to amend Section 8-7-13, Resale Business, of the Hoffman Estates Municipal Code to include jewelry stores that buy precious metals and require all resale businesses to post purchases on LEADS Online as a record keeping requirement; request acceptance of the Police Department, Health & Human Services, Emergency Management Coordinator and Fire Department Monthly Reports.

6.F. Treasurer's Report

Motion by Trustee Pilafas, seconded by Trustee Stanton, to approve Item 6.E.

Mrs. Musiala stated that during the month of April 2013 cash disbursements and transfers-out exceeded cash receipts and transfers-in for the operating funds by \$24,509. After including these receipts and disbursements, the balance of cash and investments for the operating funds is \$24.1 million. For all of the Village funds, cash receipts and transfers-in exceeded cash disbursements and transfers-out by \$39,962, primarily due to property tax receipts. The total for cash and investments for all funds increased to \$167.9 million.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

7. PLANNING & ZONING COMMISSION REPORTS (Director Gugliotta):

Motion by Trustee Mills, seconded by Trustee Pilafas, to concur with the Planning & Zoning Commissions recommendation and approve the petitioners' request.

7.A. Request by Donald Ross for a fifteen (15) foot corner side yard setback variation from Section 9-3-3-C to allow a six (6) foot high solid fence to be zero (0) feet from the south side property line instead of the minimum required fifteen (15) feet at 671 Wainsford Drive.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

8. ADDITIONAL BUSINESS:

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Items 8.A. through 8. F. by omnibus vote. Voice vote taken. All ayes. Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.A.

8.A. Request Board approval of Ordinance No. 4370-2013 granting a variation to premises at 671 Wainsford Drive, Hoffman Estates.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.B.

8.B. Request Board approval of Ordinance No. 4371-2013 amending Section 8-3-22, Number of Licenses, of Article 3, Alcoholic Liquors, of the Hoffman Estates Municipal Code (revising the number of Class "A", Class "B" and Class "LC" Licenses).

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.C.

8.C. Request Board approval of Resolution No. 1544-2013 appointing a Deputy Village President.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.D.

8.D. Request Board approval of an Intergovernmental Agreement with Cook County for the Canadian National Noise Mitigation Program.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.E.

8.E. Request Board approval of request by Caruso Development Corporation (agent) on behalf of Deshouw (owner) for approval of a site plan amendment to remove certain conditions of approval relating to Barrington Square Town Center renovations approved in 2010.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Newell, to approve Item 8.F.

8.F. Request Board approval of request by Spiro Douvris for approval of a site plan amendment to allow exterior building façade renovations at Zippy's restaurant located at 830 Roselle Road.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

9. ADJOURNMENT:

Motion by Trustee Mills, seconded by Trustee Stanton, to adjourn the meeting into Executive Session to discuss Collective Bargaining (SILCS 120/2- (c)-(2)). Time: 9:23 p.m.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to adjourn the meeting. Time: 10:07 p.m.

Roll Call:

Aye: Pilafas, Stanton, Gaeta, Vandenberg, Mills, Newell

Nay:

Mayor McLeod voted aye.

Motion carried.

Bev Romanoff
Village Clerk

Date Approved

The Village of Hoffman Estates complies with the Americans with Disabilities Act (ADA). For accessibility assistance, call the ADA Coordinator at 847/882-9100.

MEETING: HOFFMAN ESTATES VILLAGE BOARD
DATE: JUNE 3, 2013
PLACE: COUNCIL CHAMBERS
MUNICIPAL BUILDING COMPLEX
1900 HASSELL ROAD
HOFFMAN ESTATES, ILLINOIS

1. CALL TO ORDER:

Village President William McLeod called the meeting to order at 7:01 p.m. The Village Clerk called the roll. Trustees present: Gary Stanton, Mike Gaeta, Gayle Vandenberg, Karen Mills, Anna Newell and Gary Pilafas.

A quorum was present.

ADMINISTRATIVE PERSONNEL PRESENT:

J. Norris, Village Manager
D. O'Malley, Deputy Village Manager
A. Janura, Corporation Counsel
P. Cross, Asst. Corporation Counsel
M. Koplin, Asst. Village Manager-Development Services
J. Jorian, Deputy Fire Chief
M. Hish, Police Chief
R. Musiala, Finance Director
J. Nebel, PW Director
P. Seger, HRM Director
A. Garner, H&HS Director
G. Eaken IS Director
D. Schultz, Community Relations Coordinator
B. Gibbs, Global Spectrum
G. Salavitch, Engineering Director
T. Messino, GG Intern

2. PLEDGE OF ALLEGIANCE TO THE FLAG:

The Pledge was led by Trustee Stanton.

6. REPORTS:

6.A. President's Report

Proclamation(s)

Trustee Vandenberg read the following proclamation.

Motion by Trustee Mills, seconded by Trustee Pilafas, to concur with the proclamation proclaiming Thursday, June 20, 2013 as Ed Rafferty Day. Voice vote taken. All ayes. Motion carried.

Mr. Rafferty accepted his proclamation and was congratulated by the Board.

Trustee Mills read the following proclamation.

Motion by Trustee Mills, seconded by Trustee Pilafas, to concur with the proclamation proclaiming 2013 as Delta Sigma Theta Sorority, Inc. Year. Voice vote taken. All ayes. Motion carried.

Members of the Delta Sigma Theta Sorority accepted their proclamation and were congratulated by the Board.

Trustee Gaeta read the following proclamation.

Motion by Trustee, seconded by Trustee, to concur with the proclamation proclaiming June 2013 as Lyme Disease Awareness Month. Voice vote taken. All ayes. Motion carried.

Dr. Garner accepted the proclamation.

Citizen Lifesaving Awards (From Fire Department)

Sergeant Mark Mueller
Officer James Johnson
Officer Rodney Penrod
Officer Scott Reichel
Officer Richard Turman

Deputy Fire Chief Jorian spoke about the life saving efforts that Officer Reichel and Officer Turman used when assisting a man who fell on February 5, 2013. He also spoke about the skills that Sergeant Mueller, Officer Johnson and Officer Penrod used when rescuing a man who fell through the ice on February 23, 2013. Each of the Officers received Life Saving Awards from the Fire and Police Departments.

Motion by Trustee Pilafas, seconded by Trustee Mills, to recess the Board Meeting and return to the Committee Meetings. Voice vote taken. All ayes. Motion carried. Time: 7:20 p.m.

Village President William McLeod called the meeting back to order at 8:00 p.m. The Village Clerk called the roll. Trustees present: Gary Stanton, Mike Gaeta, Gayle Vandenberg, Karen Mills, Anna Newell and Gary Pilafas.

A quorum was present.

3. RECOGNITION OF AUDIENCE:

Michael Victor, 1930 Fairhaven Court, Schaumburg, questioned a June 2010 document regarding alcohol use at the Village Green. Mr. Norris said he would look at the document and get back to him.

4. APPROVAL OF MINUTES:

Motion by Trustee Pilafas, seconded by Trustee Mills, to defer Item 4. Voice vote taken. All ayes. Motion carried.

Approval of Minutes
Minutes from May 28, 2013.

5. CONSENT AGENDA/OMNIBUS VOTE:

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 5.A. with the removal of Item 7.C. Voice vote taken. All ayes. Motion carried.

5.A. Approval of Agenda

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 5.B.

5.B. Approval of the schedule of bills for June 3, 2013: \$1,296,035.69.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

6. REPORTS:

6.A. President's Report

Motion by Trustee Mills, seconded by Trustee Vandenberg, to accept the renewals of the Boards and Commission members. Voice vote taken. All ayes. Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Mills, to accept the resignation of Michael Gaeta from the Planning and Zoning Commission. Voice vote taken. All ayes. Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to accept the resignation with regrets of Donna Boomgarden from the Planning and Zoning Commission. Voice vote taken. All ayes. Motion carried.

Mayor McLeod stated that he attended two DARE graduations, a 4th of July meeting, the opening of the Willow Creek Care Center, tossed the coin at the Slaughter game, celebrated Joane and son Craig's birthdays, attended the Eagle Scout ceremony for Adam Devery, the Rube Goldberg reception honoring students from Hoffman Estates High School and the Citizens Police Academy graduation.

6.B. Trustee Comments

Trustee Vandenberg congratulated the Rube Goldberg winners from HEHS and the CPA graduates and wished happy trails to Bundo.

Trustee Stanton stated that he did the same things as Trustee Vandenberg.

Trustee Mills stated that she also did the same events as Trustee Vandenberg and Stanton and thanked our Police Officers and Firefighters for doing what they do.

Trustee Pilafas stated that Bundo will be missed, congratulated the Officers on receiving their awards, the Rube Goldberg winners and the CPA graduates.

Trustee Newell bid farewell to Bundo, stated that she attended the Cop on a Roof Top, the Business Expo at the Slaughter game, the Joint Commission speaker event, the Eagle Scout ceremony, she congratulated the Rube Goldberg winners and the CPA graduates and announced that her oldest grandchild was graduating at the Sears Centre Arena.

Trustee Gaeta stated that he attended the Children's Concert, the opening of the Willow Creek Care Center, the Eagle Scout ceremony, the Rube Goldberg reception and the CPA graduation.

6.C. Village Manager's Report

Mr. Norris announced that Fire Chief Gorvett is retiring on July 1, 2013 and that Deputy Chief Jorian will be named Acting Fire Chief at that time.

6.D. Village Clerk's Report

The Village Clerk stated that 70 passports were processed and 85 FOI requests received during the month of May. The average time to complete a request was 1.9 days. She also thanked everyone who donated food while attending Commission events.

6.D. Committee Reports

Planning, Building & Zoning

Trustee Mills stated that they would be meeting to discuss a request by the Hoffman Estates Park District for site plan approval for a governmental land use for a concessions/storage building addition at Sycamore Park; request approval of a vacation of easement and plat of easement of utilities for Willow Creek Church located at 67 E. Algonquin Rd, South Barrington; request approval of the Community Development Block Grant (CDBG) Annual Action Plan 2013, for Program Year 8, Consolidated Plan 2011-2015; discussion regarding Community Development Block Grant Analysis of Impediments to Fair Housing; request acceptance of Department of Development Services Monthly Reports for Planning Division, Code Enforcement Division and Economic Development and Tourism.

General Administration & Personnel

Trustee Vandenberg stated that they would be meeting to discuss the Legislative Update; request acceptance of the Cable TV and Human Resources Management Monthly Reports.

Transportation & Road Improvement

Trustee Stanton stated they would be meeting to request approval of an agreement with PACE for Park-and-Ride services; request approval of an agreement with IDOT for LED traffic signal upgrades; request acceptance of Transportation Division Monthly Report.

7. ADDITIONAL BUSINESS:

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Items 7.A., 7.B. and 7.D. through 7.N. by omnibus vote. Voice vote taken. All ayes. Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.A.

7.A. Request Board approval of Ordinance No. 4272-2013 amending Section 8-3-22, Number of Licenses, of Article 3, Alcoholic Liquors, of the Hoffman Estates Municipal Code (increase in the number of Class "A" licenses – Pinewoods Restaurant Group d/b/a Molly's Deli).

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.B.

7.B. Request Board approval of Ordinance No. 4373-2013 authorizing the sale of personal property owned by the Village of Hoffman Estates.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

This Item was pulled from the agenda.

7.C. Request Board approval of an ordinance amending Section 8-7-13, Resale Business, of the Hoffman Estates Municipal Code (jewelry stores).

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.D.

7.D. Request Board approval of Ordinance No. 4374-2013 authorizing amendments to the 2012 budget ordinance.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.E.

7.E. Request Board authorization to award the Northwest Fourth-Fest beverage contract to Euclid Beverage, North Aurora, IL, for beverage services at the 2013 festival.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.F.

7.F. Request Board authorization to 1) waive formal bidding; and 2) purchase one (1) 2013 Ford Expedition Special Fleet Service Package 4WD vehicle in an amount not to exceed \$27,939 from Bob Ridings Inc., Taylorville, IL (State of Illinois Joint Purchasing Program Contract).

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.G.

7.G. Request Board authorization to 1) waive formal bidding; and 2) purchase five (5) 2014 Ford AWD Interceptor utility vehicles (Morrow Brothers Ford, States Purchasing Program) and one (1) 2014 Ford Administrative AWD utility vehicle (Curry Motors, Suburban Purchasing Cooperative) in an amount not to exceed \$160,450.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.H.

7.H. Request Board authorization to purchase twelve (12) sets of structural firefighting clothing: seven (7) sets from MES-Illinois, Washington, IL, sole source vendor, in an amount not to exceed \$15,407; and five (5) sets from Air One Equipment, Inc., South Elgin, IL, sole source vendor, in an amount not to exceed \$11,200, for a total amount not to exceed \$26,607.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.I.

7.I. Request Board approval to amend the Rules and Regulations of the Board of Fire and Police Commissioners of the Village of Hoffman Estates, State of Illinois, Chapter IV-Eligibility Register, Section 8B, to require an original firefighter appointee to obtain the Illinois Department of Public Health – EMT-P, Emergency Medical Technician – Paramedic license at the time of application.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.J.

7.J. Request Board approval of 1) the Village's Drainage Policy detailing when the Village is responsible for improvements; and 2) three (3) locations for inclusion in the 2013 Drainage Improvements Project, in an amount not to exceed \$25,000.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.K.

7.K. Request Board approval for the Village to participate in the Northwest Municipal Conference (NWMC) Suburban Purchasing Cooperative (SPC) for a one-year contract with Palatine Oil Co., Schaumburg, IL, for joint purchase of diesel fuel and gasoline.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.L.

7.L. Request Board authorization to extend the 2011 contract for 2013-2014 janitorial maintenance service for Village Hall, Police Department, Susan Kenley-Rupnow Center and Fleet Services Facilities, including periodic cleaning extras to Total Facility Maintenance, Inc., Wood Dale, IL, for total contract monthly fee of \$5,505.82, total not to exceed \$75,540.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.M.

7.M. Request Board authorization to award contract for engineering and mechanical services for the replacement of the Public Works Center cooling systems to Hayes Mechanical, Inc., Chicago, IL, in an amount not to exceed \$142,191.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Mills, seconded by Trustee Pilafas, to approve Item 7.N.

7.N. Request Board authorization to award contract for 2013-2014 winter tractor rentals to Illinois Truck & Equipment, Morris, IL (low bid) in an amount not to exceed \$23,700.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

8. ADJOURNMENT:

Motion by Trustee Mills, seconded by Trustee Pilafas, to adjourn the meeting into Executive Session to discuss Personnel (5 ILCS 120/2-(c)-(1)). Time: 8:17 p.m.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.

Motion carried.

Motion by Trustee Pilafas, seconded by Trustee Mills, to adjourn the meeting. Time: 8:36 p.m.

Roll Call:

Aye: Stanton, Gaeta, Vandenberg, Mills, Newell, Pilafas

Nay:

Mayor McLeod voted aye.


Motion carried.

Bev Romanoff
Village Clerk

Date Approved

The Village of Hoffman Estates complies with the Americans with Disabilities Act (ADA). For accessibility assistance, call the ADA Coordinator at 847/882-9100.

**CONSENT AGENDA/
OMNIBUS VOTE**



BILL LIST SUMMARY

BILL LIST AS OF 06/17/2013	\$	505,046.44
MANUAL CHECK REGISTER 05/31 THRU 06/12	\$	6,315.66
PAYROLL 06/14/2013	\$	<u>1,173,678.46</u>
TOTAL	\$	1,685,040.56

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01 0301	13	MASTER-BREW BEVERAGES,INC.	COFFEE	\$314.40
01 0302	13	CARQUEST AUTO PARTS	RTN STOCK REPAIR PARTS	(\$35.19)
01 0302	13	CARQUEST AUTO PARTS	RTN STOCK REPAIR PARTS	(\$12.50)
01 0302	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$11.28
01 0302	13	CARQUEST AUTO PARTS	STOCK REPAIR PARTS	\$12.50
01 0302	13	CARQUEST AUTO PARTS	STOCK REPAIR PARTS	\$17.65
01 0302	13	CARQUEST AUTO PARTS	AUTO REPAIR PARTS	\$30.61
01 0302	13	CARQUEST AUTO PARTS	STOCK REPAIR PARTS	\$35.19
01 0302	13	WHOLESALE DIRECT INC	REPAIR PARTS	\$69.61
01 0302	13	ACME TRUCK BRAKE & SUPPLY CO.	REPAIR PARTS	\$69.90
01 0302	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$76.66
01 0302	13	CARQUEST AUTO PARTS	STOCK REPAIR PARTS	\$80.58
01 0302	13	LEE AUTO SCHAUMBURG	REPAIR PARTS	\$87.60
01 0302	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$105.07
01 0302	13	CHICAGO PARTS & SOUND LLC	STOCK REPAIR PARTS	\$116.04
01 0302	13	CHICAGO PARTS & SOUND LLC	STOCK REPAIR PARTS	\$126.24
01 0302	13	GLOBAL EMERGENCY PRODUCTS	STOCK REPAIR PARTS	\$149.21
01 0302	13	SPRING HILL FORD	VEHICLE REPAIR PARTS	\$173.10
01 0302	13	WHELEN ENGINEERING CO., INC.	STOCK SUPPLY PARTS	\$185.00
01 0302	13	FIRESTONE TRUCK & SERVICE CENTER	STOCK REPAIR PARTS	\$322.59
01 0302	13	CHICAGO PARTS & SOUND LLC	REPAIR PARTS	\$367.84
01 0302	13	POMP'S TIRE	STOCK REPAIR PARTS	\$418.81
01 0302	13	FIRESTONE TRUCK & SERVICE CENTER	STOCK REPAIR PARTS	\$493.72
01 0302	13	POMP'S TIRE	STOCK SUPPLY PARTS	\$794.84
01 0302	13	FIRESTONE TRUCK & SERVICE CENTER	AUTO REPAIR PARTS	\$1,290.36
01 0303	13	COTG CHICAGO OFFICE TECHNOLOGY	B&W COPIES	\$181.04
01 1222	13	AFLAC	DED:1027 AFLAC-INS	\$4,023.90
01 1223	13	AFLAC	DED:2027 AFL-AF TAX	\$824.44
01 1442	13	CAD TECH	FUND RAISER PD EXPLORERS	\$1,478.25
01 1458	13	KUSTOM SIGNALS INC	LABOR AND REPAIRS	\$487.15
TOTAL GENERAL INSURANCE & HEALTHCARE				\$12,240.89
01000011 3205	13	LANDMARK PLUMBING	RFD PERMIT 13050333	\$30.00
01000011 3206	13	LALJI K PATEL	CHAUFFEUR LICENSE RTN	\$65.00
01000013 3405	13	CONNECTICUT GENERALL LIFE INS CO	RUN # 1245062	\$71.08
01000013 3405	13	UNITED HEALTHCARE INSURANCE COMPANY	RUN #1358430	\$202.67
01000013 3405	13	ANDRES MEDICAL BILLING, LTD.	MAY AMBULANCE BILLING	\$4,615.51
01000013 3405	13	ANDRES MEDICAL BILLING, LTD.	APRIL AMBULANCE BILLING	\$5,609.82
01000014 3502	13	LINDA MOSS WILLIAMS	OVERPMT TICKET 1079652	\$20.00
TOTAL GENERAL INSURANCE & HEALTHCARE				\$10,517.08
01101123 4403	13	PLUM GROVE PRINTERS INC	BUSINESS CARDS	\$217.70
01101123 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$32.00
01101123 4414	13	SUPERIOR NUT & CANDY	CANDY	\$1,250.99
01101123 4414	13	SUPERIOR NUT & CANDY	SHIPPING	\$17.00

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01101124 4504	13	CHICAGO METRO AGENCY FOR PLANNING	CONTRIBUTION REQUEST	\$496.79
01101124 4507	13	MCAPITOL MANAGEMENT	CONTRACTUAL SERV - JUNE	\$4,000.00
01101124 4507	13	ALFRED G RONAN LTD	JUNE 2013 PROF. SERVICES	\$5,000.00
\$5,496.79				
01101224 4542	13	LANGUAGE LINE SERVICES	INTERPRETATION	\$51.75
\$51.75				
01101324 4567	13	JOHN J SCOTILLO	ADJ HEARING 5/29/13	\$500.00
01101324 4567	13	LAMONT E. STALLWORTH, PH.D.	ARBITRATOR	\$3,445.00
01101324 4567	13	ARNSTEIN & LEHR LLP	PROF SERV THRU 5/31/13	\$12,000.00
\$15,945.00				
01101423 4401	13	UPS SHIPPING CHARGES	SHIPPING	\$13.60
01101423 4401	13	AUTOMATED MAIL SERVICES, LLC	POSTAGE FOR MAY 2013	\$302.90
01101423 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$6.00
01101424 4510	13	CANON SOLUTIONS AMERICA	COPIER MAINTENANCE	\$126.35
01101424 4510	13	NEOPOST INC.	POSTAGE	\$1,312.44
01101424 4510	13	NEOPOST INC.	STANDARD MAINTENANCE	\$1,323.42
01101424 4510	13	NEOPOST INC.	STANDARD MAINTENANCE	\$1,332.29
\$5,427.00				
01101523 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$6.00
\$6.00				
01101622 4301	13	IPELRA	HEALTHCARE TRAIN PROG	\$55.00
01101624 4579	13	ALEXIAN BROTHERS CORPORATE HEALTH	EMPLOYEE PHYSICALS	\$108.00
\$163.00				
01102523 4403	13	HAGG PRESS INC	JUNE NEWSLETTER	\$4,025.28
\$4,025.28				
GENERAL GOVERNMENT				\$36,622.51
01201224 4507	13	AFTERMATH INC	BIOHAZARD CLEANUP	\$95.00
\$95.00				
01202122 4301	13	NORTH EAST MULTI-REGIONAL TRAINING	PD PHOTOGRAPHY	\$35.00
01202122 4301	13	NORTHWESTERN UNIV CTR PUBLIC SAFETY	CRIME SCENE TECHNOLOGY	\$1,100.00
01202124 4510	13	ULTRA STROBE COMMUNICATIONS	LABOR AND REPAIRS	\$75.00
01202124 4510	13	ULTRA STROBE COMMUNICATIONS	LABOR AND PARTS	\$150.00
01202124 4542	13	AMERICAN FIRST AID	MEDICAL SUPPLIES	\$161.40
01202124 4542	13	ULTRA STROBE COMMUNICATIONS	LABOR AND REPAIRS	\$2,068.70
\$3,490.10				
01202224 4542	13	AMERICAN TRAFFIC SOLUTIONS	TRAFFIC SIGNALS	\$17,560.00
\$17,560.00				
01202423 4414	13	MONA S MORRISON	GRAD PHOTOS	\$50.00
\$50.00				
01202524 4542	13	NORTHWEST CENTRAL DISPATCH SYSTEM	JUL 13 ASSESSMENT	\$52,298.18
\$52,298.18				
01202623 4414	13	THE FINER LINE	PLAQUE	\$209.54
\$209.54				

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01202824 4509	13	ID NETWORKS	SERV 3/13 - 2/28/14	\$1,850.00
01202824 4509	13	ID NETWORKS	SERV 5/1/13 - 4/30/14	\$12,747.00
01202825 4628	13	DELL, INC	DELL POWEREDGE R320 PER A	\$2,535.05
HUMAN SERVICES				
01202924 4508	13	GOLF ROSE ANIMAL HOSPITAL	ANIMAL FEES	\$235.60
HUMAN SERVICES/GENERAL SERVICES				
01207123 4414	13	STACEY SPRANDEL	LOGO	\$142.50
POLICE				\$91,312.97
01301222 4305	13	FASTFRAME #226	BADGES	\$737.85
01301223 4402	13	OFFICE DEPOT	OFFICE SUPPLIES	\$58.08
01301223 4402	13	OFFICE DEPOT	OFFICE SUPPLIS	\$60.01
HUMAN SERVICES/GENERAL SERVICES				
01303122 4304.16	13	MUNICIPAL EMERGENCY SERVICES	INSTALLATION	\$194.50
01303122 4304.16	13	MUNICIPAL EMERGENCY SERVICES	GLOVES	\$957.30
01303124 4542	13	CHICAGO COMMUNICATIONS,LLC	LABOR AND REPAIRS	\$509.90
01303124 4579	13	ALEXIAN BROTHERS CORPORATE HEALTH	RETURN TO WORK PHYSICAL	\$39.00
01303124 4579	13	ALEXIAN BROTHERS CORPORATE HEALTH	RTN TO WORK PHYSICALS	\$39.00
HUMAN SERVICES/GENERAL SERVICES				
01303222 4301	13	KEVIN ARENDT	REIM LICENSE RENEW	\$41.75
01303222 4301	13	RYAN BEBE	REIM FOR LIC RENEWAL	\$41.75
01303222 4301	13	PETER BEHNKE	REIM FOR EMT BOOKS	\$169.06
01303222 4301	13	MICHAEL CZARNECKI	REIM FOR EMT BOOKS	\$169.06
01303223 4419	13	GLOVE PLANET	GLOVES	\$298.00
01303223 4419	13	AIRGAS USA, LLC	OXYGEN USP MED	\$761.10
01303224 4542	13	ILLINOIS DEPARTMENT PUBLIC HEALTH	LICENSE INSPECT # 23	\$25.00
HUMAN SERVICES/GENERAL SERVICES				
01303523 4412	13	GRAINGER INC	REPAIR PARTS	\$127.50
HUMAN SERVICES/GENERAL SERVICES				
FIRE				\$4,226.86
01401224 4509	13	COTG CHICAGO OFFICE TECHNOLOGY	B & W COPIES	\$72.50
HUMAN SERVICES/GENERAL SERVICES				
01404123 4414	13	R.C. TOPSOIL	REPAIR PARTS	\$462.00
01404124 4507	13	MURRAY & TRETTEL INC/ WEATHER COMMA	WEATHER SERVICE	\$203.61
HUMAN SERVICES/GENERAL SERVICES				
01404224 4521	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$125.06
01404224 4521	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$215.80
01404224 4521	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$311.48
01404225 4628	13	MCCANN INDUSTRIES	WACKER PLATE COMPACTOR	\$950.00
01404225 4628	13	MCCANN INDUSTRIES	WK-0162986 WHEEL KET	\$145.00
HUMAN SERVICES/GENERAL SERVICES				
01404322 4303	13	INTERNATIONAL SOCIETY ARBORICULTURE	RECERT - K KERR	\$100.00
01404323 4403	13	CLASS PRINTING	DOOR HANGERS NOTIFICATION	\$218.00

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01404323 4408	13	MENARDS - HNVK PARK	VARIOUS SUPPLIES	\$89.97
01404323 4408	13	TAPCO	CONE SIGNS	\$134.60
01404323 4414	13	PRO SAFETY EQUIPMENT	SPRAY PAINT	\$137.40
<i>month 170131/13/13</i>				<i>(\$140.00)</i>
01404423 4412	13	CASE LOTS	SUPPLIES	\$313.80
01404423 4412	13	CASE LOTS	GEN 800 2 PLY TOILET PAPE	\$231.60
01404423 4412	13	CASE LOTS	PRO SAN PINE CLEANER 4/1	\$31.80
01404423 4412	13	CASE LOTS	BWK 8310 1/4 FOLD NAPKIN	\$59.90
01404423 4412	13	CASE LOTS	C-LINK M/W FORKS 1000/CS	\$44.50
01404423 4412	13	CASE LOTS	C-LINK TEASPOONS 1000/CS	\$17.80
01404423 4412	13	CASE LOTS	KITCHEN ROLL TOWELS P2	\$276.00
01404424 4501	13	AMAUDIT	AUDIT SERVICES	\$2,403.34
01404424 4501	13	AMAUDIT	AUDITING SERVICES	\$2,403.34
01404424 4501	13	AMAUDIT	AUDITING SERVICES	\$2,403.34
01404424 4501	13	AMAUDIT	AUDITING SERVICES	\$2,403.34
01404424 4503	13	NICOR GAS	1900 HASSELL	\$27.69
01404424 4507	13	ACCURATE DOCUMENT DESTRUCTION INC	DOCUMENT DESTRUCTION	\$24.00
01404424 4507	13	ACCURATE DOCUMENT DESTRUCTION INC	DOCUMENT DESTRUCTION	\$72.00
01404424 4507	13	MC CLOUD SERVICES	PEST MANAGEMENT	\$88.00
01404424 4507	13	RED HAWK FIRE & SECURITY	SECURITY MONITORING	\$165.00
01404424 4507	13	RED HAWK FIRE & SECURITY	SECURITY MONITORING	\$1,181.71
01404424 4509	13	LECHNER AND SONS UNIFORM RENTAL	MONTHLY RENTAL SUPPLIES	\$37.82
01404424 4509	13	LECHNER AND SONS UNIFORM RENTAL	UNIFORMS	\$37.82
01404424 4509	13	LECHNER AND SONS UNIFORM RENTAL	UNIFORM SUPPLIES	\$39.03
01404424 4510	13	GRAINGER INC	RTN VARIOUS SUPPLIES	(\$198.08)
01404424 4510	13	GRAINGER INC	RTN VARIOUS SUPPLIES	(\$20.14)
01404424 4510	13	GRAINGER INC	VARIOUS SUPPLIES	\$17.31
01404424 4510	13	GRAINGER INC	VARIOUS SUPPLIES	\$26.06
01404424 4510	13	FOX VALLEY FIRE & SAFETY	VARIOUS SUPPLIES	\$26.56
01404424 4510	13	GRAINGER INC	VARIOUS SUPPLIES	\$49.52
01404424 4510	13	GRAINGER INC	VARIOUS SUPPLIES	\$61.91
01404424 4510	13	FOX VALLEY FIRE & SAFETY	SPRINKLER SYS REPAIR	\$112.00
01404424 4510	13	WOLF ELECTRIC SUPPLY CO	REPAIR PARTS	\$121.74
01404424 4510	13	FOX VALLEY FIRE & SAFETY	INSPECTIONS	\$225.00
01404424 4510	13	FOX VALLEY FIRE & SAFETY	ANNUAL SPRINKLER INSPEC	\$225.00
01404424 4510	13	AMERICAN DOOR AND DOCK	DOOR REPAIRS	\$243.00
01404424 4510	13	CROSS POINTS INC	TESTING OF MACHINERY	\$345.00
01404424 4510	13	FOX VALLEY FIRE & SAFETY	SPRINKLER SYSTEM REPAIRS	\$864.00
01404424 4510	13	PRO LINE DOOR SYSTEMS	1 NEW HEAVY DUTY COMMERCC	\$1,424.00
01404424 4516	13	GRAINGER INC	LIGHT BULBS	\$3.84
01404424 4516	13	AMLINGS INTERIOR LANDSCAPE	MAINTENANCE VILLAGE HALL	\$395.00
01404424 4518	13	FOX VALLEY FIRE & SAFETY	FIRE ALARM REPAIR	\$195.00
01404424 4518	13	FOX VALLEY FIRE & SAFETY	MAY FIRE EXT ANNUAL	\$213.87
01404424 4518	13	PALATINE HEATING & COOLING	LABOR AND REPAIRS	\$239.00

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01404522 4301	13	MFMA	GM PRESENTATION	\$25.00
01404522 4303	13	LECHNER AND SONS UNIFORM RENTAL	UNIFORM SUPPLIES	\$36.74
01404522 4304	13	LECHNER AND SONS UNIFORM RENTAL	MONTHLY RENTAL SUPPLIES	\$35.74
01404522 4304	13	LECHNER AND SONS UNIFORM RENTAL	UNIFORMS	\$54.74
01404523 4408	13	MENARDS - HNVR PARK	REPAIR PARTS	\$44.93
01404523 4411	13	PALATINE OIL CO., INC	FUEL	\$6,043.11
01404523 4411	13	PALATINE OIL CO., INC	FUEL	\$17,833.49
01404523 4411	13	PARENT PETROLEUM	SHAMROCK ELC 50/50 PREMIX	\$735.90
01404523 4411	13	PARENT PETROLEUM	DELIVERY	\$5.00
01404524 4509	13	HERITAGE-CRYSTAL CLEAN	DRUM MOUNT 30 GAL	\$311.73
01404524 4510	13	MENARDS - HNVR PARK	SQUIRREL STOPPER	\$21.98
01404524 4510	13	MENARDS - HNVR PARK	REPAIR PARTS	\$89.90
01404524 4510	13	POMP'S TIRE	VEHICLE REPAIR PARTS	\$114.00
01404524 4513	13	LEE AUTO SCHAUMBURG	AUTO REPAIR PARTS	\$1.99
01404524 4513	13	O'REILLY AUTO PARTS	AUTO REPAIR PARTS	\$17.87
01404524 4513	13	CARQUEST AUTO PARTS	AUTO REPAIR PARTS	\$32.74
01404524 4513	13	CARQUEST AUTO PARTS	AUTO REPAIR PARTS	\$40.41
01404524 4513	13	LEE AUTO SCHAUMBURG	REPAIR PARTS	\$48.44
01404524 4513	13	SECRETARY OF STATE	LICENSE PLATE RENEW	\$101.00
01404524 4513	13	GOLF ROSE CAR WASH	CAR WASH	\$273.00
01404524 4514	13	ACME TRUCK BRAKE & SUPPLY CO.	AUTO REPAIR PARTS	\$8.76
01404524 4514	13	GOLF ROSE CAR WASH	CAR WASH	\$39.00
01404524 4514	13	BRETT EQUIPMENT CORP.	LIGHT BULBS	\$42.26
01404524 4514	13	O'REILLY AUTO PARTS	AUTO REPAIR PARTS	\$48.44
01404524 4514	13	CHICAGO INTERNATIONAL TRUCKS, LLC	AUTO REPAIR PARTS	\$49.59
01404524 4514	13	KAMMES AUTO & TRUCK REPAIR INC	STATE TEST	\$60.00
01404524 4514	13	LEE AUTO SCHAUMBURG	AUTO REPAIR PARTS	\$123.99
01404524 4514	13	FIRESTONE TRUCK & SERVICE CENTER	VEHICLE REPAIR PARTS	\$376.84
01404524 4533	13	GOLF ROSE CAR WASH	CAR WASH	\$6.50
01404524 4534	13	WELLER TRUCK PARTS	RTN PARTS UNIT 14	(\$391.63)
01404524 4534	13	CARQUEST AUTO PARTS	CREDIT	(\$40.93)
01404524 4534	13	ACME TRUCK BRAKE & SUPPLY CO.	RTN VEHICLE PARTS	(\$27.06)
01404524 4534	13	CHICAGO INTERNATIONAL TRUCKS, LLC	RTN VEHICLE PARTS	(\$22.73)
01404524 4534	13	GOLF ROSE CAR WASH	CAR WASH	\$6.50
01404524 4534	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$16.54
01404524 4534	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$40.93
01404524 4534	13	KAMMES AUTO & TRUCK REPAIR INC	STATE TEST	\$44.50
01404524 4534	13	CHICAGO INTERNATIONAL TRUCKS, LLC	VEHICLE REPAIR PARTS	\$151.77
01404524 4534	13	INTERSTATE BATTERY SYSTEMS	BATTERIES	\$203.90
01404524 4534	13	KAMMES AUTO & TRUCK REPAIR INC	STATE TEST	\$210.00
01404524 4534	13	WELLER TRUCK PARTS	UNIT 14 REPAIRS	\$1,008.57
01404524 4535	13	GOLF ROSE CAR WASH	CAR WASH	\$6.50
				\$272.00
01404623 4408	13	MENARDS - HNVR PARK	REPAIR PARTS	\$63.98
01404623 4414	13	MENARDS - HNVR PARK	REPAIR PARTS	\$70.83

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
01404624 4542	13	GROOT INDUSTRIES, INC ROLL OFF	30 YARD ROLL-OFF	\$44.76
<i>ROLL OFF SERVICE</i>				<i>\$44.76</i>
01404724 4507	13	MC CLOUD SERVICES	JULY & SEPT PEST MGMT	\$1,190.00
01404724 4522	13	WELCH BROS INC	REPAIR PARTS	\$67.00
01404724 4522	13	WELCH BROS INC	REPAIR PARTS	\$96.00
01404724 4522	13	WELCH BROS INC	REPAIR PARTS	\$110.00
01404724 4522	13	WELCH BROS INC	REPAIR PARTS	\$120.00
01404724 4522	13	BEN MEADOWS CO.	84482 PETRO SRBNT BOOM 8	\$196.12
01404724 4522	13	BEN MEADOWS CO.	270222 SPL KIT COMMANDO	\$202.38
01404724 4522	13	GETUM INC	2" RUBBER MANHOLE ADJUSTI	\$1,800.00
01404724 4522	13	GETUM INC	1" TO 2" RUBBER MANHOLE A	\$1,368.00
<i>ROLL OFF SERVICE</i>				<i>\$6,199.50</i>
01404824 4502	13	COM ED	ELECTRIC GLENDALE& 23	\$2,173.87
01404824 4502	13	CONSTELLATION NEW ENERGY INC	ELECTRIC SEDGE	\$5,686.12
01404824 4544	13	HI VIZ INC	EMPCO BARRICADE LIGHT MOD	\$532.50
01404824 4544	13	HI VIZ INC	EMPCO LED BARRICADE LIGHT	\$130.00
<i>ROLL OFF SERVICE</i>				<i>\$8,522.49</i>
PUBLIC WORKS				\$61,678.35
01501223 4402	13	STAPLES	OFFICE SUPPLIES	\$35.99
01501223 4402	13	OFFICE DEPOT	OFFICE SUPPLIES	\$61.76
<i>ROLL OFF SERVICE</i>				<i>\$97.75</i>
01505023 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$6.00
01505024 4546	13	PADDOCK PUBLICATIONS	PUBLIC HEARING OFFICER	\$44.25
<i>ROLL OFF SERVICE</i>				<i>\$50.25</i>
01505123 4408	13	OFFICE DEPOT	OFFICE SUPPLIES	\$82.98
01505123 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$8.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING FOR CODE	\$60.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING FOR CODE	\$60.00
01505124 4507	13	THOMPSON ELEVATOR INSPECTION INC	ELEV INSPECTION	\$75.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING - CODE ENFORCE.	\$270.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING FOR CODE	\$300.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING FOR CODE	\$310.00
01505124 4507	13	GILIO LANDSCAPE CONTRACTORS	MOWING - CODE ENFORCE.	\$505.00
<i>ROLL OFF SERVICE</i>				<i>\$1,640.98</i>
01505222 4304	13	DLS CUSTOM EMBROIDERY	UNIFORMS	\$151.05
01505223 4403	13	PLUM GROVE PRINTERS INC	BUSINESS CARDS	\$32.40
01505223 4414	13	ABSOLUTE VENDING SERVICE	WATER COOLER RENTAL	\$6.00
01505224 4542	13	303 TAXI/FLASH CAB	27 RIDES	\$135.00
01505224 4542	13	AMERICAN CHARGE SERVICE	76 TRIPS TOTAL	\$380.00
01505224 4542	13	CLASS PRINTING	TAXI COUPONS	\$450.00
01505224 4542	13	PACE SUBURBAN BUS SERVICE	ROUTE 554 SERVICE	\$1,306.67
<i>ROLL OFF SERVICE</i>				<i>\$2,455.12</i>
01505924 4542	13	GIS PLANNING	ANNUAL HOSTING FEE	\$6,000.00
<i>ROLL OFF SERVICE</i>				<i>\$6,000.00</i>

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
DEVELOPMENT SERVICES				\$10,280.10
01556522 4301	13	TERESA ALCURE	MILEAGE - MAY	\$52.55
01556523 4402	13	OFFICE DEPOT	OFFICE SUPPLIES	\$38.58
01556523 4414	13	OFFICE DEPOT	OFFICE SUPPLIES	\$17.80
01556523 4414	13	SOOIN LEE	REIMB DISPLAY ITEMS	\$49.36
01556524 4556	13	OFFICE DEPOT	OFFICE SUPPLIES	\$45.58
01556524 4556	13	AT & T	HHS	\$106.01
HEALTH & HUMAN SERVICES				\$309.88
01605324 4546	13	HAGG PRESS INC	4TH JULY FLYER	\$463.42
01605324 4561	13	SNIPER	4TH JULY FEST	\$400.00
01605324 4561	13	RANDY ERWIN	4TH JULY COWBOY	\$550.00
01605324 4561	13	BRIAN LAVENDER	4TH JULY 2 PERFORMANCES	\$1,200.00
01605324 4561	13	MODERN DAY ROMEOS	MODERN DAY ROMEOS 4TH OF	\$3,000.00
01605324 4561	13	LFC ENTERTAINMENT OF ORLAND PK	LIBIDO FUNK CIRCUS 4TH OF	\$1,250.00
01605324 4561	13	SCS PRODUCTIONS INC.	STAGE, LIGHTING, AND SOUN	\$24,745.00
01605324 4561	13	ROCKNOCKER MUSIC COMPANY INC	.38 SPECIAL 4TH OF JULY F	\$15,000.00
01605324 4561	13	7TH HEAVEN-RICHARD HOFHERR	DEPOSIT FOR PERFORMANCE	\$2,250.00
01605324 4561	13	7TH HEAVEN-RICHARD HOFHERR	7TH HEAVEN 4TH OF JULY FE	\$2,250.00
01605324 4561.1	13	ANDY LINDER	2013 4TH JULY PARADE	\$200.00
01605324 4561.1	13	REBECCA MCCARTHY	4TH JULY PARADE	\$250.00
01605324 4561.1	13	TEBALA DRESSER SHRINE CLUB	4TH JULY PARADE	\$400.00
01605324 4561.1	13	THOSE FUNNY LITTLE PEOPLE	4TH JULY PARADE	\$550.00
01605324 4561.1	13	PAUL HALL WARRIORS	2013 4TH PARADE	\$900.00
01605324 4561.1	13	NATIONAL CHAMPION JAZZ STEPPERS	2013 4TH OF JULY PARADE	\$1,500.00
01605324 4561.1	13	NEW GENERATION FANCY DRILL TEAM	4TH JULY PARADE	\$1,750.00
01605324 4561.1	13	SINFUL SAINTS DIXIELAND BAND	4TH OF JULY PARADE	\$1,750.00
01605324 4563	13	DIVINE SIGNS	FORMAT PRINTS	\$66.40
01605324 4563	13	BRIAN HOLT	MAGICIAN 4TH OF JULY FEST	\$300.00
01605324 4563	13	ANIMALS FOR AWARENESS	4TH OF JULY FESTIVAL	\$371.00
01605324 4563	13	JAYNESWAY FARMS	4TH JULY PONY WHEEL	\$425.00
01605324 4563	13	LISA SLOWIK	4TH JULY FACE PAINTING	\$720.00
01605324 4563	13	THE ART OF WONDER, LLC	BUBBLES FOR 4TH	\$900.00
01605324 4563	13	THE BAREFOOT HAWAIIAN INC	THE BAREFOOT HAWAIIAN, IN	\$292.50
01605324 4563	13	LAUGHS WITH A TWIST	LAUGHS WITH A TWIST 3 -	\$300.00
				\$61,780.32
01605724 4507	13	LANGUAGE TESTING INTERNATIONAL	PROF INTERVIEW	\$230.00
				\$7,400.00
01605824 4569	13	ARTHUR MATE	HIST HONORARIUM - MATE	\$125.00
01605824 4569	13	A ZOO TO YOU	BALANCE SMALL ZOO	\$220.00
01605824 4575	13	MICHELLE PILAFAS	REIM FOR SHIRT EMBROID	\$22.00
01605824 4575	13	HAGG PRESS INC	SUMMER CONCERT FLYER	\$614.60
01605824 4593	13	SUPERIOR NUT & CANDY	CANDY	\$582.45
01605824 4593	13	SUPERIOR NUT & CANDY	SHIPPING	\$8.00
01605824 5501	13	GREAT IDEASI PROMOTIONS INC	CELTIC FEST ITEMS	\$1,025.00
				\$25,000.05

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT	
BOARDS & COMMISSIONS				\$64,810.37	
TOTAL GENERAL FUND				\$290,951.01	
03400024	4512	13	MEADE ELECTRIC CO., INC.	ER VEH PREEMPTION	\$263.04
TOTAL MFT FUND				\$263.04	
06200024	4542	13	NORTHWEST CENTRAL DISPATCH SYSTEM	JUL 13 ASSESSMENT	\$5,810.90
TOTAL POLICE				\$5,810.90	
06300024	4515	13	CASSIDY TIRE	CONTINENTAL HSR1 385/65R2	\$1,206.00
06300024	4515	13	CASSIDY TIRE	DISMOUNT AND MOUNT	\$50.00
06300024	4515	13	CASSIDY TIRE	DISPOSAL FEE	\$21.00
06300024	4515	13	CASSIDY TIRE	BALANCE COMPOUND	\$52.00
06300024	4515	13	CASSIDY TIRE	SUPPLIES	\$9.00
06300024	4515	13	CASSIDY TIRE	YARD FEE	\$89.00
06300024	4515	13	CASSIDY TIRE	IIL EPA TAX	\$5.00
TOTAL TIRE				\$1,432.00	
06400025	4604	13	WOLF ELECTRIC SUPPLY CO	REPAIR PARTS	\$47.64
06400025	4604	13	RED HAWK FIRE & SECURITY	SECURITY MONITORING	\$134.00
06400025	4604	13	ILLINI POWER PRODUCTS GEN POWER	GENERATOR SERVICE TO FIRE	\$986.00
TOTAL FIRE/WORK				\$1,167.64	
06750024	4510	13	CANON SOLUTIONS AMERICA	COPIER MAINTENANCE	\$30.00
06750024	4532	13	MEADE ELECTRIC CO., INC.	TRAF SIGNAL MAINTENANCE	\$175.00
06750024	4542	13	GOVTEMPSUSA LLC	EDA REPORTING	\$637.00
06750024	4542	13	GOVTEMPSUSA LLC	EDA REPORTING MAY 12	\$682.50
06750024	4542	13	GOVTEMPSUSA LLC	EDA REPORTING MAY 5	\$682.50
06750024	4542	13	GOVTEMPSUSA LLC	EDA REPORTING	\$1,092.00
06750024	4542	13	ACRES GROUP	TENT REMOVAL	\$1,600.00
06750024	4542	13	ARNSTEIN & LEHR LLP	PROF SERV THRU 5/31/13	\$6,000.00
TOTAL ADMINISTRATION				\$9,000.00	
TOTAL EDA ADMINISTRATION FUND				\$19,309.54	
08200825	4602	13	ULTRA STROBE COMMUNICATIONS	LABOR AND REPAIRS	\$225.00
TOTAL GENERAL ASSET SEIZURE				\$225.00	
TOTAL ASSET SEIZURE FUND				\$225.00	
36000025	4610	13	CRAWFORD, MURPHY & TILLY, INC	BARR RD/I-90	\$97,504.28
36000025	4610	13	CENTRAL FORESTREE	CONTRACTED ASH TREE REMOV	\$17,751.00
36000025	4613	13	DE VINCI CONSTRUCTION CO.	STORM SEWER IMPROVEMENTS	\$1,500.00
TOTAL CAPITAL IMPROVEMENTS FUND				\$116,755.28	
37000025	4602	13	MOTOROLA	MULTI-UNIT CHARGER	\$28.98

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
37000025 4602	13	MOTOROLA	WALL MOUNT UNIT	\$219.00
TOTAL CAPITAL VEHICLE AND EQUIPMENT FUND				\$247.98
40400013 3425	13	AMBER REALTY INC	RFD OVER PYMT	\$14.25
40400013 3425	13	BUY IT	RFD OVER PYMT WATER	\$18.53
40400013 3425	13	FISCHER FAMILY INVESTMENTS LLC	RFD OVER PYMT	\$25.18
40400013 3425	13	WELLS FARGO HOME MORTGAGE	955 SYCAMORE CT	\$37.00
TOTAL CAPITAL VEHICLE AND EQUIPMENT FUND				\$97.96
40406722 4301	13	JOHN KOVAKA	CDL RENEWAL REIMB	\$30.00
40406722 4301	13	CHRIS BIRDELL	CDL REIMBURSEMENTS	\$30.00
40406722 4301	13	BRIAN WAYTON	CDL RENEWAL REIM	\$30.00
40406722 4303	13	MUNICIPAL MARKING DISTRIBUTORS	REPAIR PARTS	\$315.42
40406723 4414	13	A & A EQUIPMENT & SUPPLY CO.	REPAIR PARTS	\$32.00
40406723 4420	13	WATER RESOURCES INC	VARIOUS WATER METER AND R	\$40.00
40406723 4420	13	WATER RESOURCES INC	VARIOUS WATER METER AND R	\$49.83
40406723 4420	13	WATER RESOURCES INC	VARIOUS WATER METER AND R	\$209.28
40406723 4420	13	WATER RESOURCES INC	VARIOUS WATER METER AND R	\$1,907.00
40406724 4501	13	RADIO SHACK	REPAIR PARTS	\$37.96
40406724 4501	13	AMAUDIT	AUDIT SERVICES	\$1,029.99
40406724 4501	13	AMAUDIT	AUDITING SERVICES	\$1,029.99
40406724 4501	13	AMAUDIT	AUDITING SERVICES	\$1,029.99
40406724 4501	13	AMAUDIT	AUDITING SERVICES	\$1,029.99
40406724 4502	13	CONSTELLATION NEW ENERGY INC	ELECTRIC 2150 STONINGTON	\$2,003.05
40406724 4503	13	NICOR GAS	4690 OLMSTEAD DR	\$25.22
40406724 4503	13	NICOR GAS	1775 ABBEYWOOD LN	\$58.21
40406724 4507	13	SUBURBAN LABORATORIES, INC.	COLIFORM	\$120.00
40406724 4507	13	SUBURBAN LABORATORIES, INC.	IEPA	\$240.00
40406724 4507	13	RED HAWK FIRE & SECURITY	SECURITY MONITORING	\$506.44
40406724 4509	13	COTG CHICAGO OFFICE TECHNOLOGY	B & W COPIES	\$72.50
40406724 4526	13	J.C. LICHT/EPCO PAINT & DECORATING	PAINT SUPPLIES	\$18.98
40406724 4526	13	MENARDS - HNVK PARK	REPAIR PARTS	\$30.54
40406724 4526	13	J.C. LICHT/EPCO PAINT & DECORATING	PAINT	\$73.98
40406724 4526	13	GRAINGER INC	VARIOUS SUPPLIES	\$82.88
40406724 4526	13	J.C. LICHT/EPCO PAINT & DECORATING	IMPERVEX HG	\$171.78
40406724 4528	13	SERVICE COMPONENTS	REPAIR PARTS	\$7.82
40406724 4528	13	SERVICE COMPONENTS	REPAIR PARTS	\$82.74
40406724 4528	13	ZIEBELL WATER SERVICE	REPAIR PARTS	\$155.74
40406724 4528	13	USA BLUE BOOK	FOOD GRADE	\$303.97
40406724 4528	13	USA BLUE BOOK	PAINT	\$609.25
40406724 4528	13	USA BLUE BOOK	HYDRANT PAINT	\$609.25
40406724 4528	13	A & K LETTERING	SAND BLAST GREEN FIRE HYD	\$1,845.00
40406724 4528	13	A & K LETTERING	SAND BLAST GREEN FIRE HYD	\$3,735.00
40406724 4529	13	MEYER MATERIAL CO	B-BOX REPAIR	\$54.12
40406724 4529	13	USA BLUE BOOK	POSTS	\$198.45

VILLAGE OF HOFFMAN ESTATES

June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
40406724 4529	13	MUNICIPAL MARKING DISTRIBUTORS	REPAIR PARTS	\$315.43
40406724 4529	13	WATER PRODUCTS CO.	REPAIR PARTS	\$751.82
40406724 4529	13	TNT LANDSCAPE CONSTRUCTION	WATER & SEWER DIG-UP SITE	\$570.00
40406724 4529	13	TNT LANDSCAPE CONSTRUCTION	WATER & SEWER DIG-UP SITE	\$648.00
40406724 4529	13	STRADA CONSTRUCTION CO.	REPLACE PO #11563	\$6,114.33
40406724 4585	13	WELLER TRUCK PARTS	RTN PARTS UNIT #1	(\$216.85)
40406724 4585	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	(\$56.31)
40406724 4585	13	LEE AUTO SCHAUMBURG	AUTO REPAIR PARTS	\$14.28
40406724 4585	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$35.19
40406724 4585	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$36.78
40406724 4585	13	KAMMES AUTO & TRUCK REPAIR INC	STATE TEST	\$120.00
40406724 4585	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	\$140.72
40406724 4585	13	INTERSTATE BATTERY SYSTEMS	BATTERIES	\$146.90
40406724 4585	13	CATCHING FLUIDPOWER INC	VARIOUS SUPPLIES	\$320.64
40406724 4585	13	WHOLESALE DIRECT INC	REPAIR PARTS	\$492.13
40406725 4602	13	HI VIZ INC	EMPCO BARRICADE LIGHT MOD	\$532.50
40406725 4602	13	HI VIZ INC	EMPCO LED BARRICADE LIGHT	\$130.00
40406725 4602	13	MCCANN INDUSTRIES	WACKER PLATE COMPACTOR	\$950.00
40406725 4602	13	MCCANN INDUSTRIES	WK-0162986 WHEEL KET	\$145.00
40406725 4609	13	BAXTER & WOODMAN, INC.	WATER STORAGE TANK	\$896.23
TOTAL WATERWORKS DIVISION				\$7,989.16
40406823 4408	13	GRAINGER INC	VARIOUS SUPPLIES	\$90.08
40406824 4502	13	CONSTELLATION NEW ENERGY INC	ELECTRIC 1101 WESTBURY	\$534.16
40406824 4502	13	CONSTELLATION NEW ENERGY INC	ELECTRIC 1513 GOLF RD	\$2,773.33
40406824 4530	13	BEVERLY MATERIALS, L.L.C.	SURFACE MATERIALS	\$80.99
40406824 4530	13	BEVERLY MATERIALS, L.L.C.	CLEAN FILL MATERIALS	\$110.00
40406824 4530	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$125.06
40406824 4530	13	USA BLUE BOOK	POSTS	\$198.46
40406824 4530	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$284.44
40406824 4530	13	HEALY ASPHALT CO., LLC.	SURFACE MATERIAL	\$311.48
40406824 4530	13	BEVERLY MATERIALS, L.L.C.	SURFACE MATERIALS	\$1,008.12
40406824 4530	13	TNT LANDSCAPE CONSTRUCTION	WATER & SEWER DIG-UP SITE	\$492.00
40406824 4530	13	TNT LANDSCAPE CONSTRUCTION	WATER & SEWER DIG-UP SITE	\$1,586.75
40406824 4530	13	STRADA CONSTRUCTION CO.	REPLACE PO #11563	\$6,114.33
40406825 4608	13	BAXTER & WOODMAN, INC.	COMPLETE 2012 CRITICAL SA	\$1,068.75
40406825 4608	13	BAXTER & WOODMAN, INC.	COMPLETE CHIPPENDALE LIFT	\$4,350.00
TOTAL WATERWORKS AND SEWERAGE DIVISION				\$19,447.96
40407023 4401	13	CREEKSIDE PRINTING	POSTAGE WATER BILLS	\$5,641.50
40407024 4510	13	NEOPOST INC.	MAINT. - CONVEYOR	\$77.26
40407024 4510	13	NEOPOST INC.	MAINT - FOLDER	\$2,253.04
40407024 4542	13	CREEKSIDE PRINTING	WATER BILL PRINTING	\$806.28
TOTAL PRINTING DIVISION				\$8,778.08
TOTAL WATERWORKS AND SEWERAGE FUND				\$57,894.15

VILLAGE OF HOFFMAN ESTATES
June 17, 2013

ACCOUNT	YEAR	VENDOR	DESCRIPTION	AMOUNT
41000023 4414	13	CARQUEST AUTO PARTS	VEHICLE REPAIR PARTS	(\$92.81)
TOTAL SEARS CENTRE OPERATING FUND				(\$92.81)
46 1101	13	RICHARD RUSSO	REIMB MED EXP	\$3,771.61
TOTAL RISK RETENTION				\$3,771.61
46000021 4201	13	CHERYL MCGRAW	VSP JUNE 2013	\$59.40
46000021 4201	13	JUDY M HILLIGOSS	VSP JUNE 2013	\$532.07
46000021 4201	13	MATTHEW W COLLINS	VSP JUNE 2013	\$1,572.90
46000021 4201	13	BONNIE J BUSSE	VSP JUNE 2013	\$1,572.90
46000021 4201	13	TIMOTHY C SUERTH	VSP JUNE 2013	\$1,572.90
46000021 4201	13	SCOTT R SUTSCHEK	VSP JUNE 2013	\$1,572.90
46000021 4201	13	ARJA K KASPER	VSP JUNE 2013	\$1,572.90
46000021 4201	13	STEVEN J HEHN	VSP JUNE 2013	\$1,576.02
TOTAL RISK RETENTION				\$10,000.00
TOTAL INSURANCE FUND				\$13,803.60
47001222 4301	13	WEBQA INC	ONSITE TRAINING	\$900.00
47001223 4406	13	DOCUMENT IMAGING DIMENSIONS,INC.	TONER	\$536.02
TOTAL ADMINISTRATIVE				\$1,436.02
47008524 4507	13	DLS INTERNET SERVICES	INTERNET SERVICES	\$359.63
47008525 4619	13	ECONET, INC.	MONITORING SERVICE	\$2,694.00
TOTAL OPERATIONS				\$3,053.63
TOTAL INFORMATION SYSTEMS FUND				\$4,489.65
62000024 4507	13	ILLINOIS TAX INCREMENT ASSN.	DUES JUL 13 - JUN 14	\$1,200.00
TOTAL ROSELLE ROAD TIF FUND				\$1,200.00
BILLS TOTAL				\$55,046.74

SUNGARD PUBLIC SECTOR
 DATE: 06/13/2013
 TIME: 12:44:13

VILLAGE OF HOFFMAN ESTATES
 CHECK REGISTER - DISBURSEMENT FUND

PAGE NUMBER: 1
 ACCTPA21

SELECTION CRITERIA: transact.t_c='20' and transact.trans_date between '20130531 00:00:00. 0' and '20130612 00:00:00. 0'
 ACCOUNTING PERIOD: 6/13

FUND - 01 - GENERAL FUND

CASH ACCT	CHECK NO	ISSUE DT	VENDOR	BUDGET UNIT	DESCRIPTION	SALES TAX	AMOUNT
0102	84918 V	04/30/13	15407 BANK OF AMERICA	40	UB REFUND	0.00	-19.32
0102	85166 V	05/10/13	15452 ROBIN VEACH	01605824	CELTIC FEST	0.00	-845.00
0102	85303 V	05/29/13	11927 ICDHR	01101122	TICKET-REV BROOKS DINN	0.00	-75.00
0102	85556	05/31/13	15523 CONNIE PETERSON	01000014	RFD OVER PYMT RED LIG	0.00	100.00
0102	85557	05/31/13	11345 GARY PILAFAS	01505922	REIM TRAVEL EXPENSE	0.00	94.24
0102	85558	06/03/13	12997 GROOT INDUSTRIES, INC.	09	1041 ROSELLE DELINQUE	0.00	2,016.99
0102	85559	06/03/13	12798 SPECIAL OLYMPICS OF ILLI	01	COP ON TOP EVENT	0.00	1,835.00
0102	85560	06/03/13	15527 HEMANG SHAH	40	WATER BILL RFD	0.00	33.26
0102	85561	06/05/13	14229 GREATAMERICA FINANCIAL S	01404224	COPIER LEASING	0.00	102.70
0102	85561	06/05/13	14229 GREATAMERICA FINANCIAL S	40406724	COPIER LEASING	0.00	102.70
TOTAL CHECK						0.00	205.40
0102	85562	06/05/13	1156 AT & T	01404424	ALARM BILL	0.00	82.98
0102	85562	06/05/13	1156 AT & T	40406724	ALARM BILL	0.00	35.56
TOTAL CHECK						0.00	118.54
0102	85563	06/05/13	15529 CAROL ROMER	01000014	REFUND RED LIGHT	0.00	100.00
0102	85564	06/10/13	2226 PETTY CASH	01000016	PETTY CASH	0.00	45.00
0102	85564	06/10/13	2226 PETTY CASH	01101122	PETTY CASH	0.00	60.00
0102	85564	06/10/13	2226 PETTY CASH	01101222	PETTY CASH	0.00	20.50
0102	85564	06/10/13	2226 PETTY CASH	01101323	PETTY CASH	0.00	4.00
0102	85564	06/10/13	2226 PETTY CASH	01101423	PETTY CASH	0.00	14.60
0102	85564	06/10/13	2226 PETTY CASH	01101522	PETTY CASH	0.00	48.70
0102	85564	06/10/13	2226 PETTY CASH	01404423	PETTY CASH	0.00	13.00
0102	85564	06/10/13	2226 PETTY CASH	01501223	PETTY CASH	0.00	7.37
0102	85564	06/10/13	2226 PETTY CASH	01505022	PETTY CASH	0.00	5.00
0102	85564	06/10/13	2226 PETTY CASH	01505922	PETTY CASH	0.00	156.50
0102	85564	06/10/13	2226 PETTY CASH	01505923	PETTY CASH	0.00	5.46
0102	85564	06/10/13	2226 PETTY CASH	01556524	PETTY CASH	0.00	14.42
TOTAL CHECK						0.00	394.55
0102	85565	06/10/13	12802 LEAF	01202324	COPIER LEASING	0.00	238.69
0102	85566	06/10/13	15327 PETER BEHNKE	01	C-PAL	0.00	1,009.31
0102	85568	06/12/13	15452 ROBIN VEACH	01605824	BALLOONS CELTIC FEST	0.00	845.00
0102	85569	06/12/13	2439 WILLIAM MCLEOD	01101122	TRAVEL DC REIM	0.00	144.00
0102	85570	06/12/13	2439 WILLIAM MCLEOD	01101122	USCM REIM	0.00	120.00
TOTAL CASH ACCOUNT						0.00	6,315.66

SUNGARD PUBLIC SECTOR
DATE: 06/13/2013
TIME: 12:44:13

VILLAGE OF HOFFMAN ESTATES
CHECK REGISTER - DISBURSEMENT FUND

PAGE NUMBER: 2
ACCTPA21

SELECTION CRITERIA: transact.t_c='20' and transact.trans_date between '20130531 00:00:00. 0' and '20130612 00:00:00. 0'
ACCOUNTING PERIOD: 6/13

FUND - 01 - GENERAL FUND

CASH ACCT	CHECK NO	ISSUE DT	-----VENDOR-----	BUDGET UNIT	-----DESCRIPTION-----	SALES TAX	AMOUNT
TOTAL FUND						0.00	6,315.66
TOTAL REPORT						0.00	6,315.66

VILLAGE OF HOFFMAN ESTATES

**AN ORDINANCE AUTHORIZING THE SALE
OF PERSONAL PROPERTY OWNED BY
THE VILLAGE OF HOFFMAN ESTATES**

WHEREAS, in the opinion of at least three-fourths of the corporate authorities of the Village of Hoffman Estates, it is no longer necessary or useful to or for the best interests of the Village of Hoffman Estates to retain ownership of the personal property hereinafter described; and

WHEREAS, it has been determined by the President and Board of Trustees of the Village of Hoffman Estates to sell said personal property at a public auction to be held on the internet auction website www.govdeals.com or www.obenauctionsonline.com.

NOW, THEREFORE, BE IT ORDAINED by the President and Board of Trustees of the Village of Hoffman Estates, Cook and Kane Counties, Illinois, as follows:

Section 1: That pursuant to 65 ILCS 5/11-76-4 of the Illinois Revised Statutes, the President and Board of Trustees of the Village of Hoffman Estates find that the described personal property attached as Exhibit "A" now owned by the Village of Hoffman Estates, is no longer necessary or useful to the Village of Hoffman Estates and that the best interests of the Village of Hoffman Estates will be served by its sale.

Section 2: That pursuant to 65 ILCS 5/11-76-4, the Village Manager is hereby authorized and directed to sell the aforementioned property now owned by the Village of Hoffman Estates at public auction at the internet auction website www.govdeals.com or www.publicsurplus.com or at live auction, to the highest bidder of said personal property.

Section 3: That the Village Manager is hereby authorized and directed to advertise the sale of the aforementioned personal property in a newspaper published within the community not less than ten (10) days before the date of said public auction.

Section 4: That no bid which is less than the minimum price set forth in the list of property to be sold shall be accepted.

Section 5: That the Village Manager is hereby authorized and directed to enter into an agreement for the sale of said personal property.

Section 6: That upon payment of the full auction price, the Village Manager is hereby authorized and directed to convey and transfer title to the aforesaid personal property to the successful bidder.

Section 7: That if said personal property is not sold at such auction, then the Village Manager is authorized to sell without bid or properly dispose of or recycle any such property.

Section 8: That the Village Clerk is hereby authorized to publish this ordinance in pamphlet form.

Section 9: That this ordinance shall be in full force and effect immediately from and after its passage and approval.

PASSED THIS _____ day of _____, 2013

VOTE	AYE	NAY	ABSENT	ABSTAIN
Trustee Karen V. Mills	_____	_____	_____	_____
Trustee Anna Newell	_____	_____	_____	_____
Trustee Gary J. Pilafas	_____	_____	_____	_____
Trustee Gary G. Stanton	_____	_____	_____	_____
Trustee Michael Gaeta	_____	_____	_____	_____
Trustee Gayle Vandenberg	_____	_____	_____	_____
Mayor William D. McLeod	_____	_____	_____	_____

APPROVED THIS _____ DAY OF _____, 2013

Village President

ATTEST:

Village Clerk

Published in pamphlet form this _____ day of _____, 2013.

Exhibit A

Item	Quantity	Min. Bid
Watch	5	\$5.00
Ring	2	\$5.00
Bangles	2	\$5.00
Silver colored chain	2	\$5.00
Metallic arm band pair	1	\$5.00
Gold tone necklace	1	\$5.00
Flat Panel Display	75	\$5.00
Dell Desktop	58	\$5.00
Gateway desktops	25	\$5.00
Ruggedize laptop	10	\$5.00
iPod 30 gb	1	\$5.00
Crystal vision ultra philips lights	1	\$5.00
Camera head	26	\$5.00
On screen Video display Adapter	28	\$5.00
Video Recorder	28	\$5.00
Wireless transmitter	30	\$5.00
Radio console	5	\$5.00
LTS outside	2	\$5.00
Partition, prisoner crown vic	3	\$5.00
2008 Ford Expedition	1	\$4,000.00
2008 Ford CVPI	2	\$1,500.00
2010 Ford CVPI	2	\$2,200.00
2008 Ford CVPI Engine Knocks	1	\$700.00
2007 Ford CVPI	1	\$1,200.00
2004 Ford Expedition	1	\$2,200.00
1999 Ford Expedition	1	\$500.00
2005 Ford Escape	1	\$500.00
2003 Ford Expedition	1	\$1,500.00
2000 Ford Explorer	1	\$1,000.00
2008 Dodge Caliber	1	\$3,500.00
2001 International 4700LP Ambulance	1	\$5,000.00
Used Aluminum Rollup Door Off Fire Engine	7	\$100.00
Small Tool Cart	1	\$10.00
Honda EM5000SX GenSet	1	\$10.00
Light Bars	2	\$10.00
L&R Mirrors	2	\$5.00
Clarke 2400D Floor Scrubber	1	\$50.00
22,000 lbs. Vehicle Lift	1	\$500.00
StarTrac 4000 treadmill	1	\$10.00
Small sized wall mountable thumbtack boards	3	\$5.00
Metal post type camera mount	1	\$5.00
Bicycles, 4th of July	70	\$5.00
Metal clothes hanging	1	\$5.00



HOFFMAN ESTATES

GROWING TO GREATNESS

June 12, 2013

To: Mayor and Board of Trustees

TREASURER'S REPORT

May 2013

Attached hereto is the Treasurer's Report for the month of May 2013, summarizing total cash receipts and disbursements for the various funds of the Village.

Cash disbursements and transfers-out exceeded cash receipts and transfers-in for the operating funds by \$3,404,924. After including these receipts and disbursements, the balance of cash and investments for the operating funds is \$20.7 million. For all of the Village funds, cash disbursements and transfers-out exceeded receipts and transfers-in by \$3,453,083, primarily due to Debt Service Fund payments and an additional bi-weekly payroll in May. The total for cash and investments for all funds decreased to \$164.5 million.

Respectfully Submitted,

Rachel Musiala
Director of Finance

Attachment

1900 Hassell Road
Hoffman Estates, Illinois 60169
www.hoffmanestates.org

Phone: 847-882-9100
Fax: 847-843-4822

William D. McLeod
MAYOR

Gary J. Pilafas
TRUSTEE

Gayle Vandenberg
TRUSTEE

Karen V. Mills
TRUSTEE

Gary Stanton
TRUSTEE

Bev Romanoff
VILLAGE CLERK

Anna Newell
TRUSTEE

Michael Gaeta
TRUSTEE

James H. Norris
VILLAGE MANAGER

TREASURER'S REPORT
FOR THE MONTH ENDING MAY 31, 2013

Fund	Beginning Balance	Receipts/ Transfers - In	Disbursements/ Transfers - Out	Amount In Cash	Amount Invested	Ending Balance
Operating Funds						
General (incl. Veterans' Mem)	\$ 14,890,268	\$ 1,487,222	\$ 3,860,215	\$ 406,679	\$ 12,120,596	\$ 12,527,276
Payroll Account	-	3,561,126	3,561,126	-	-	-
Petty Cash	2,000	-	-	2,000	-	2,000
Foreign Fire Ins. Board	99,590	-	-	99,590	-	99,590
Cash, Village Foundation	15,175	1,244	-	16,418	-	16,418
Cash, Fire Protection District	38,185	2	-	38,187	-	38,187
Motor Fuel Tax	1,398,189	74,270	71,667	-	1,400,793	1,400,793
Comm. Dev. Block Grant	51	45	96	-	-	-
EDA Administration	63,527	568,981	632,508	-	-	-
Enhanced 911	74,921	1	289	-	74,633	74,633
Asset Seizure - Federal	36,353	412	14,096	2,665	20,004	22,669
Asset Seizure - State	140,293	1,667	-	17,272	124,689	141,960
Asset Seizure - Battle	59,158	1	-	-	59,159	59,159
Asset Seizure - U.S. Marshall	9,772	-	-	9,772	-	9,772
Municipal Waste System	83,455	110,567	78,326	3,404	112,291	115,695
Roselle Road TIF	1,023,510	137	5,077	-	1,018,570	1,018,570
Water & Sewer	1,560,371	1,038,791	1,713,067	338,666	547,439	886,105
Sears Centre Operating	2,096,283	1,081,084	1,318,439	1,858,928	-	1,858,928
Insurance	2,008,370	98,850	91,538	-	2,015,683	2,015,683
Information Systems	590,309	85,257	178,147	-	487,419	497,419
Total Operating Funds	\$ 24,189,780	\$ 8,109,657	\$ 11,514,581	\$ 2,793,582	\$ 17,991,274	\$ 20,784,856
Debt Service						
2005A G.O. Debt Serv.	881,535	55,022	935,412	16	1,128	1,145
2005 EDA TIF Bond	38,870	1	1,500	-	35,371	35,371
2008 G.O. Debt Serv.	68,966	-	-	68,966	-	68,966
2009 G.O. Debt Serv.	1,702,645	132,535	757,428	629,170	448,582	1,077,752
Total Debt Service Funds	\$ 2,890,018	\$ 187,558	\$ 1,694,340	\$ 698,153	\$ 486,082	\$ 1,183,234
Capital Projects Funds						
Central Road Imp.	\$ 253,999	\$ 5	\$ -	\$ -	\$ 254,004	\$ 254,004
Hoffman Blvd Bridge Maintenance	344,196	30	-	-	344,228	344,228
Western Corridor	554,665	46	18,781	-	535,930	535,930
Traffic Improvement	385,119	7	20,190	-	344,936	344,936
EDA Series 1991 Proj.	3,315,192	223,108	-	223,127	3,315,174	3,538,301
Central Area Road Impact Fee	875,967	48	-	-	676,014	676,014
2008 Capital Project	30,082	2	-	1,439	28,645	30,084
2009 Capital Project	32,577	2	-	3,920	28,659	32,579
Western Area Traff. Impr.	315,483	41	174,892	-	140,632	140,632
West Area Rd Impr. Impact Fee	2,021,628	262	-	7,921	2,013,967	2,021,888
Capital Improvements	3,201,298	2,258,752	251,937	-	5,208,113	5,208,113
Capital Vehicle & Equipment	199,453	20,045	37,823	-	181,675	181,675
Capital Replacement	3,189,642	22,911	311,313	-	2,881,240	2,881,240
Water & Sewer-Capital Projects	189,195	13	-	-	189,208	189,208
Total Capital Proj. Funds	\$ 14,668,497	\$ 2,525,270	\$ 814,935	\$ 236,406	\$ 16,142,425	\$ 16,378,831
Trust Funds						
Police Pension	\$ 54,448,459	\$ 239,700	\$ 296,004	\$ 1,000	\$ 54,391,155	\$ 54,392,155
Firefighters Pension	59,176,942	448,030	274,859	1,000	59,347,112	59,348,112
EDA Spec. Tax Alloc.	12,050,994	204,578	570,358	-	11,685,214	11,685,214
Barrington/Higgins TIF	743,239	14	813	-	742,441	742,441
Total Trust Funds	\$ 128,419,633	\$ 890,323	\$ 1,142,034	\$ 2,000	\$ 128,165,922	\$ 128,167,922
GRAND TOTAL	\$ 167,987,927	\$ 11,712,808	\$ 15,165,891	\$ 3,730,141	\$ 180,784,703	\$ 164,514,844

DRAFT #1

**AGENDA
FINANCE COMMITTEE
Village of Hoffman Estates
June 24, 2013**

7:00 p.m.

Members: Gary Pilafas, Chairperson
Anna Newell, Vice Chairperson
Michael Gaeta, Trustee
Karen Mills, Trustee
Gary Stanton, Trustee
Gayle Vandenberg, Trustee
William McLeod, Mayor

I. Roll Call

II. Approval of Minutes – June 3, 2013

NEW BUSINESS

1. Presentation on property taxes and the shift of the property tax burden between commercial and residential properties.
2. Request authorization to declare \$404,120 as surplus funds in the Barrington-Higgins TIF Tax Allocation Fund, and direct the Treasurer to remit said funds to the Cook County Treasurer for distribution.
3. Request acceptance of Finance Department Monthly Report.
4. Request acceptance of Information Systems Department Monthly Report.
5. Request acceptance of Sears Centre Arena Monthly Report.

III. President's Report

IV. Other

V. Items in Review

VI. Adjournment

AGENDA
PUBLIC HEALTH AND SAFETY COMMITTEE
Village of Hoffman Estates
June 24, 2013

Immediately following Finance Committee

Members: Michael Gaeta, Chairman
Gary Pilafas, Vice Chairman
Anna Newell, Trustee
Karen Mills, Trustee
Gary Stanton, Trustee
Gayle Vandenberg, Trustee
William McLeod, Mayor

I. Roll Call

II. Approval of Minutes – June 3, 2013 Committee Meeting

NEW BUSINESS

1. Request approval of an application by Barrington Lakes Apartments to hold a fireworks display on August 17, 2013, subject to meeting the Village Code and NFPA requirements.
2. Request acceptance of Police Department Monthly Report.
3. Request acceptance of Health & Human Services Monthly Report.
4. Request acceptance of Emergency Management Coordinator Monthly Report.
5. Request acceptance of Fire Department Monthly Report.

III. President's Report

IV. Other

V. Items in Review

VI. Adjournment

AGENDA
PUBLIC WORKS & UTILITIES COMMITTEE
Village of Hoffman Estates
June 24, 2013

DRAFT

Immediately following Public Health & Safety

Members:	Anna Newell, Chairperson	Gary G. Stanton, Trustee
	Michael Gaeta, Vice Chairperson	Gayle Vandenberg, Trustee
	Gary Pilafas, Trustee	William McLeod, Mayor
	Karen V. Mills, Trustee	

I. Roll Call

II. Approval of Minutes – June 3, 2013

NEW BUSINESS

1. Request authorization to award contract for installation of upgraded server computers with configuration and programming for SCADA Control Center (Proposals due June 7, 2012).
2. Request acceptance of the Department of Public Works Monthly Report.
3. Request acceptance of the Department of Development Services Monthly Report for the Transportation and Engineering Division.

III. President's Report

IV. Other

V. Items in Review

VI. Adjournment



VILLAGE OF HOFFMAN ESTATES
PLANNING AND ZONING COMMISSION
FINDING OF FACT

PROJECT NO.: 2013016R

VILLAGE BOARD MEETING DATE: June 17, 2013

PETITIONER(S): James Morris

PROJECT ADDRESS: 1340 Dennison Road

ZONING DISTRICT: R-4, ONE FAMILY RESIDENTIAL

Does the Planning and Zoning Commission find that this request meets the Standards for a Variation (Section 9-1-15 of the Zoning Code)?



YES



NO

Recommendation: APPROVAL

Vote: 7 Ayes 2 Absent 2 Vacancy

PZC MEETING DATE: June 5, 2013

STAFF ASSIGNED: JOSH EDWARDS

Request by James Morris for a seven foot six inch (7.5 feet) corner side yard setback variation from Section 9-3-6-E to allow a patio to be set back twenty two feet six inches (22.5 feet) from the south corner side property line instead of the minimum required thirty (30) feet in the location and extent as shown in the petitioner's application submitted with this request at 1340 Dennison Road.

AUDIENCE COMMENTS

None.

FINDING

Section 9-1-15 of the Zoning Code (Standards for Variation) states that no variation shall be recommended by the Planning and Zoning Commission unless it finds that the Standards for Variation set forth in the Zoning Code are met.

The Commission determined that the patio will encroach into the setback in a triangular portion of the full patio, and that the point of the triangle will extend 7.5 feet into the required 30 foot setback. The patio could be constructed without encroaching into the required setback. However, the Commission found that the proposed patio encroachment was not substantial and would not adversely affect any neighboring properties. The Commission voted unanimously to recommend approval of the request.

PLANNING AND ZONING COMMISSIONERS

Chairperson Eva Combs

Myrene Iozzo

Thomas Krettler

Steve Hehn

Gaurav Patel

Steve Wehofer

Steve Caramelli

Lenard Henderson

Denise Wilson

ROLL CALL VOTE

7 Ayes

2 Absent (Patel, Wilson)

2 Vacancy

MOTION PASSED

Planning and Zoning Commission Finding of Fact
Variation – 1340 Dennison Road – Patio Setback Variation
Village Board Meeting Date: June 17, 2013

The following attachments are hereby incorporated as part of this Finding of Fact:

Staff Report
Petitioner Application & Submittals
Legal Notice
Location Map
Staff Exhibit – Aerial Photo



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING COMMISSION STAFF REPORT

PROJECT NO.: 2013016R PROJECT NAME: 1340 DENNISON ROAD PATIO SETBACK VARIATION

PROJECT ADDRESS/LOCATION: 1340 DENNISON ROAD

PUBLIC HEARING
YES NO

REZONING MASTER SIGN PLAN SPECIAL USE VARIATION
SITE PLAN PLAT

MEETING DATE: June 5, 2013

STAFF ASSIGNED: JOSH EDWARDS

REQUESTED MOTION

Request by James Morris for a seven feet six inch (7.5 feet) corner side yard setback variation from Section 9-3-6-E to allow a patio to be set back twenty two feet six inches (22.5 feet) from the south corner side property line instead of the minimum required thirty (30) feet in the location and extent as shown in the petitioner's application submitted with this request at 1340 Dennison Road.

INCLUDES RECOMMENDED CONDITION(S)
YES NO

ZONING DISTRICT: R-4, ONE-FAMILY RESIDENTIAL

ADJACENT NORTH: R-4, ONE-FAMILY RESIDENTIAL SOUTH: R-4, ONE-FAMILY RESIDENTIAL
PROPERTIES: EAST: R-4, ONE-FAMILY RESIDENTIAL WEST: R-4, ONE-FAMILY RESIDENTIAL

APPLICABLE ZONING CODE SECTION

Section 9-3-6-E of the Zoning Code states that patios located on lots adjoining streets are subject to the requirements applicable to principal structures on lots adjoining streets, of the district in which they are located. The corner side yard setback in the R-4 District is 30 feet.

PROPOSAL

The petitioner is proposing to construct a patio in the rear yard that would encroach into the required corner side yard setback. The Plat of Survey included in the packet shows the proposed patio location and a drawing is included that shows the proposed dimensions. The Plat incorrectly indicates a 25 foot building line; the required setback is 30 feet. The Plat shows an existing brick patio, which has since been removed and encroached into the required setback as well. There is no record of a permit for the original patio. Regardless, the new patio must meet the setback requirements of the principal structure.

As background and unrelated to the patio, the house was originally constructed in 1964, and a variation was granted in 1975 (Ordinance 731-1975) to permit a house addition to encroach 5 feet into the required 30 foot front yard setback.

VARIATION STANDARDS

Section 9-1-15 of the Zoning Code – *Standards for a Variation* - states that the Planning and Zoning Commission shall not recommend the adoption of a proposed variation unless it finds that the variation meets the Standards for Variations as set forth in the Zoning Code.

1. The Planning and Zoning Commission shall not recommend the variation of the regulations of the Code unless it shall first make a finding based upon the evidence presented to it in each specific case that:
 - a. The property in question cannot yield a reasonable return if permitted to be used only under the conditions allowed by the regulations in the district in which it is located;
 - b. The plight of the owner is due to unique circumstances;
 - c. The variation, if granted, will not alter the essential character of the locality.

2. For the purpose of implementing the above rules, the Planning and Zoning Commission shall also, in making its determination whether there are practical difficulties or particular hardships, take into consideration the extent to which the following facts favorable to the applicant have been established by the evidence;
 - a. The particular physical surroundings, shape of topographical condition of the specific property involved would result in a particular hardship upon the owner, as distinguished from a mere inconvenience, if the strict letter of the regulations were carried out;
 - b. The conditions upon which the petition for a variation is based would not be applicable, generally, to other property within the same zoning classification;
 - c. The purpose of the variation is not based exclusively upon a desire to increase the value of the property;
 - d. The alleged difficulty or hardship has not been based exclusively upon a desire to increase the value of property;
 - e. The granting of the variation will not be detrimental to the public welfare or injurious to other property or improvements in the neighborhood in which the property is located; and
 - f. The proposed variation will not impair an adequate supply of light and air to adjacent property, or substantially increase the congestion in the public streets, or increase the danger of fires, or endanger the public safety, or substantially diminish or impair property values in the neighborhood.

3. The Planning and Zoning Commission may recommend to the Village Board that such conditions and restrictions be imposed upon the premises benefited by a variation as may be necessary to comply with the standards set forth in this section to reduce or minimize the injurious effect of such variation upon other property in the neighborhood, and better to carry out the general intent of this Code.

If this request is approved, the patio would be permitted to encroach into the corner side yard setback as shown in the petitioner's application in perpetuity or until otherwise amended or dissolved by a future ordinance.

NOTIFICATION

Standard notification letters have been sent to surrounding properties within 150 feet and no comments have been received.

Meeting Date: June 5, 2013

STAFF SUMMARY

The petitioner's application refers to an existing hole near the southwest corner of the proposed patio area in the setback area, which is essentially a garden feature similar to a small well or bird bath. The hole was installed by a prior property owner. The petitioner has indicated that the patio addition would cover and resolve the safety concerns of this hole. The Engineering Division has reviewed the proposal and determined that the hole can be resolved separately from the construction of the patio. The hole lining can be removed and the area filled with stone, soil, and sod. Separately the patio can be constructed in compliance with the Zoning Code setback.

The patio could be expanded elsewhere in the rear yard toward the rear property line and/or along the back of the house toward the north side property line without requiring a variation.

Attachments: Petitioner Application & Submittals
 Legal Notice
 Location Map
 Staff Exhibit – Aerial Photo



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING GENERAL APPLICATION*

Special Use for _____ Rezoning from _____ to _____

Variation: Commercial Residential Sign

Plat (Subdivision & Others): Preliminary Final

Site Plan: Amendment Concept Preliminary Final

Master Sign Plan: Amendment

Other: _____

*** ADDENDUM MATERIALS ARE REQUIRED FOR SPECIFIC REQUESTS**

Posting of Notification Sign(s) may be required.

Specific requirements will be provided when your request is scheduled.

FOR VILLAGE USE ONLY

Hearing Fee _____ Check No. _____ Date Paid _____

Project Number: _____

Staff Assigned: _____

Meeting Date: _____

Public Hearing: Yes No

Sign Posting Required: Yes No

Date Sign Posted _____

PLEASE PRINT OR TYPE

Date: April 25, 2013

Project Name: concrete patio

Project Description: laying a replacement concrete patio in backyard

Project Address/Location: 1340 Dennison Hoffman Estates IL 60195

Property Index No. 07-09-418-014

Acres: ~ 0.27 Zoning District: R-4

I. Owner of Record

James Morris

Name		Company
1340 Dennison		Hoffman Estates
Street Address		City
IL	60196	773-426-1852
State	Zip Code	Telephone Number
		jmorris11377@yahoo.com
Fax Number		E-Mail Address

II. Applicant (Contact Person/Project Manager)

James Morris

Name		Company
1340 Dennison		Hoffman Estates
Street Address		City
IL	60195	773-426-1852
State	Zip Code	Telephone Number
		jmorris11377@yahoo.com
Fax Number		E-Mail Address

Applicant's relationship to property: Owner

III. Owner Consent for Authorized Representative

It is required that the property owner or his designated representative be at all requests before the Planning and Zoning Commission (PZC). During the course of the meeting, questions may arise regarding the overall site, site improvements, special conditions to be included in a PZC recommendation, etc. The representative present must have knowledge of the property and have the authority to make commitments to comply with any and all conditions included in the PZC recommendations. Failure to have the owner or designated representative present at the meeting can lead to substantial delays in the hearing process. **If the owner cannot be present at the meeting, the following statement must be signed by the owner:**

I understand the requirement for the owner or an authorized representative to be present at the meeting with full authority to commit to requests, conditions and make decisions on behalf of the owner. I hereby authorize _____ to act on my behalf and advise that he/she has full authority to act as my/our representative.

Owner Signature

Print Name

IV. Acknowledgement(s)

- Applicant acknowledges, understands and agrees that under Illinois law, the Village President (Mayor), Village Trustees, Village Manager, Corporation Counsel and/or any employee or agent of the Village or any Planning and Zoning Commission member or Chair, does not have the authority to bind or obligate the Village in any way and therefore cannot bind or obligate the Village. Further, Applicant acknowledges, understands and agrees that only formal action (including, but not limited to, motions, resolutions and ordinances) by the Board of Trustees, properly voting in an open meeting, can obligate the Village or confer any rights or entitlement on the applicant, legal, equitable or otherwise.
- Planning and Zoning Commission members and Village Staff often conduct inspections of subject site(s) as part of the pre-hearing review of requests. These individuals will be carrying official Village identification cards that can be shown upon request.

The Owner and Applicant, by signing this Application, certify to the correctness of the application and all submittals.

Owner's Signature: James Morris

Owner's Name (Please Print): JAMES MORRIS

Applicant's Signature: James Morris
(If other than Owner)

Applicant's Name (Please Print): JAMES MORRIS

Date: 4.25.13

All requests must be accompanied by the items required and all fees must be paid before the Planning and Zoning Commission can hear any case.

Please contact the Planning Division (located in the Municipal Building) with any questions:

Email: planning@hoffmanestates.org
Address: 1900 Hassell Road
Hoffman Estates, IL 60169
Phone: (847) 781-2660
Fax: (847) 781-2679

Addendums Attached:

- Special Use Master Sign Plan
 Rezoning Other _____
 Variation
 Plat
 Site Plan

Zoning Code Section 9-1-15-C-2 of the Municipal Code requires that the Planning and Zoning Commission shall, in making its determination whether there are practical difficulties or particular hardships, take into consideration the extent to which the following facts favorable to the applicant have been established by the evidence. (Respond to each standard as it applies to your request either below or address on a separate sheet)

1. The particular physical surroundings, shape of topographical condition of the specific property involved would result in a particular hardship upon the owner, as distinguished from a mere inconvenience, if the strict letter of the regulations were carried out.

The main reason for wanting to appeal the Hoffman Estates Code of keeping the concrete patio 30 ft from the south lot line is because of a large, 3ftx3ft x 4 ft deep concrete ground level hole located 25ft from the south lot line and ending at 28ft from lot line. It is an absolute danger to our 3yr old daughter, or any guests we may have over to our home. It fills with water and since the entire inside is also concrete it does not drain properly. We would want to get rid of this dangerous hole once and for all by permanently covering it with the corner of our concrete patio.

2. The conditions upon which the petition for a variation is based would not be applicable, generally, to other property within the same zoning classification.

The reason why we believe our situation is different from other corner properties within the same zoning classification is solely based on this hazardous hole located in our yard that other properties do not have. We believe this hole was put in illegally by one of the previous owners and we want to permanently rectify the situation by solidly covering it with concrete patio. By merely "filling it with dirt or rocks" is not a permanent answer, and water, drainage fills into this hole, and will over time wash away whatever filler we put into the hole, causing the hole to slowly re-appear and and a seriously dangerous hazard in our yard.

3. The purpose of the variation is not based exclusively upon a desire to increase the value of the property.

The purpose of approving this variation is to simply cover a dangerous, hazardous hole located in a section of 25-28 ft from the south lot line and not the recommended 30 ft from the lot line for a patio. It has nothing to do with increasing the value of the home. It is for pure safety and well being of members in our family.

4. The alleged difficulty or hardship has not been based exclusively upon a desire to increase the value of property.

The purpose of this variation being granted to us is solely for the protection and safety of our daughter to truly enjoy her new backyard and not be in any situation of danger due to this extremely accident prone ground level 4ft deep hazardous hole in which she could easily fall into and cause danger to her life and well being.

5. The granting of the variation will not be detrimental to the public welfare or injurious to other property or improvements in the neighborhood in which the property is located.

The granting of this variation will not be injurious to any other properties located within the neighborhood or cause any type of effects to the general public. It is to close a dangerous concrete hole located in our backyard, and there is still adequate and extended amount of front yard, side yard, and back yard available.

6. The proposed variation will not impair an adequate supply of light and air to adjacent property, or substantially increase the congestion in the public streets, or increase the danger of fires, or endanger the public safety, or substantially diminish or impair property values in the neighborhood.

Placing the concrete patio 25ft from the lot line as opposed to 30ft from the lot line will not cause an inadequate supply of light or air to the public, it will not increase congestion in public streets, it will not increase dangers of fires, it will not endanger the safety of the public, and it will not impair property values in the neighborhood.

Traci and James Morris
1340 Dennison
Hoffman Estates IL, 60195
April 25, 2013

Dear Village of Hoffman Estates
Planning and Zoning Dept,

This is our official request to be granted a variation regarding our concrete patio placement. We are located on a corner lot, which calls for the patio to be placed 30 ft from the south lot line of our property. We are urgently requesting a variation due to a dangerous, hazardous, and illegally poorly placed concrete 3ftx3ftx4ft deep ground level hole that poses a serious and potentially life threatening danger to our 3yr old daughter, and/or to anyone who is in our backyard.

This hole is located in a section 25ft-28ft north of our south lot line (prompting the request for this variation). We do not believe there are any other permanent options that would securely diminish the hazards of this hole. Currently, the interior of the hole is coated with concrete as well and serves as a drainage system. Water fills up in the hole and in turn does not drain properly, causing the water to sit there, at ground level but dropping 4ft deep. We do not believe filling the hole with material will permanently resolve the issue. Water will over time wash away and lower the level of the fill material, causing the hole to re appear and pose repeated dangerous health risks, possibly falling into or drowning of a small child, broken bones or limbs from tripping, etc.

We sincerely believe the only permanent and secure way to rectify and safely cover and delete this hoe from our yard is to cover it with the corner of our planned replacement concrete patio project. We will still run drainage pipes under the concrete patio to keep water away from our foundation etc, but the hole will be covered so it does not pose anymore dangerous situations.

We will not need to remove any trees or relocate any utility lines in order to complete this project. We are simply asking to have our patio 25ft from the south lot line instead of the 30ft distance required. There is still plenty of yard and distance in between the patio and the south lot line. It will pose no issues with obstructing light, air, or congestion of the neighborhood. This project is simply to make our new home in Hoffman Estates safe and welcoming to friends and family.

The estimated project cost is \$5.00 per square foot of framed, finished and poured concrete. The total estimated price of this project is \$3800.

We have already applied and been granted the permits. Our concrete company has already licensed, insured, and bonded thru the Village of Hoffman Estates. We are looking forward to working with the Village of Hoffman Estates in making our yard a safe and secure place for our growing children to play in. Thank you very much for your time and we hope our request is granted.

54'

18'

11'

15'

11' 6"


10' 8"

3' 6"

7.5'

27'

HOLE

















NOTICE OF PUBLIC HEARING

Notice is hereby given that the Planning and Zoning Commission of the Village of Hoffman Estates will hold a public hearing at the request of James Morris (Owner) to consider a variation under the Zoning Code to permit the construction of a patio on the property located at 1340 Dennison Road.

P.I.N.: 07-09-418-014
The hearing will be held on Wednesday, June 5, 2013 at 7:00 p.m. in the Hoffman Estates Municipal Building, 1900 Hassell Road, Hoffman Estates, IL.
Eva Combs, Chairperson
Planning and Zoning Commission
Published in Daily Herald
May 21, 2013 (4339967)

CERTIFICATE OF PUBLICATION

Paddock Publications, Inc.

Daily Herald

Corporation organized and existing under and by virtue of the laws of the State of Illinois, DOES HEREBY CERTIFY that it is the publisher of the **DAILY HERALD**. That said **DAILY HERALD** is a secular newspaper and has been circulated daily in the Village(s) of Algonquin, Antioch, Arlington Heights, Aurora, Barrington, Barrington Hills, Lake Barrington, North Barrington, South Barrington, Bartlett, Batavia, Buffalo Grove, Burlington, Campton Hills, Carpentersville, Cary, Deer Park, Des Plaines, South Elgin, East Dundee, Elburn, Elgin, Elk Grove Village, Fox Lake, Fox River Grove, Geneva, Gilberts, Grayslake, Green Oaks, Gurnee, Hainesville, Hampshire, Hanover Park, Hawthorn Woods, Hoffman Estates, Huntley, Inverness, Island Lake, Kildeer, Lake Villa, Lake in the Hills, Lake Zurich, Libertyville, Lincolnshire, Lindenhurst, Long Grove, Mt. Prospect, Mundelein, Palatine, Prospect Heights, Rolling Meadows, Round Lake, Round Lake Beach, Round Lake Heights, Round Lake park, Schaumburg, Sleepy Hollow, St. Charles, Streamwood, Tower Lakes, Vernon Hills, Volo, Wauconda, Wheeling, West Dundee, Wildwood, Sugar Grove, North Aurora

County(ies) of Cook, Kane, Lake, McHenry and State of Illinois, continuously for more than one year prior to the date of the first publication of the notice hereinafter referred to and is of general circulation throughout said Village(s), County(ies) and State.

I further certify that the **DAILY HERALD** is a newspaper as defined in "an Act to revise the law in relation to notices" as amended in 1992 Illinois Compiled Statutes, Chapter 7150, Act 5, Section 1 and 5. That a notice of which the annexed printed slip is a true copy, was published May 21, 2013 in said **DAILY HERALD**.

IN WITNESS WHEREOF, the undersigned, the said **PADDOCK PUBLICATIONS, Inc.**, has caused this certificate to be signed by, this authorized agent, at Arlington Heights, Illinois.


PADDOCK PUBLICATIONS, INC.
DAILY HERALD NEWSPAPERS

BY *Paula Baltz*
Authorized Agent

Control # 4339967

1340 Dennison Road

P.I.N. 07-09-418-014




0 23 46 92 138 184 Feet

May 14, 2013
Village of Hoffman Estates
Planning Division





1340 Dennison Road



0 10 20 40 Feet



Planning Division
Village of Hoffman Estates
May 2013


PLAT OF SURVEY

of
 LOT 14 IN BLOCK 187 IN THE HIGHLANDS AT HOFFMAN ESTATES XIX, BEING A SUBDIVISION IN THE WEST HALF OF THE SOUTHWEST QUARTER OF SECTION 9, TOWNSHIP 41 NORTH, RANGE 10, EAST OF THE THIRD PRINCIPAL MERIDIAN, ACCORDING TO THE PLAT THEREOF RECORDED JUNE 1, 1984, AS DOCUMENT NUMBER 19142514, IN THE OFFICE OF THE RECORDED DEEDS, COOK COUNTY, ILLINOIS.

ADDRESS: 1340 DENNISON ROAD, HOFFMAN ESTATES, ILLINOIS



SCALE: 1"=30'



GENERAL NOTES:

- 1) THE LEGAL DESCRIPTION HAS BEEN PROVIDED BY THE CLIENT OR THEIR AGENT.
- 2) THIS SURVEY SHOWS THE BUILDING LINES AND EASEMENTS AS INDICATED BY THE RECORDED PLAT. THIS PLAT DOES NOT SHOW ANY RESTRICTIONS ESTABLISHED BY LOCAL ORDINANCES UNLESS SUPPLIED BY THE CLIENT.
- 3) BASIS OF BEARING FOR THIS SURVEY IS AS THE NORTH ARROW INDICATES, AND IS SHOWN TO INDICATE THE ANGULAR RELATIONSHIP OF THE BOUNDARY LINES.
- 4) MONUMENTS, IF SET, DURING THIS SURVEY, REPRESENT THE TRUE CORNERS OF THIS DESCRIPTION AS SURVEYED.
- 5) LOCATION OF SOME FEATURES MAY BE EXAGGERATED FOR CLARITY. NO INTERPOLATIONS MAY BE MADE FROM THE INFORMATION SHOWN HEREON.
- 6) ONLY COPIES WITH AN ORIGINAL SIGNATURE AND SEAL ARE OFFICIAL LEGAL DOCUMENTS. ALL SURVEYS ARE COPYRIGHTED MATERIALS WITH ALL RIGHTS RESERVED.

STATE OF ILLINOIS)
) S.S.
 COUNTY OF COOK)

SURVEY ORDERED BY: JOHN ROBEZNIKS

I, JOSEPH P. MAJKISCH, AS AN EMPLOYEE OF PREFERRED SURVEY INC., DO HEREBY STATE THAT THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARD FOR A BOUNDARY SURVEY. PROPERTY CORNERS HAVE BEEN SET OR NOT IN ACCORDANCE WITH CLIENT AGREEMENT. DIMENSIONS ARE SHOWN IN FEET AND DECIMAL PARTS THEREOF AND ARE CORRECTED TO A TEMPERATURE OF 88 DEGREES FAHRENHEIT.

GIVEN UNDER MY HAND AND SEAL THIS
 31ST DAY OF MAY

MY LICENSE EXPIRES ON 12/30/12


P.S.I. NO. 1296788

Professional Design Registration #184-002795

PREFERRED SURVEY, INC.

7845 W. 76TH STREET, BRIDGEVIEW, IL, 60455
 Phone 708-458-7845 / Fax 708-458-7855

www.psisurvey.com



Field Work Completed	05/31/2012	FLD CREW:	CD/32
Land Area Surveyed	12,368.6 Sq. Ft.	CAD:	MO
Drawing Revised		PNIN:	8025935



VILLAGE OF HOFFMAN ESTATES
PLANNING AND ZONING COMMISSION
FINDING OF FACT

PROJECT NO.: 2013014P

VILLAGE BOARD MEETING DATE: June 17, 2013

PETITIONER(S): BARRINGTON & HASSELL LLC (Ricky Rocket's Convenience Store & Retail Center) –
Lighting Changes

PROJECT ADDRESS: 2081-2095 N. BARRINGTON ROAD ZONING DISTRICT: B-2, COMMUNITY BUSINESS
ROAD

Recommendation: **APPROVAL**

Vote: 7 Ayes 2 Absent 2 Vacancy

PZC MEETING DATE: JUNE 5, 2013

STAFF ASSIGNED: JAMES DONAHUE

Request by Barrington & Hassell, LLC (Owner) for approval of a site plan amendment for site lighting for the property at 2081 – 2095 N. Barrington Road. The following conditions shall apply:

1. All previous Conditions of Approval from the August 2, 2010 Site Plan Approval shall remain in effect.
2. Any changes to the approved plans from August 2, 2010 and the modifications presented this evening shall require staff review and approval if minor and may require review up to and including another appearance before the Planning & Zoning Commission if warranted.
3. Based on final Village staff inspection, adjustments may be required to the lighting following its installation on this property. The petitioner shall modify the lighting installation to reduce glare if issues are identified as part of the final Village inspections.

AUDIENCE COMMENTS

None

FINDING

The Planning & Zoning Commission heard from the petitioner regarding changes made to the lighting on the site. It was learned that since the initial final approvals were given in 2010, technology has changed and since the project is now just under construction, it made sense to update the plans to reflect this. Commissioner concerns included making sure that the light was not disruptive to neighboring businesses. Staff indicated that the plans submitted reflected the newly adopted lighting standards and that a condition of approval was included that upon final inspection; changes may be required to reduce glare. By a unanimous vote of 7-0, the Commission recommended approval.

Planning and Zoning Commission Finding of Fact
Barrington & Hassell LLC – 2081-2095 N. Barrington Road – Lighting Changes
Village Board Meeting Date: June 17, 2013

PLANNING AND ZONING COMMISSIONERS

Chairperson Eva Combs	Myrene Iozzo
Thomas Krettler	Steve Hehn
Gaurav Patel	Steve Wehofer
Steve Caramelli	
Lenard Henderson	
Denise Wilson	

ROLL CALL VOTE

7 Ayes
2 Absent (Patel, Wilson)
2 Vacancy

MOTION PASSED

The following attachments are hereby incorporated as part of this Finding of Fact:

Staff Report
Petitioner Application & Submittals
Notification Map



**VILLAGE OF HOFFMAN ESTATES
PLANNING AND ZONING COMMISSION
STAFF REPORT**

PROJECT NO.: 2013005P

PROJECT NAME: **Ricky Rocket's Convenience Store and
Adjacent Retail Center**

PROJECT ADDRESS/LOCATION: **2081 – 2095 N. Barrington Road**

PUBLIC HEARING YES NO

REZONING SITE PLAN AMENDMENT SPECIAL USE VARIATION

PRELIMINARY & FINAL SITE PLAN PRELIMINARY & FINAL PLAT

MEETING DATE: **June 5, 2013**

STAFF ASSIGNED: **JAMES DONAHUE**

AMENDED STAFF MEMO (6/5/13)

REQUESTED MOTION

Approval of a request by Barrington & Hassell, LLC (Owner) for a Site Plan Amendment for site lighting for the property at 2081 – 2095 N. Barrington Road.

INCLUDES RECOMMENDED CONDITIONS YES NO

ACRES: 1.5 (Approximate)	ZONING DISTRICT: B-2 Community Business District
ADJACENT PROPERTIES:	NORTH: Restaurant; Funeral Home; Zoned B-2 EAST: Hotel; Zoned B-2 SOUTH: Retail; Zoned B-2 WEST: Restaurants; Zoned B-2

UPDATE

The petitioner is still working on the outstanding issues that were identified in the staff memo you received last week. In conferring with the petitioner and to help keep the project moving forward, one of the issues that can be voted upon this evening is the site lighting. The balance of the requests dealing with façade changes, roof top screening and plat of easement will be back before the Planning & Zoning Commission at a later meeting.

BACKGROUND

In 2010, the Village approved a site plan for the property, which included the two buildings currently under construction; a gas station/convenience store and a retail building on two adjacent lots. The approved site

Meeting Date: June 5, 2013

plan identified architecture, lighting, landscape and other components for the overall development of the property. After several lengthy delays by the property owner, construction has been ongoing since 2012. While the owner indicates construction should be completed later this year, there continue to be delays in activity on the site and changes to the construction so a true completion date is difficult to estimate.

PROPOSAL

Requested Change

Approved in 2010 – Lighting plan dated 6/8/10.

Requested Change in 2013 – The new proposed plan has been completely redone and identifies new LED building and site lighting fixtures and lighting levels. A revised photometric plan and new lighting fixture cut sheets are provided. The plans have been reviewed and they meet the current code. A condition of approval stating that the Village will inspect the site at time of occupancy and any issues with glare or other aspects of lighting will need to be corrected.

Staff Comment – The plans have been updated with newer technology. The source lighting will now be LED. Staff reviewed and has no issues with the switch other than including a condition that lights may need to be adjusted in the field at the time of occupancy.

RECOMMENDED CONDITIONS

1. All previous Conditions of Approval from the August 2, 2010 Site Plan Approval shall remain in effect.
2. Any changes to the approved plans from August 2, 2010 and the modifications presented this evening shall require staff review and approval if minor and may require review up to and including another appearance before the Planning & Zoning Commission if warranted.
3. Based on final Village staff inspection, adjustments may be required to the lighting following its installation on this property. The petitioner shall modify the lighting installation to reduce glare if issues are identified as part of the final Village inspections.



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING GENERAL APPLICATION*

Special Use for _____ Rezoning from _____ to _____

Variation: Commercial Residential Sign

Plat (Subdivision & Others): Preliminary Final

Site Plan: Amendment Concept Preliminary Final

Master Sign Plan: Amendment

Other: _____

* ADDENDUM MATERIALS ARE REQUIRED FOR SPECIFIC REQUESTS

Posting of Notification Sign(s) may be required.

Specific requirements will be provided when your request is scheduled.

FOR VILLAGE USE ONLY			
Hearing Fee	<u>\$250⁰⁰</u>	Check No. <u>4153</u>	Date Paid <u>4/26/13</u>
Project Number:	<u>2013014 P</u>		
Staff Assigned:	<u>J. DONAHUE</u>		
Meeting Date:	<u>5/15/13</u>	Public Hearing:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>
Sign Posting Required:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Date Sign Posted	<u>N/A</u>

PLEASE PRINT OR TYPE

Date: April 24 2013

Project Name: RICKY ROCKETS - HEIDNER PROPERTIES

Project Description: C-Store and Retail Center

Project Address/Location: Barrington & Hassell Rd

Property Index No. 07 06 101 004 07 06 101 009

Acres: _____ Zoning District: _____

I. Owner of Record

RICK HEIDNER Heidner Properties, LLC
 Name Company
399 WALL ST. Unit H Glendale Heights
 Street Address City
IL 60139 630-894-0099
 State Zip Code Telephone Number
630-894-0185 rick@heidnerinc.com
 Fax Number E-Mail Address

II. Applicant (Contact Person/Project Manager)


Edward Garcia Corporate Design + Development Group
 Name Company
2675 Patum Ave Hoffman Estates
 Street Address City
IL 60192 708-293-6960
 State Zip Code Telephone Number
708-293-6966 eduardgarcia@cdg-llc.com
 Fax Number E-Mail Address

Applicant's relationship to property: architect

III. Owner Consent for Authorized Representative

It is required that the property owner or his designated representative be at all requests before the Planning and Zoning Commission (PZC). During the course of the meeting, questions may arise regarding the overall site, site improvements, special conditions to be included in a PZC recommendation, etc. The representative present must have knowledge of the property and have the authority to make commitments to comply with any and all conditions included in the PZC recommendations. Failure to have the owner or designated representative present at the meeting can lead to substantial delays in the hearing process. If the owner cannot be present at the meeting, the following statement must be signed by the owner:

I understand the requirement for the owner or an authorized representative to be present at the meeting with full authority to commit to requests, conditions and make decisions on behalf of the owner. I hereby authorize EDUARDO GARCIA/CHRIS KNESTNER on my behalf and advise that he/she has full authority to act as my/our representative.



Owner Signature

RICK HEIDNER

Print Name

IV. Acknowledgement(s)

- Applicant acknowledges, understands and agrees that under Illinois law, the Village President (Mayor), Village Trustees, Village Manager, Corporation Counsel and/or any employee or agent of the Village or any Planning and Zoning Commission member or Chair, does not have the authority to bind or obligate the Village in any way and therefore cannot bind or obligate the Village. Further, Applicant acknowledges, understands and agrees that only formal action (including, but not limited to, motions, resolutions and ordinances) by the Board of Trustees, properly voting in an open meeting, can obligate the Village or confer any rights or entitlement on the applicant, legal, equitable or otherwise.
- Planning and Zoning Commission members and Village Staff often conduct inspections of subject site(s) as part of the pre-hearing review of requests. These individuals will be carrying official Village identification cards that can be shown upon request.

The Owner and Applicant, by signing this Application, certify to the correctness of the application and all submittals.

Owner's Signature: _____

Owner's Name (Please Print):

Applicant's Signature: _____
(If other than Owner)

Applicant's Name (Please Print):

Date: 4-23-2013

All requests must be accompanied by the items required and all fees must be paid before the Planning and Zoning Commission can hear any case.

Please contact the Planning Division (located in the Municipal Building) with any questions:

Email: planning@hoffmanestates.org
Address: 1900 Hassell Road
Hoffman Estates, IL 60169
Phone: (847) 781-2660
Fax: (847) 781-2679

Addendums Attached:



- Special Use Master Sign Plan
 Rezoning Other _____
 Variation
 Plat
 Site Plan

CAN-304-PS-RS

304 Series LED Recessed Canopy Luminaires

Rev. Date: 6/30/11

BetaLED Catalog #: CAN - 304 - PS - RS - 06 - D - UL - WH - 700 - -



Notes:
TYPE-A

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current	Factory-Installed Options
CAN	304	PS ¹	RS ²	<input type="checkbox"/> 04 <input type="checkbox"/> 06	D	U Universal 120-277V	<input type="checkbox"/> SV Silver <input type="checkbox"/> BZ Bronze <input type="checkbox"/> BK Black <input type="checkbox"/> WH White <input type="checkbox"/> PB Platinum Bronze	<input type="checkbox"/> 700 ³ 700mA (Standard) <input type="checkbox"/> 525 525mA <input type="checkbox"/> 350 350mA	<input type="checkbox"/> 43K 4300K Color Temperature ⁴ <input type="checkbox"/> DIM 0-10V Dimming ^{5,6,7} <input type="checkbox"/> F Fuse ⁸ <input type="checkbox"/> ML Multi-Level (75/525) ⁹

RECEIVED
MAY 20 2013
HOFFMAN ESTATES DIV.
OF CODE ENFORCEMENT

Footnotes

- Petroleum symmetric distribution
- Recessed mount for single skin canopies
- Requires marked spacing 48" x 24" x 3" (48" luminaire to luminaire, 24" luminaire to side wall, 6" above luminaire)
- Color temperature per fixture; minimum 70 CRI
- Consult factory for availability
- Control by others
- Refer to the 304 series dimming spec sheet for availability and additional information
- When code dictates fusing use time delay fuse
- Refer to 304 Multi-Level spec sheet for availability and additional information.

LED PERFORMANCE SPECS																
# of LEDs	Initial Delivered Lumens - Petroleum Symmetric @ 6000K	Rating**			Initial Delivered Lumens - Petroleum Symmetric @ 4300K	Rating**			System Watts 120-480V	Total Current @ 120V	Total Current @ 230V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₇₀ Hours* @ 25° C (77° F)	50K Hours Lumen Maintenance Factor @ 15° C (59° F)
		B	U	G		B	U	G								
350mA Fixture Operating at 25° C (77° F)																
40	4,696 (04)	2	0	0	4,328 (04)	2	0	0	47	0.39	0.23	0.19	0.15	0.11	>150,000	94%
60	6,937 (06)	2	0	0	6,394 (06)	2	0	0	68	0.59	0.33	0.27	0.20	0.15	>150,000	
525mA Fixture Operating at 25° C (77° F)																
40	6,675 (04)	2	0	0	6,060 (04)	2	0	0	68	0.58	0.33	0.27	0.21	0.16	>150,000	93%
60	9,712 (06)	3	0	0	8,951 (06)	3	0	0	105	0.91	0.48	0.40	0.33	0.22	144,000	
700mA (Standard) Fixture Operating at 25° C (77° F)																
40	7,984 (04)	3	0	0	7,358 (04)	3	0	0	94	0.81	0.44	0.36	0.28	0.20	131,000	91%
60	11,794 (06)	3	0	0	10,902 (06)	3	0	0	141	1.26	0.66	0.54	0.39	0.28	121,000	

* For recommended lumen depreciation data see TD-13
** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.jasco.org/PDF/Empas/TM-15-07BugRatingsAddendum.pdf

NOTE: All data subject to change without notice.

© 2011 BetaLED®, a division of Ruud Lighting • 1200 92nd Street • Sturtevant, WI 53177 • 800-236-6800 • www.betaLED.com

Made in the U.S.A. of U.S. and imported parts.
Meets Buy American requirements within the ARRA.



General Description

Slim, low profile design. Fixture is constructed from rugged die-cast and extruded aluminum components. LED driver is mounted in a sealed weather-tight center chamber that allows for access from below the fixture. High performance heatsinks specifically designed for LED canopy application. Luminaire mounts directly to the canopy deck and is secured in place with die-cast aluminum trim frame. Luminaire housing is provided with factory applied foam gasket and provides for a watertight seal between luminaire housing and canopy deck. Suitable for use in single skin canopies with 16" (406 mm) wide panels. See 227 Series for canopies using 12" deck sections. Designed for canopies of 19 - 22 gauge (maximum 0.040" [1 mm] thickness).

Five year limited warranty on luminaire.

Electrical

Modular design accommodates varied lighting output from high power, white, 6000K (+/- 500k per full fixture), minimum 70 CRI, long life LED sources. Optional 4300K (+/-300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. LED drivers have power factor >90% and THD <20% at full load. Units provided with Integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE C62.41.2 and ANSI standard 62.41.2.

Testing & Compliance

UL listed in the US and Canada for wet locations and enclosure classified IP66 per IEC 529. Consult factory for CE certified product. Dark Sky Friendly. IDA Approved. RoHS Compliant.



Product with petroleum symmetric optic and sparkle petroleum optics qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL")

Finish


Exclusive Colorfast DeltaGuard® finish on all cast aluminum components, features an E-Coat epoxy primer with an ultra-durable white powder topcoat. Provides excellent resistance to corrosion, ultraviolet degradation and abrasion. Clear anodized finish on extruded aluminum heat sink with white powder finish on all cast aluminum components is standard. Bronze, black, silver and platinum bronze powder topcoats are also available. The finish is covered by our 10 year warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.


Patents

U.S. and international patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Photometrics



Independent Testing Laboratories certified test. Report No. ITL66685. Candlepower trace of 6000K, 60 LED petroleum symmetric 304 series parking structure luminaire with 12,214 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.



Position of vertical plane of maximum candlepower.

Isofootcandle plot of 6000K, 60 LED petroleum symmetric 304 series parking structure luminaire at 15' A.F.G. Luminaire with 11,828 initial delivered lumens operating at 700mA. Initial FC at grade.

Field-Installed Accessories

Retrofit kits available. Please consult factory for details.



NOTE: All data subject to change without notice.

© 2011 BetaLED®, a division of Ruud Lighting • 1200 92nd Street • Sturtevant, WI 53177 • 800-236-6800 • www.betaLED.com



Made in the U.S.A. of U.S. and imported parts.
Meets Buy American requirements within the ARRA.

THE EDGE® ARE-EDG-4M-DA

Area Luminaire - Type IV Medium - Direct Arm Mount

TYPE-B
TYPE-B
TYPE-B

Product Description


Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Convenient, interlocking mounting method. Mounting housing is rugged die cast aluminum and mounts to 3-6" (76-152mm) square or round pole. Luminaire is secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers.

Performance Summary

- Utilizes BetaLED® Technology
- Patented NanoOptic® Product Technology
- Made in the U.S.A. of U.S. and imported parts
- CRI: Minimum 70 CRI
- CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)
- Warranty: 5 years on luminaire / 10 years on Colorfast DeltaGuard® finish
- EPA and Weight: Reference EPA and Weight spec sheet

Accessories

XA-BRDSPK Bird Spikes



LED Count (x10)	Dim. "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [713mm]
24	32.1" [814mm]

Ordering Information

Example: ARE-EDG-4M-DA-02-D-UL-SV-350-OPTIONS

ARE-EDG	4M	DA	10	D	UL		525	
ARE-EDG	4M Type IV Medium	DA Direct Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525* 525mA 700** 700mA	40K 4000K Color Temperature - Color temperature per luminaire DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options HL HI / Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not included P Photocell - Not available with all ML options Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others ML Multi-Level - Refer to ML spec sheet for details

* Available on luminaires with 20-160 LEDs
 ** Available on luminaires with 20-60 LEDs



Rev. Date: 6/26/2012



Area Luminaire - Type IV Medium - Direct Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Convenient interlocking mounting method. Mounting housing is rugged die cast aluminum mounting to 3-6" (76-152mm) square or round pole, secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers
- Includes leaf / debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS



- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.412
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- Dark Sky Friendly, IDA Approved
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS

- Visit website for patents that cover these products: Patents <http://www.cree.com/patents>

Photometry

All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.



ITL Test Report #: 68090
ARE-EDG-4M-12-D-UL-525-43K
Initial Delivered Lumens: 14,934

ARE-EDG-4M-12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 14,583
Initial FC at grade

IES Files

To obtain an IES file specific to your project consult:
<http://www.cree.com/lighting/tools-and-support/exterior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

Type IV Medium Distribution												
LED Count (x10)	5700K		4000K		System Watts 120-480V	TOTAL CURRENT					50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)**	
	Initial Delivered Lumens	BUG Ratings* Per TM-15-11	Initial Delivered Lumens	BUG Ratings* Per TM-15-11		120V	208V	240V	277V	347V		480V
350mA @ 25°C (77°F)												
02	1,913	B1 U0 G1	1,763	B1 U0 G1	26	0.20	0.13	0.11	0.10	0.09	0.07	93%
06	5,665	B2 U0 G2	5,221	B2 U0 G1	68	0.58	0.34	0.30	0.26	0.20	0.16	
10	9,419	B2 U0 G2	8,681	B2 U0 G2	111	0.95	0.55	0.47	0.42	0.32	0.24	
14	13,126	B3 U0 G3	12,098	B3 U0 G3	157	1.34	0.78	0.67	0.61	0.47	0.35	
20	18,752	B3 U0 G3	17,282	B3 U0 G3	221	1.92	1.10	0.95	0.84	0.65	0.48	
525mA @ 25°C (77°F)												
02	2,678	B1 U0 G1	2,469	B1 U0 G1	37	0.31	0.19	0.17	0.16	0.12	0.10	92%
06	7,932	B2 U0 G2	7,310	B2 U0 G2	102	0.87	0.50	0.44	0.39	0.30	0.22	
10	13,186	B3 U0 G3	12,153	B3 U0 G3	172	1.47	0.85	0.75	0.67	0.51	0.38	
14	18,377	B3 U0 G3	16,937	B3 U0 G3	233	2.01	1.14	0.99	0.87	0.69	0.51	
20	25,811	B3 U0 G3	23,911	B3 U0 G3	321	2.87	1.63	1.43	1.28	0.97	0.72	
700mA @ 25°C (77°F)												
02	3,271	B1 U0 G1	3,015	B1 U0 G1	50	0.42	0.25	0.22	0.20	0.15	0.12	90%
06	9,688	B2 U0 G2	8,929	B2 U0 G2	137	1.18	0.67	0.59	0.51	0.39	0.29	

* For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf
** Projected L₈₀(10K) Hours: >60,000. For recommended lumen maintenance factor data see TD-15



THE EDGE® ARE-EDG-3M-DA

Area Luminaire - Type III Medium - Direct Arm Mount

TYPE-C

TYPE-C

TYPE-C

Product Description

Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Convenient, interlocking mounting method. Mounting housing is rugged die cast aluminum and mounts to 3-6" (76-152mm) square or round pole. Luminaire is secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers.

Performance Summary

Utilizes BetaLED® Technology

Patented NanoOptic® Product Technology

Made in the U.S.A. of U.S. and imported parts

CRI: Minimum 70 CRI


CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)

Warranty: 5 years on luminaire / 10 years on Colorfast DeltaGuard® finish

EPA and Weight: Reference EPA and Weight spec sheet

Accessories

XA-BRDSPK Bird Spikes



LED Count (x10)	Dim. "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [713mm]
24	32.1" [814mm]

Ordering Information

Example: ARE-EDG-3M-DA-02-D-UL-SV-350-OPTIONS

ARE-EDG	3M	DA	100	D	UL		525	Options
ARE-EDG	3M Type III Medium	DA Direct Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525* 525mA 700** 700mA	40K 4000K Color Temperature - Color temperature per luminaire DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options HL HI / Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not included P Photocell - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others ML Multi-Level - Refer to ML spec sheet for details

* Available on luminaires with 20-160 LEDs

** Available on luminaires with 20-60 LEDs



Rev. Date: 6/26/2012



Area Luminaire - Type III Medium - Direct Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Convenient interlocking mounting method. Mounting housing is rugged die cast aluminum mounting to 3-6" (76-152mm) square or round pole, secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers
- Includes leaf / debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- **Input Voltage:** 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- **Power Factor:** > 0.9 at full load
- **Total Harmonic Distortion:** < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS



- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.3I-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.41.2
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- Dark Sky Friendly, IIDA Approved
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS

- Visit website for patents that cover these products: Patents <http://www.cree.com/patents>

Photometry

All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.



ITL Test Report #: 67871
ARE-EDG-3M-16-D-UL-525-43K
Initial Delivered Lumens: 18,862

ARE-EDG-3M-12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 13,826
Initial FC at grade

IES Files

To obtain an IES file specific to your project consult:
<http://www.cree.com/lighting/tools-and-support/exterior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

Type III Medium Distribution												
LED Count (x10)	5700K		4000K		System Watts 120-480V	TOTAL CURRENT					50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)**	
	Initial Delivered Lumens	BUG Ratings* Per TM-15-II	Initial Delivered Lumens	BUG Ratings* Per TM-15-II		120V	208V	240V	277V	347V		480V
350mA @ 25 C (77 F)												
02	1,814	B1 UO G1	1,872	B1 UO G1	26	0.20	0.13	0.11	0.10	0.09	0.07	93%
06	5,371	B2 UO G2	4,950	B2 UO G2	68	0.58	0.34	0.30	0.26	0.20	0.16	
10	8,929	B3 UO G3	8,230	B2 UO G2	111	0.95	0.55	0.47	0.42	0.32	0.24	
14	12,444	B3 UO G3	11,469	B3 UO G3	157	1.34	0.78	0.67	0.61	0.47	0.35	
20	17,778	B3 UO G3	16,385	B3 UO G3	221	1.92	1.10	0.95	0.84	0.65	0.48	
525mA @ 25 C (77 F)												
02	2,539	B1 UO G1	2,340	B1 UO G1	37	0.31	0.19	0.17	0.16	0.12	0.10	92%
06	7,520	B2 UO G2	6,930	B2 UO G2	102	0.87	0.50	0.44	0.39	0.30	0.22	
10	12,501	B3 UO G3	11,521	B3 UO G3	172	1.47	0.85	0.75	0.67	0.51	0.38	
14	17,422	B3 UO G3	16,057	B3 UO G3	233	2.01	1.14	0.99	0.87	0.69	0.51	
20	24,288	B3 UO G3	22,485	B3 UO G3	318	2.84	1.62	1.41	1.26	0.97	0.72	
700mA @ 25 C (77 F)												
02	3,102	B1 UO G1	2,958	B1 UO G1	50	0.42	0.25	0.22	0.20	0.15	0.12	90%
06	9,185	B3 UO G3	8,465	B3 UO G3	137	1.18	0.67	0.59	0.51	0.39	0.29	

* For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Errata/TM-15-II-BUG-Ratings-Addendum.pdf

** Projected L₈₀ (L80) Hours: >60,000. For recommended lumen maintenance factor data see TD-13

© 2012 Cree, Inc. and/or one of its subsidiaries. All rights reserved. For informational purposes only. See www.cree.com/lighting for warranty terms. Cree®, the Cree logo, THE EDGE, BetaLED, NanoOptic, and Colorfast DeltaGuard are registered trademarks and the BetaLED Technology logo is a trademark of Cree, Inc. or one of its subsidiaries.

www.cree.com/lighting T (800) 236-6800 F (262) 504-5415



THE EDGE® ARE-EDG-3M-DA

Area Luminaire - Type III Medium - Direct Arm Mount

TYPE-C

TYPE-C

TYPE-C

Product Description

Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Convenient, interlocking mounting method. Mounting housing is rugged die cast aluminum and mounts to 3-6" (76-152mm) square or round pole. Luminaire is secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers.

Performance Summary

Utilizes BetaLED® Technology

Patented NanoOptic® Product Technology

Made in the U.S.A. of U.S. and imported parts

CRI: Minimum 70 CRI


CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)

Warranty: 5 years on luminaire / 10 years on Colorfast DeltaGuard® finish

EPA and Weight: Reference EPA and Weight spec sheet

Accessories

<p>XA-BRDSPK Bird Spikes</p>



LED Count (x10)	Dim. "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [713mm]
24	32.1" [814mm]

Ordering Information

Example: ARE-EDG-3M-DA-02-D-UL-SV-350-OPTIONS

ARE-EDG	3M	DA	100	D	UL		525	
ARE-EDG	3M Type III Medium	DA Direct Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525* 525mA 700** 700mA	<p>40K 4000K Color Temperature - Color temperature per luminaire</p> <p>DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current</p> <p>F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options</p> <p>HL Hi / Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not included</p> <p>P Photocell - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH</p> <p>R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others</p> <p>ML Multi-Level - Refer to ML spec sheet for details</p>

* Available on luminaires with 20-160 LEDs

** Available on luminaires with 20-60 LEDs



Rev. Date: 6/26/2012



Area Luminaire - Type III Medium - Direct Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Convenient interlocking mounting method. Mounting housing is rugged die cast aluminum mounting to 3-6" (76-152mm) square or round pole, secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers
- Includes leaf / debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS


- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.412
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- Dark Sky Friendly, IDA Approved
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS


- Visit website for patents that cover these products: Patents <http://www.cree.com/patents>

Photometry

All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.



ITL Test Report #: 67871
 ARE-EDG-3M-**-16-D-UL-525-43K
 Initial Delivered Lumens: 18,862



ARE-EDG-3M-**-12-D-UL-525-40K
 Mounting Height: 25' (7.6m) A.F.G.
 Initial Delivered Lumens: 13,826
 Initial FC at grade

IES Files
 To obtain an IES file specific to your project consult:
<http://www.cree.com/lighting/tools-and-support/exterior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

Type III Medium Distribution													
LED Count (x10)	5700K		4000K		System Watts 120-480V	TOTAL CURRENT					50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)**		
	Initial Delivered Lumens	BUG Ratings* Per TM-15-II	Initial Delivered Lumens	BUG Ratings* Per TM-15-II		120V	208V	240V	277V	347V		480V	
350mA @ 25 C (77 F)													
02	1,814	B1 U0 G1	1,672	B1 U0 G1	26	0.20	0.13	0.11	0.10	0.09	0.07	93%	
06	5,371	B2 U0 G2	4,950	B2 U0 G2	68	0.58	0.34	0.30	0.26	0.20	0.16		
10	8,929	B3 U0 G3	8,230	B2 U0 G2	111	0.95	0.55	0.47	0.42	0.32	0.24		
14	12,444	B3 U0 G3	11,469	B3 U0 G3	157	1.34	0.78	0.67	0.61	0.47	0.35		
20	17,778	B3 U0 G3	16,385	B3 U0 G3	221	1.92	1.10	0.95	0.84	0.65	0.48		
02	2,539	B1 U0 G1	2,340	B1 U0 G1	37	0.31	0.19	0.17	0.16	0.12	0.10		92%
06	7,520	B2 U0 G2	6,930	B2 U0 G2	102	0.87	0.50	0.44	0.39	0.30	0.22		
10	12,501	B3 U0 G3	11,521	B3 U0 G3	172	1.47	0.85	0.75	0.67	0.51	0.38		
14	17,422	B3 U0 G3	16,057	B3 U0 G3	233	2.01	1.14	0.99	0.87	0.69	0.51		
02	3,102	B1 U0 G1	2,858	B1 U0 G1	50	0.42	0.25	0.22	0.20	0.15	0.12	90%	
06	9,185	B3 U0 G3	8,465	B3 U0 G3	137	1.18	0.67	0.59	0.51	0.39	0.29		

* For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-II-BugRatingsAddendum.pdf
 ** Projected L₈₀(10K) Hours: >60,000. For recommended lumen maintenance factor data see TD-13



SEC-EDG-4M-WM


THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

BetaLED Catalog #: SEC - EDG - 4M - WM - 04 - D - UL - - 700 - -



Notes:
TYPE-E



# of LEDs	Dim. "A"
20	11.91" [303mm]
40	11.91" [303mm]
60	13.91" [353mm]
80	15.91" [404mm]
100	17.91" [455mm]
120	19.91" [505mm]

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current Not Field Adjustable	Factory-Installed Options Please type additional options in manually on the lines provided above.
SEC	EDG	4M ¹ 4MB ²	WM ³	02 04 06 08 10 12	D	UL Universal 120-277V UH Universal 347-480V 12 120V 24 240V 27 277V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525 ⁴ 525mA 700 ⁵ 700mA	40K 4000K Color Temperature ⁶ DIM 0-10V Dimming ^{7,8,9} F Fuse ^{10,11,12} P Photocell ^{11,13} ML Multi-Level (75/525) ¹³

Footnotes

- IESNA Type IV Medium distribution
- IESNA Type IV Medium distribution w/ backlight control
- Wall mount
- Available on fixtures with 20-80 LEDs
- Available on fixtures with 20-60 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Refer to dimming spec sheet for availability and additional information
- Not available when UH voltage is selected
- When code dictates fusing use time delay fuse
- Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- Must specify voltage other than UL or UH
- Refer to multi-level spec sheet for availability and additional information

LED PERFORMANCE SPECS

# of LEDs	Initial Delivered Lumens - Type IV Medium @ 5700K	B U G Rating**		Initial Delivered Lumens - Type IV Medium w/ Backlight Control @ 5700K	B U G Rating**		Initial Delivered Lumens - Type IV Medium @ 4000K	B U G Rating**		Initial Delivered Lumens - Type IV Medium w/ Backlight Control @ 4000K	B U G Rating**		System Watts 120-480V	Total Current @ 120V	Total Current @ 240V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₇₀ Hours @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)				
		B	U		G	B		U	G		B	U									G	B	U	G
350mA Fixture Operating at 25° C (77° F)																								
20	1,913 (02)	1	0	1	1,441 (02)	0	1	1	1,763 (02)	1	0	1	1,328 (02)	0	0	1	26	0.20	0.11	0.10	0.09	0.07	>150,000	93%
40	3,826 (04)	1	0	1	2,882 (04)	1	0	1	3,526 (04)	1	0	1	2,656 (04)	1	0	1	47	0.40	0.21	0.19	0.15	0.12	>150,000	
60	5,665 (06)	2	0	2	4,267 (06)	2	0	2	5,221 (06)	2	0	2	3,933 (06)	2	0	2	68	0.58	0.30	0.26	0.20	0.16	>150,000	
80	7,554 (08)	2	0	2	5,690 (08)	2	0	2	6,962 (08)	2	0	2	5,244 (08)	2	0	2	90	0.77	0.38	0.34	0.26	0.20	>150,000	
100	9,419 (10)	2	0	2	7,095 (10)	2	0	2	8,681 (10)	2	0	2	6,539 (10)	2	0	2	111	0.95	0.47	0.42	0.32	0.24	>150,000	
120	11,302 (12)	3	0	3	8,513 (12)	3	0	3	10,417 (12)	3	0	3	7,846 (12)	3	0	3	132	1.15	0.56	0.50	0.38	0.28	>150,000	
525mA Fixture Operating at 25° C (77° F)																								
20	2,678 (02)	1	0	1	2,017 (02)	0	0	1	2,469 (02)	1	0	1	1,859 (02)	0	0	1	37	0.31	0.17	0.16	0.12	0.10	136,000	92%
40	5,357 (04)	2	0	2	4,035 (04)	2	0	2	4,937 (04)	2	0	2	3,719 (04)	2	0	2	70	0.57	0.29	0.26	0.21	0.16	136,000	
60	7,932 (06)	2	0	2	5,974 (06)	2	0	2	7,310 (06)	2	0	2	5,506 (06)	2	0	2	102	0.87	0.44	0.39	0.30	0.22	129,000	
80	10,575 (08)	2	0	2	7,966 (08)	2	0	2	9,747 (08)	2	0	2	7,342 (08)	2	0	2	133	1.14	0.56	0.49	0.39	0.29	129,000	
700mA Fixture Operating at 25° C (77° F)																								
20	3,271 (02)	1	0	1	2,450 (02)	0	0	1	3,015 (02)	1	0	1	2,258 (02)	0	0	1	50	0.42	0.22	0.20	0.15	0.12	111,000	90%
40	6,543 (04)	2	0	2	4,900 (04)	2	0	2	6,030 (04)	2	0	2	4,516 (04)	2	0	2	93	0.79	0.40	0.35	0.27	0.20	111,000	
60	9,688 (06)	2	0	2	7,255 (06)	2	0	2	8,929 (06)	2	0	2	6,686 (06)	2	0	2	137	1.18	0.59	0.51	0.39	0.29	111,000	

* For recommended lumen maintenance factor data see TD-13.

** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Errata/TM-15-11BugRatingsAddendum.pdf.



SEC-EDG-4M-WM

THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

General Description

Slim, low profile design. Fixture slides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heatsinks specifically designed for LED applications. Housing is rugged aluminum. Furnished with low copper, lightweight mounting box designed for installation over standard and mud ring single gang J boxes. Secures to wall with four (4) 3/16" (4.8mm) screws (by others). Conduit entry from top, bottom, sides and rear. Allows mounting for upright or downlight. Designed and approved for easy through-wiring. Includes leaf/debris guard. Five year limited warranty on fixture.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Integral weather-tight J-box with leads (wire nuts) for easy power hook-up. Units provided with integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations and enclosure rated IP66 per IEC 60529. Consult factory for CE Certified products. Dark Sky Friendly. IDA Approved. RoHS compliant.



Product qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL") when ordered without backlight control shield.

Finish


Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents



U.S. and international patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories





Blind Spikes
 XA-BRDSPK

Photometrics



Independent Testing Laboratories certified test. Report No. ITL70291. Candlepower trace of 4000K, 60 LED Type IV Medium area luminaire with 9,524 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 60 LED Type IV Medium security luminaire at 10' (3m) A.F.G. Luminaire with 8,929 initial delivered lumens operating at 700mA. Initial FC at grade.



Independent Testing Laboratories certified test. Report No. ITL68090. Candlepower trace of 4300K, 40 LED Type IV Medium w/ backlight control area luminaire with 4,926 initial delivered lumens operating at 525mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 120 LED Type IV Medium area luminaire at 25' (7.6 m) A.F.G. Luminaire with 10,985 initial delivered lumens operating at 525mA. Initial FC at grade.



© 2012 Ruud Lighting Inc. - A Cree Company. All rights reserved. The information in this document is subject to change without notice.
 9201 Washington Ave • Racine, WI 53406-3772 • 800-236-6800 • www.BetaLED.com




Made in the U.S.A. of U.S. and imported parts.
 Meets Buy American requirements within the ARRA.

SEC-EDG-2M-WM

THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

BetaLED Catalog #: SEC - EDG - 2M - WM - 04 - D - UL - - 700 -



# of LEDs	Dim. "A"
20	11.91" [303mm]
40	11.91" [303mm]
60	13.91" [353mm]
80	15.91" [404mm]
100	17.91" [455mm]
120	19.91" [505mm]

Notes:

TYPE-F

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current Not Field Adjustable	Factory-Installed Options Please type additional options in manually on the lines provided above.
SEC	EDG	<input checked="" type="checkbox"/> 2M1 <input checked="" type="checkbox"/> 2MB2	WM3	<input checked="" type="checkbox"/> 02 <input checked="" type="checkbox"/> 04 <input checked="" type="checkbox"/> 06 <input checked="" type="checkbox"/> 08 <input checked="" type="checkbox"/> 10 <input checked="" type="checkbox"/> 12	D	<input checked="" type="checkbox"/> UL Universal 120-277V <input checked="" type="checkbox"/> UH Universal 347-480V <input checked="" type="checkbox"/> 12 120V <input checked="" type="checkbox"/> 24 240V <input checked="" type="checkbox"/> 27 277V <input checked="" type="checkbox"/> 34 347V	<input checked="" type="checkbox"/> SV Silver (Standard) <input checked="" type="checkbox"/> BK Black <input checked="" type="checkbox"/> BZ Bronze <input checked="" type="checkbox"/> PB Platinum Bronze <input checked="" type="checkbox"/> WH White	<input checked="" type="checkbox"/> 350 350mA <input checked="" type="checkbox"/> 525 ¹ 525mA <input checked="" type="checkbox"/> 700 ³ 700mA	<input checked="" type="checkbox"/> 40K 4000K Color Temperature ⁶ <input checked="" type="checkbox"/> DIM 0-10V Dimming ^{7,8,9} <input checked="" type="checkbox"/> F Fuse ^{10,11,12} <input checked="" type="checkbox"/> P Photocell ^{11,13} <input checked="" type="checkbox"/> ML Multi-Level (75/525) ¹³

Footnotes

- IESNA Type II Medium distribution
- IESNA Type II Medium distribution w/ backlight control
- Wall mount
- Available on fixtures with 20-80 LEDs
- Available on fixtures with 20-60 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Refer to dimming spec sheet for availability and additional information
- Not available when UH voltage is selected
- When code dictates fusing use time delay fuse
- Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- Must specify voltage other than UL or UH
- Refer to multi-level spec sheet for availability and additional information

LED PERFORMANCE SPECS

# of LEDs	Initial Delivered Lumens - Type II Medium @ 5700K		Initial Delivered Lumens - Type II Medium w/ Backlight Control @ 5700K		Initial Delivered Lumens - Type II Medium @ 4000K		Initial Delivered Lumens - Type II Medium w/ Backlight Control @ 4000K		System Walls 120-480V	Total Current @ 120V	Total Current @ 240V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₇₀ Hours @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)
	B U G Rating**	B U G Rating**	B U G Rating**	B U G Rating**												
350mA Fixture Operating at 25° C (77° F)																
20	1.913 (02)	1.0 1.1	1.441 (02)	0.3 1.1	1.763 (02)	1.0 1.1	1.328 (02)	0.1 1.1	26	0.20	0.11	0.10	0.09	0.07	>150,000	93%
40	3.826 (04)	1.0 1.1	2.882 (04)	1.1 1.1	3.526 (04)	1.0 1.1	2.656 (04)	1.1 1.1	47	0.40	0.21	0.19	0.15	0.12	>150,000	
60	5.665 (06)	2.0 2.2	4.267 (06)	1.1 1.2	5.221 (06)	1.0 1.1	3.993 (06)	1.1 1.1	68	0.58	0.30	0.26	0.20	0.16	>150,000	
80	7.554 (08)	2.0 2.2	5.690 (08)	1.1 1.2	6.962 (08)	2.0 2.2	5.244 (08)	1.1 1.2	90	0.77	0.38	0.34	0.26	0.20	>150,000	
100	9.419 (10)	2.0 2.2	7.095 (10)	1.1 1.2	8.681 (10)	2.0 2.2	6.539 (10)	1.1 1.2	111	0.95	0.47	0.42	0.32	0.24	>150,000	
120	11.302 (12)	3.0 3.3	8.513 (12)	1.1 1.2	10.417 (12)	2.0 2.2	7.846 (12)	1.1 1.2	132	1.15	0.56	0.50	0.38	0.28	>150,000	
525mA Fixture Operating at 25° C (77° F)																
20	2.678 (02)	1.0 1.1	2.017 (02)	1.0 1.1	2.469 (02)	1.0 1.1	1.859 (02)	1.0 1.1	37	0.31	0.17	0.16	0.12	0.10	136,000	92%
40	5.357 (04)	2.0 2.2	4.035 (04)	1.1 1.1	4.937 (04)	1.0 1.1	3.719 (04)	1.1 1.1	70	0.57	0.29	0.26	0.21	0.16	136,000	
60	7.932 (06)	2.0 2.2	5.974 (06)	1.1 1.2	7.310 (06)	2.0 2.2	5.506 (06)	1.1 1.1	102	0.87	0.44	0.39	0.30	0.22	129,000	
80	10.575 (08)	2.0 2.2	7.966 (08)	1.1 1.2	9.747 (08)	2.0 2.2	7.342 (08)	1.1 1.2	133	1.14	0.56	0.49	0.39	0.29	129,000	
700mA Fixture Operating at 25° C (77° F)																
20	3.271 (02)	1.0 1.1	2.450 (02)	1.1 1.1	3.015 (02)	1.0 1.1	2.258 (02)	1.0 1.1	50	0.42	0.22	0.20	0.15	0.12	111,000	90%
40	6.543 (04)	2.0 2.2	4.900 (04)	1.1 1.2	6.030 (04)	2.0 2.2	4.516 (04)	1.0 1.1	93	0.79	0.40	0.35	0.27	0.20	111,000	
60	9.888 (06)	2.0 2.2	7.255 (06)	1.0 1.2	8.929 (06)	2.0 2.2	6.686 (06)	1.0 1.2	137	1.18	0.59	0.51	0.39	0.29	111,000	

* For recommended lumen maintenance factor data see TD-13

** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf



General Description

Slim, low profile design. Fixture sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heatsinks specifically designed for LED applications. Housing is rugged aluminum. Furnished with low copper, lightweight mounting box designed for installation over standard and mud ring single gang J boxes. Secures to wall with four (4) 3/16" (4.8mm) screws (by others). Conduit entry from top, bottom, sides and rear. Allows mounting for upright or downlight. Designed and approved for easy through-wiring. Includes leaf/debris guard. Five year limited warranty on fixture.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Integral weather-tight J-box with leads (wire nuts) for easy power hook-up. Units provided with integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations and enclosure rated IP66 per IEC 60529. Consult factory for CE Certified products. Dark Sky Friendly, IDA Approved. RoHS compliant.



Product qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL") when ordered without backlight control shield.

Finish

Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents


U.S. and International patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories




Bird Spikes
 XA-BRDSPK


Photometrics




Independent Testing Laboratories certified test. Report No. ITL70292. Candlepower trace of 4000K, 60 LED Type II Medium security EDGE luminaire with 9,168 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.



Isofootcandle plot of 4000K, 60 LED Type II Medium security EDGE luminaire at 10' (3m) A.F.G. Luminaire with 8,929 initial delivered lumens operating at 700mA. Initial FC at grade.



Independent Testing Laboratories certified test. Report No. ITL68358. Candlepower trace of 4300K, 40 LED Type II Medium area w/ backlight control luminaire with 5,373 initial delivered lumens operating at 525mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.



Isofootcandle plot of 4000K, 80 LED Type II Medium w/ backlight control area luminaire at 25' (7.6m) A.F.G. Luminaire with 7,342 initial delivered lumens operating at 525mA. Initial FC at grade.




SEC-EDG-3M-WM

THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

BetaLED Catalog #: SEC - EDG - 3M - WM - 06 - D - UL - - 700 - -



# of LEDs	Dim. "A"
20	11.91" [303mm]
40	11.91" [303mm]
60	13.91" [353mm]
80	15.91" [404mm]
100	17.91" [455mm]
120	19.91" [505mm]

Notes:
TYPE-G

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current Not Field Adjustable	Factory-Installed Options Please type additional options in manually on the lines provided above.
SEC	EDG	<input type="checkbox"/> 3M ¹ <input type="checkbox"/> 3MB ²	WM ³	<input type="checkbox"/> 02 <input type="checkbox"/> 04 <input type="checkbox"/> 06 <input type="checkbox"/> 08 <input type="checkbox"/> 10 <input type="checkbox"/> 12	D	<input type="checkbox"/> UL Universal 120-277V <input type="checkbox"/> UH Universal 347-480V <input type="checkbox"/> 12 120V <input type="checkbox"/> 24 240V <input type="checkbox"/> 27 277V <input type="checkbox"/> 34 347V	<input type="checkbox"/> SV Silver (Standard) <input type="checkbox"/> BK Black <input type="checkbox"/> BZ Bronze <input type="checkbox"/> PB Platinum <input type="checkbox"/> BR Bronze <input type="checkbox"/> WH White	<input type="checkbox"/> 350 350mA <input type="checkbox"/> 525 ⁴ 525mA <input type="checkbox"/> 700 ⁵ 700mA	<input type="checkbox"/> 40K 4000K Color Temperature ⁵ <input type="checkbox"/> DIM 0-10V Dimming ^{7,8,9} <input type="checkbox"/> F Fuse ^{10,11,12} <input type="checkbox"/> P Photocell ^{11,12} <input type="checkbox"/> ML Multi-Level (75/525) ¹³

Footnotes

- IESNA Type III Medium distribution
- IESNA Type III Medium distribution w/ backlight control
- Wall mount
- Available on fixtures with 20-80 LEDs
- Available on fixtures with 20-60 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Refer to dimming spec sheet for availability and additional information
- Not available when UH voltage is selected
- When code dictates using use time delay fuse
- Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- Must specify voltage other than UL or UH
- Refer to multi-level spec sheet for availability and additional information

LED PERFORMANCE SPECS																				
# of LEDs	Initial Delivered Lumens - Type III Medium @ 5700K	B U G			Initial Delivered Lumens - Type III Medium with Backlight Control @ 5700K	B U G			Initial Delivered Lumens - Type III Medium @ 4000K	B U G			System Watts 120-480V	Total Current @ 120V	Total Current @ 240V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₇₀ Hours @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)
		Rating**				Rating**				Rating**										
350mA Fixture Operating at 25° C (77° F)																				
20	1,814 (02)	1	1	1	1,342 (02)	0	1	1	1,872 (02)	1	1	1	26	0.20	0.11	0.10	0.09	0.07	>150,000	93%
40	3,628 (04)	1	1	1	2,683 (04)	1	1	1	3,343 (04)	1	1	1	47	0.40	0.21	0.19	0.15	0.12	>150,000	
60	5,371 (06)	2	2	2	3,973 (06)	1	2	1	4,950 (06)	2	2	2	68	0.58	0.30	0.26	0.20	0.16	>150,000	
80	7,161 (08)	2	2	2	5,298 (08)	1	2	2	6,600 (08)	2	2	2	90	0.77	0.38	0.34	0.26	0.20	>150,000	
100	8,929 (10)	3	3	3	6,605 (10)	1	3	2	8,230 (10)	2	2	2	111	0.95	0.47	0.42	0.32	0.24	>150,000	
120	10,715 (12)	3	3	3	7,926 (12)	1	3	2	9,876 (12)	3	3	3	132	1.15	0.56	0.50	0.38	0.28	>150,000	
525mA Fixture Operating at 25° C (77° F)																				
20	2,539 (02)	1	1	1	1,878 (02)	0	1	1	2,340 (02)	1	1	1	37	0.31	0.17	0.16	0.12	0.10	136,000	92%
40	5,079 (04)	2	2	2	3,757 (04)	1	2	1	4,681 (04)	2	2	2	70	0.57	0.29	0.26	0.21	0.16	136,000	
60	7,520 (06)	2	2	2	5,562 (06)	1	2	2	6,930 (06)	2	2	2	102	0.87	0.44	0.39	0.30	0.22	129,000	
80	10,026 (08)	3	3	3	7,417 (08)	1	3	2	9,240 (08)	3	3	3	133	1.14	0.56	0.49	0.39	0.29	129,000	
700mA Fixture Operating at 25° C (77° F)																				
20	3,102 (02)	1	1	1	2,281 (02)	0	1	1	2,858 (02)	1	1	1	50	0.42	0.22	0.20	0.15	0.12	111,000	90%
40	6,203 (04)	2	2	2	4,562 (04)	1	2	1	5,717 (04)	2	2	2	93	0.79	0.40	0.35	0.27	0.20	111,000	
60	9,185 (06)	3	3	3	6,754 (06)	1	3	2	8,465 (06)	2	3	2	137	1.18	0.59	0.51	0.39	0.29	111,000	

* For recommended lumen maintenance factor data see [TD-13](#)

** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-07BugRatingsAddendum.pdf



General Description

Slim, low profile design. Fixture sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heatsinks specifically designed for LED applications. Housing is rugged aluminum. Furnished with low copper, lightweight mounting box designed for installation over standard and mud ring single gang J boxes. Secures to wall with four (4) 3/16" (4.8mm) screws (by others). Conduit entry from top, bottom, sides and rear. Allows mounting for upright or downlight. Designed and approved for easy through-wiring. Includes leaf/debris guard. Five year limited warranty on fixture.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Integral weather-tight J-box with leads (wire nuts) for easy power hook-up. Units provided with integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations and enclosure rated IP66 per IEC 60529. Consult factory for CE Certified products. Dark Sky Friendly. IDA Approved. RoHS compliant.



Product qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL") when ordered without backlight control shield.

Finish


Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents



U.S. and international patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories





Bird Spikes
 XA-BRDSPK

Photometrics



Independent Testing Laboratories certified test. Report No. ITL70203. Candlepower trace of 4000K, 60 LED Type III Medium security EDGE luminaire with 8,812 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 60 LED Type III Medium security EDGE luminaire at 10' (3m) A.F.G. Luminaire with 8,465 initial delivered lumens operating at 700mA. Initial FC at grade.



Independent Testing Laboratories certified test. Report No. ITL68639. Candlepower trace of 4300K, 40 LED Type III Medium w/ backlight control area luminaire with 5,084 initial delivered lumens operating at 525mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 80 LED Type III Medium area luminaire at 25' (7.6m) A.F.G. Luminaire with 6,835 initial delivered lumens operating at 525mA. Initial FC at grade.




SEC-EDG-4M-WM

THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

BetaLED Catalog #: SEC - EDG - 4M - WM - 06 - D - UL - - 700 - -



# of LEDs	Djm. "A"
20	11.91" [303mm]
40	11.91" [303mm]
60	13.91" [353mm]
80	15.91" [404mm]
100	17.91" [455mm]
120	19.91" [505mm]

Notes:
TYPE-H

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current Not Field Adjustable	Factory-Installed Options Please type additional options in manually on the lines provided above.
SEC	EDG	<input type="checkbox"/> 4M ¹ <input type="checkbox"/> 4MB ²	WM ³	<input type="checkbox"/> 02 <input type="checkbox"/> 04 <input type="checkbox"/> 06 <input type="checkbox"/> 08 <input type="checkbox"/> 10 <input type="checkbox"/> 12	D	<input type="checkbox"/> UL Universal 120-277V <input type="checkbox"/> UH Universal 347-480V <input type="checkbox"/> 12 120V <input type="checkbox"/> 24 240V <input type="checkbox"/> 27 277V <input type="checkbox"/> 34 347V	<input type="checkbox"/> SV Silver (Standard) <input type="checkbox"/> BK Black <input type="checkbox"/> BZ Bronze <input type="checkbox"/> PB Platinum Bronze <input type="checkbox"/> WH White	<input type="checkbox"/> 350 350mA <input type="checkbox"/> 525 ⁴ 525mA <input type="checkbox"/> 700 ⁵ 700mA	<input type="checkbox"/> 40K 4000K Color Temperature ⁶ <input type="checkbox"/> DIM 0-10V Dimming ^{7,8,9} <input type="checkbox"/> F Fuse ^{10,11,12} <input type="checkbox"/> P Photocell ^{11,12} <input type="checkbox"/> ML Multi-Level (75/525) ¹³

Footnotes

- IESNA Type IV Medium distribution
- IESNA Type IV Medium distribution w/ backlight control
- Wall mount
- Available on fixtures with 20-80 LEDs
- Available on fixtures with 20-80 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Refer to dimming spec sheet for availability and additional information
- Not available when UH voltage is selected
- When code dictates fusing use time delay fuse
- Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- Must specify voltage other than UL or UH
- Refer to multi-level spec sheet for availability and additional information

# of LEDs	Initial Delivered Lumens - Type IV Medium @ 5700K	B U G Rating**		Initial Delivered Lumens - Type IV Medium w/ Backlight Control @ 5700K	B U G Rating**		Initial Delivered Lumens - Type IV Medium @ 4000K	B U G Rating**		Initial Delivered Lumens - Type IV Medium w/ Backlight Control @ 4000K	B U G Rating**		System Waits 120-480V	Total Current @ 120V	Total Current @ 240V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₇₀ Hours* @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)				
		B	U		G	B		U	G		B	U									G	B	U	G
350mA Fixture Operating at 25° C (77° F)																								
20	1,913 (02)	1	0	1	1,441 (02)	0	1	1	1,763 (02)	1	0	1	1,328 (02)	0	0	1	26	0.20	0.11	0.10	0.09	0.07	>150,000	93%
40	3,826 (04)	1	0	1	2,882 (04)	1	0	1	3,526 (04)	1	0	1	2,656 (04)	1	0	1	47	0.40	0.21	0.19	0.15	0.12	>150,000	
60	5,665 (06)	2	0	2	4,267 (06)	2	0	2	5,221 (06)	2	0	2	3,933 (06)	2	0	2	68	0.58	0.30	0.26	0.20	0.16	>150,000	
80	7,554 (08)	2	0	2	5,690 (08)	2	0	2	6,962 (08)	2	0	2	5,244 (08)	2	0	2	90	0.77	0.38	0.34	0.26	0.20	>150,000	
100	9,419 (10)	2	0	2	7,095 (10)	2	0	2	8,681 (10)	2	0	2	6,539 (10)	2	0	2	111	0.95	0.47	0.42	0.32	0.24	>150,000	
120	11,302 (12)	3	0	3	8,513 (12)	3	0	3	10,417 (12)	3	0	3	7,846 (12)	3	0	3	132	1.15	0.56	0.50	0.38	0.28	>150,000	
525mA Fixture Operating at 25° C (77° F)																								
20	2,678 (02)	1	0	1	2,017 (02)	0	0	1	2,469 (02)	1	0	1	1,859 (02)	0	0	1	37	0.31	0.17	0.16	0.12	0.10	136,000	92%
40	5,357 (04)	2	0	2	4,035 (04)	2	0	1	4,937 (04)	2	0	1	3,719 (04)	2	0	1	70	0.57	0.29	0.26	0.21	0.16	136,000	
60	7,932 (06)	2	0	2	5,974 (06)	2	0	2	7,310 (06)	2	0	2	5,506 (06)	2	0	2	102	0.87	0.44	0.39	0.30	0.22	129,000	
80	10,575 (08)	2	0	2	7,966 (08)	2	0	2	9,747 (08)	2	0	2	7,342 (08)	2	0	2	133	1.14	0.56	0.49	0.39	0.29	129,000	
700mA Fixture Operating at 25° C (77° F)																								
20	3,271 (02)	1	0	1	2,450 (02)	0	0	1	3,015 (02)	1	0	1	2,258 (02)	0	0	1	50	0.42	0.22	0.20	0.15	0.12	111,000	90%
40	6,543 (04)	2	0	2	4,900 (04)	2	0	2	6,030 (04)	2	0	2	4,515 (04)	2	0	2	93	0.79	0.40	0.35	0.27	0.20	111,000	
60	9,688 (06)	2	0	2	7,255 (06)	2	0	2	8,929 (06)	2	0	2	6,686 (06)	2	0	2	137	1.18	0.59	0.51	0.39	0.29	111,000	

* For recommended lumen maintenance factor data see TD-13.

** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf.



General Description

Slim, low profile design. Fixture sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heatsinks specifically designed for LED applications. Housing is rugged aluminum. Furnished with low copper, lightweight mounting box designed for installation over standard and mud ring single gang J boxes. Secures to wall with four (4) 3/16" (4.8mm) screws (by others). Conduit entry from top, bottom, sides and rear. Allows mounting for upright or downlight. Designed and approved for easy through-wiring. Includes leaf/debris guard. Five year limited warranty on fixture.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Integral weather-tight J-box with leads (wire nuts) for easy power hook-up. Units provided with Integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations and enclosure rated IP66 per IEC 60529. Consult factory for CE Certified products. Dark Sky Friendly. IDA Approved. RoHS compliant.



Product qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL") when ordered without backlight control shield.

Finish


Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents



U.S. and international patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories





Bird Spikes
 XA-BRDSPK

Photometrics



Independent Testing Laboratories certified test. Report No. ITL70291. Candlepower trace of 4000K, 60 LED Type IV Medium area luminaire with 9,524 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 60 LED Type IV Medium security luminaire at 10' (3m) A.F.G. Luminaire with 8,929 initial delivered lumens operating at 700mA. Initial FC at grade.



Independent Testing Laboratories certified test. Report No. ITL68090. Candlepower trace of 4300K, 40 LED Type IV Medium w/ backlight control area luminaire with 4,926 initial delivered lumens operating at 525mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 4000K, 120 LED Type IV Medium area luminaire at 25' (7.6 m) A.F.G. Luminaire with 10,985 initial delivered lumens operating at 525mA. Initial FC at grade.



© 2012 Ruud Lighting Inc. - A Cree Company. All rights reserved. The information in this document is subject to change without notice.
 9201 Washington Ave • Racine, WI 53406-3772 • 800-236-6800 • www.BetaLED.com

Made in the U.S.A. of U.S. and imported parts.
 Meets Buy American requirements within the ARRA.

THE EDGE® FLD-EDG-SN-AA

Flood Luminaire - Sign Optic - Adjustable Arm Mount

TYPE-I

Product Description

Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Adjustable arm mount is rugged die cast aluminum and mounts to 2" (51mm) IP (2.375" [60mm] O.D.) tenon. Includes leaf/debris guard.

Performance Summary

Utilizes BetaLED® Technology

Patented NanoOptic® Product Technology

Made in the U.S.A. of U.S. and imported parts

CRI: Minimum 70 CRI



CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)

Warranty: 5 years on luminaire/10 years on Colorfast DeltaGuard® finish

EPA and Weight: Reference EPA and Weight spec sheet

Accessories

<p>XA-BRDSPK Bird Spikes</p>



LED Count (x10)	Dim. "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [715mm]
24	32.1" [814mm]

Ordering Information

Example: FLD-EDG-SN-AA-02-D-UL-SV-350-OPTIONS

FLD-EDG	SN	AA	10	D	UL		525	Options
FLD-EDG	SN	AA	LED Count (x10)	Voltage	Voltage	Color Output	Drive Current	
FLD-EDG	SN Sign	AA Adjustable Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525* 525mA 700** 700mA	<p>40K 4000K Color Temperature - Color temperature per luminaire</p> <p>DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current</p> <p>F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options</p> <p>HL HI/Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not Included</p> <p>P Photocell - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH</p> <p>R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others</p> <p>ML Multi-Level - Refer to ML spec sheet for details</p>

* Available on luminaires with 20-160 LEDs

** Available on luminaires with 20-60 LEDs



Rev. Date: 8/14/2012



Flood Luminaire – Sign Optic – Adjustable Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Adjustable mounting arm is rugged die cast aluminum and mounts to 2" (51mm) IP (2.375" [60mm] O.D.) tenon
- Includes leaf/debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS


- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.41.2
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS

- Visit website for patents that cover these products:
Patents <http://www.cree.com/patents>

Photometry

All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.



ITL Test Report #: 71647
FLD-EDG-SN-**-06-D-UL-700-40K
Initial Delivered Lumens: 10,165

IES Files

To obtain an IES file specific to your project consult:
<http://www.cree.com/lighting/tools-and-support/exterior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

LED Count (x10)	Sign Optic Distribution									50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)*
	5700K		4000K		System Watts 120-480V	TOTAL CURRENT				
	Initial Delivered Lumens	Initial Delivered Lumens	120V	209V		240V	277V	347V	480V	
350mA @ 25°C (77°F)										
02	2,062	1,901	26	0.20	0.13	0.11	0.10	0.09	0.07	93%
06	6,107	5,628	68	0.58	0.34	0.30	0.26	0.20	0.16	
10	10,152	9,357	111	0.95	0.55	0.47	0.42	0.32	0.24	
14	14,149	13,040	157	1.34	0.78	0.67	0.61	0.47	0.35	
20	20,213	18,629	221	1.92	1.10	0.95	0.84	0.65	0.48	
24	24,186	22,385	274	2.31	1.33	1.15	1.03	0.78	0.59	
525mA @ 25°C (77°F)										
02	2,887	2,661	37	0.31	0.19	0.17	0.16	0.12	0.10	92%
06	8,550	7,880	102	0.87	0.50	0.44	0.39	0.30	0.22	
10	14,213	13,100	172	1.47	0.85	0.75	0.67	0.51	0.38	
14	19,809	18,256	233	2.01	1.14	0.99	0.87	0.69	0.51	
20	27,910	25,723	323	2.81	1.60	1.41	1.26	0.97	0.72	
24	33,492	30,865	394	3.39	1.95	1.71	1.54	1.18	0.88	
700mA @ 25°C (77°F)										
02	3,526	3,250	50	0.42	0.25	0.22	0.20	0.15	0.12	90%
06	10,443	9,624	137	1.18	0.67	0.59	0.51	0.39	0.29	



* Projected L₈₀ (10K) Hours: > 60,000. For recommended lumen maintenance factor data see TD-13



SFT-304-PS-RM 304 Series Recessed Soffit Luminaires – Non-IC Rated

Rev. Date: 1/12/12

BetaLED Catalog #: SFT - 304 - PS - RM - 06 - D - 27 - WH - 525 -



Notes:

TYPE-J

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current	Factory-Installed Options
SFT	304	PS ¹	RM ²	<input type="checkbox"/> 04 <input type="checkbox"/> 06	D	<input type="checkbox"/> 12 120V <input type="checkbox"/> 27 277V	<input type="checkbox"/> WH White (Standard) <input type="checkbox"/> SV Silver <input type="checkbox"/> BZ Bronze <input type="checkbox"/> BK Black <input type="checkbox"/> PB Platinum Bronze	<input type="checkbox"/> 350 350mA <input type="checkbox"/> 525 525mA (Standard) <input type="checkbox"/> 700 ³ 700mA	<input type="checkbox"/> 40K 4000K Color Temperature ⁴ <input type="checkbox"/> DIM 0-10V Dimming ^{5,8,7} <input type="checkbox"/> F Fuse ⁶ <input type="checkbox"/> ML Multi-Level (75/525mA) ⁹

Footnotes

- Petroleum symmetric distribution
- Recessed mount
- Available on fixtures with 40 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Can't exceed specified drive current
- Refer to [dimming spec sheet](#) for availability and additional information
- When code dictates fusing use time delay fuse
- Refer to [304 series multi-level spec sheet](#) for availability and additional information

LED PERFORMANCE SPECS													
# of LEDs	Initial Delivered Lumens - Petroleum Symmetric @ 5700K	Rating*			Initial Delivered Lumens - Petroleum Symmetric @ 4000K	Rating**			System Watts 120 / 277V	Total Current @ 120V	Total Current @ 277V	L ₇₀ Hours** @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)
		B	U	G		B	U	G					
350mA Fixture Operating at 25° C (77° F)													
40	4,607 (04)	2	0	0	4,246 (04)	2	0	0	47	0.39	0.21	> 150,000	90%
60	6,766 (06)	2	0	0	6,235 (06)	2	0	0	68	0.59	0.30	> 150,000	
525mA (Standard) Fixture Operating at 25° C (77° F)													
40	6,450 (04)	2	0	0	5,944 (04)	2	0	0	68	0.58	0.30	140,000	89%
60	9,472 (06)	3	0	0	8,730 (06)	3	0	0	105	0.91	0.46	126,000	
700mA Fixture Operating at 25° C (77° F)													
40	7,832 (04)	3	0	0	7,218 (04)	3	0	0	94	0.81	0.36	128,000	88%

* For recommended lumen maintenance factor data see TD-13

** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf



General Description

High performance energy efficient Non-IC Rated LED down light, designed for use in drop ceilings or new construction applications with 20" (508mm) to 24" (610mm) on center building construction. Heavy gauge steel recessed mounting frame features 1-1/2" (38mm) deep aperture throat to accommodate most standard ceiling thicknesses, and universal mounting brackets that accept 1/2" (13mm) EMT conduit, C-channel mounting bars or flat bar hangers (all by others) with 5" (127mm) vertical adjustment from either above or below the ceiling.

Slim, low profile design. Fixture is constructed from rugged die-cast and extruded aluminum components. LED driver is mounted in a sealed weather-tight center chamber that allows for access from below the fixture. High performance heatsinks specifically designed for LED recessed soffit application.

Five year limited warranty on luminaire.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 347-480V 50/60 Hz option is available. 120V or 277V 50/60Hz, Class 1 LED drivers. LED drivers have power factor >90% and THD <20% at full load. Units provided with integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2. Luminaire is thermally protected Type NON-IC in accordance with Article 410 of the NEC and UL 1598.

Luminaire is suitable for through wire of luminaire to luminaire connection.

Meets FCC Title 47 CFR Part 15, Non-Consumer EMI and RFI emission levels.

Testing & Compliance

UL Listed in the US and Canada for wet locations under covered ceilings. Consult factory for CE certified products. Dark Sky Friendly. IDA Approved. RoHS Compliant.



Finish

Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable white powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, silver and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.



Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents

U.S. and international patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories

Photometrics



Independent Testing Laboratories certified test. Report No. ITL66685. Candlepower trace of 6000K, 60 LED Petroleum symmetric 304 series canopy luminaire with 12,214 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 5700K, 60 LED Petroleum symmetric 304 series soffit luminaire at 15' A.F.G. Luminaire with 9,472 initial delivered lumens operating at 700mA. Initial FC at grade.



THE EDGE® ARE-EDG-4MB/4MP-DA

Area Luminaire - Type IV Medium w/ Backlight Control - Direct Arm Mount

TYPE-K

TYPE-K

TYPE-K

Product Description

Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Convenient, interlocking mounting method. Mounting housing is rugged die cast aluminum and mounts to 3-6" (76-152mm) square or round pole. Luminaire is secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers.

Performance Summary

Utilizes BetaLED® Technology

Patented NanoOptic® Product Technology

Made in the U.S.A. of U.S. and imported parts

CRI: Minimum 70 CRI


CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)

Warranty: 5 years on luminaire / 10 years on Colorfast DeltaGuard® finish

EPA and Weight: Reference EPA and Weight spec sheet

Accessories

XA-BRDSPK Bird Spikes



LED Count (x0)	Dim. "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [713mm]
24	32.1" [814mm]

Ordering Information

Example: ARE-EDG-4MB-DA-02-D-UL-SV-350-OPTIONS

ARE-EDG	4MB	DA	06	D	UL	SV	350	
ARE-EDG	4MB Type IV Medium w/ BLS 4MP Type IV Medium w/ Partial BLS	DA Direct Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525" 525mA 700" 700mA	<p>40K 4000K Color Temperature - Color temperature per luminaire</p> <p>DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current</p> <p>F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options</p> <p>HL HI / Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not included</p> <p>P Photocell - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH</p> <p>R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others</p> <p>ML Multi-Level - Refer to ML spec sheet for details</p>

* Available on luminaires with 20-160 LEDs

** Available on luminaires with 20-60 LEDs



Rev. Date: 7/9/2012



Area Luminaire - Type IV Medium w/ Backlight Control - Direct Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Convenient interlocking mounting method. Mounting housing is rugged die cast aluminum mounting to 3-6" (76-152mm) square or round pole, secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers
- Includes leaf / debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS


- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.412
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- Dark Sky Friendly, IDA Approved
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS


- Visit website for patents that cover these products: Patents <http://www.cree.com/patents>

Photometry


All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.




ITL Test Report #: 66639
STR-LWY-4MB-**-04-D-UL-700-43K
Initial Delivered Lumens: 4,926



ITL Test Report #: 72169
STR-LWY-4MP-**-04-D-UL-700-43K
Initial Delivered Lumens: 5,849



ARE-EDG-4MB-**-12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 10,985
Initial FC at grade



ARE-EDG-4MP-**-12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 12,979
Initial FC at grade

IES Files

To obtain an IES file specific to your project consult: <http://www.cree.com/lighting/tools-and-support/exterior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

LED Count (xdo)	Type IV Medium Distribution w/ BLS								System Watts 120-480V	TOTAL CURRENT						50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)**
	5700K				4000K					120V	208V	240V	277V	347V	480V	
	Initial Delivered Lumens w/ BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ Partial BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ Partial BLS	BUG Ratings* Per TM-15-II								
350mA @ 25°C (77°F)																
02	1,441	B0 U0 G1	1,690	B1 U0 G1	1,328	B0 U0 G1	1,557	B1 U0 G1	26	0.20	0.13	0.11	0.10	0.09	0.07	
06	4,267	B2 U0 G2	5,003	B3 U0 G3	3,933	B2 U0 G2	4,611	B3 U0 G3	68	0.58	0.34	0.30	0.26	0.20	0.16	
10	7,095	B2 U0 G2	8,318	B3 U0 G4	6,539	B2 U0 G2	7,666	B3 U0 G4	111	0.95	0.55	0.47	0.42	0.32	0.24	
14	9,887	B3 U0 G3	11,592	B4 U0 G4	9,113	B3 U0 G3	10,684	B4 U0 G4	157	1.34	0.78	0.67	0.61	0.47	0.35	
20	14,125	B1 U0 G3	16,560	B4 U0 G5	13,018	B1 U0 G3	15,262	B4 U0 G5	221	1.92	1.10	0.95	0.84	0.65	0.48	
525mA @ 25°C (77°F)																
02	2,017	B0 U0 G1	2,365	B2 U0 G2	1,859	B0 U0 G1	2,180	B2 U0 G2	37	0.31	0.19	0.17	0.16	0.12	0.10	
06	5,974	B2 U0 G2	7,004	B3 U0 G3	5,506	B2 U0 G2	6,456	B3 U0 G3	102	0.87	0.50	0.44	0.39	0.30	0.22	
10	9,932	B3 U0 G3	11,645	B4 U0 G4	9,154	B3 U0 G3	10,732	B4 U0 G4	172	1.47	0.85	0.75	0.67	0.51	0.39	
14	13,842	B3 U0 G3	16,229	B4 U0 G5	12,758	B3 U0 G3	14,957	B4 U0 G5	233	2.01	1.14	0.99	0.87	0.69	0.51	
700mA @ 25°C (77°F)																
02	2,450	B0 U0 G1	2,889	B2 U0 G2	2,258	B0 U0 G1	2,663	B2 U0 G2	50	0.42	0.25	0.22	0.20	0.15	0.12	
06	7,255	B2 U0 G2	8,555	B3 U0 G4	6,696	B2 U0 G2	7,885	B3 U0 G4	137	1.18	0.67	0.59	0.51	0.39	0.29	

* For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Errata/TM-15-II-BugRatingsAddendum.pdf
** Projected L₈₀(10K) Hours: >80,000. For recommended lumen maintenance factor data see TD-13



PWY-EDG-5M


THE EDGE® LED Pathway Light

Rev. Date: 3/7/12

BetaLED Catalog #: PWY - EDG - 5M - P4 - 02 - D - UL - - 525 - -



Notes:
TYPE-L



Model	Dim. "A"
Landscape-13	13" [330mm]
Landscape-18	18" [457mm]
Pathway	36" [914mm]
Pathway	42" [1067mm]
Pedestrian	96" [2438mm]

Product	Family	Optic	Mounting	# of LEDs (x 9)	LED Series	Voltage	Color Options	Drive Current Not Field Adjustable	Factory-Installed Options Please type additional options in manually on the lines provided above.
PWY Pathway Light	EDG	5M ¹ Type V Medium	<input type="checkbox"/> P0 ² <input type="checkbox"/> P1 ³ <input type="checkbox"/> P3 ⁴ <input type="checkbox"/> P4 ⁵ <input type="checkbox"/> P8 ⁶	02	D	<input type="checkbox"/> UL Universal 120-277V <input type="checkbox"/> UH ⁷ Universal 347-480V <input type="checkbox"/> 12 120V <input type="checkbox"/> 24 240V <input type="checkbox"/> 27 277V <input type="checkbox"/> 34 ⁸ 347V <input type="checkbox"/> 48 ⁹ 480V	<input type="checkbox"/> SV Silver (Standard) <input type="checkbox"/> BK Black <input type="checkbox"/> WH White <input type="checkbox"/> BZ Bronze <input type="checkbox"/> PB Platinum <input type="checkbox"/> BR Bronze	<input type="checkbox"/> 350 350mA <input type="checkbox"/> 525 ⁹ 525mA	<input type="checkbox"/> 40K 4000K Color Temperature ⁹ <input type="checkbox"/> F Fuse ^{10,11,12} <input type="checkbox"/> HL Hi/Low (175/350/525, dual circuit input) ^{13,14} <input type="checkbox"/> TL Two-Level (175/525 w/ integrated sensor control) ¹³ <input type="checkbox"/> TL2 Two-Level (0/350 w/ integrated sensor control) ¹³ <input type="checkbox"/> TL3 Two-Level (0/525 w/ integrated sensor control) ¹³ <input type="checkbox"/> WB Welded Base ¹⁵

Footnotes

- 1. IESNA Type V Medium distribution
- 2. 13" (330mm) landscape fixture
- 3. 18" (457mm) landscape fixture
- 4. 3' (0.9m) pathway fixture (bollard)
- 5. 42" (1.07m) pathway fixture (bollard)
- 6. 8" (2.0m) pedestrian fixture
- 7. Available with P3, P4 and P8 mounting options
- 8. Available with P1, P3, P4, and P8 mounting options
- 9. Color temperature per fixture; 5700K standard; minimum 70 CRI
- 10. Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- 11. When code dictates fusing use time delay fuse
- 12. Not available when UH, 34 or 48 voltage is selected
- 13. Refer to multi-level spec sheet for availability and additional information
- 14. Sensor not included
- 15. Standard on P8 mounting option; available with P1, P3 and P4 mounting options

LED PERFORMANCE SPECS

# of LEDs	Initial Delivered Lumens - Type V Medium @ 5700K	BUG Rating			Initial Delivered Lumens - Type V Medium @ 4000K	BUG Rating			System Wails 120-277V	Total Current @ 120V	Total Current @ 208V	Total Current @ 240V	Total Current @ 277V	System Wails 347-480V	Total Current @ 347V	Total Current @ 480V	L ₈₀ Hours** @ 25° C (77° F)	50K Hours Lumen Maintenance Factor** @ 15° C (59° F)
		B	U	G		B	U	G										

350mA Fixture Operating at 25° C (77° F)																		
18	1,498	1	1	1	1,380	1	1	1	22	0.18	0.12	0.10	0.10	28	0.09	0.13	>160,000	91%
525mA Fixture Operating at 25° C (77° F)																		
18	2,097	2	1	2	1,932	1	1	1	34	0.29	0.19	0.17	0.15	40	0.12	0.13	137,000	89%

*Utilizes magnetic step-down transformer when 525mA drive current or multi-level options are selected
 **For recommended lumen maintenance factor data see TD-13
 ***For more information on the IES BUG (Backlight-Uplight-Glare) Ratings visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf



General Description

Durable die-cast aluminum fixture housing mounts directly to 4" (102mm) diameter pole without visible mounting hardware for clean appearance. Pole mounts to rugged die cast aluminum internal flange secured by (3) 3/8-16 anchor bolts (provided) Note: T45 Torx 3/8 socket required for head installation. Top mounted LEDs for superior optical performance and light control. Five year limited warranty on fixture.

Electrical

Fixture lit by 18W high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI long life LED sources. 4000K (+/- 3300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Units provided with integral 10kV surge suppression protection standard. Surge protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations. Consult factory for CE Certified products. Fixture also available with CE listing. RoHS compliant. ENERGY STAR Qualified LED Lighting. Dark Sky Friendly. IDA Approved.



Finish

Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents

U.S. and International patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.



Field-Installed Accessories



Retro-Fit Kit
Used for replacement of existing bollards.

- XA-XBP8RSV
- XA-XBP8RBK
- XA-XBP8RWH
- XA-XBP8RBZ
- XA-XBP8RPB

Photometrics



Independent Testing Laboratories certified test. Report No. ITL70714. Candlepower trace of 5700K, 18 LED Type V Medium pathway luminaire with 1,520 initial delivered lumens operating at 350mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.

Isofootcandle plot of 5700K, 18 LED Type V Medium pathway luminaire at 3' (.9 m) A.F.G. Luminaire with 1,498 initial delivered lumens operating at 350mA. Initial FC at grade.




SEC-EDG-2S-WM

THE EDGE® LED Wall Pack

Rev. Date: 2/21/12

BetaLED Catalog #: SEC - EDG - 2S - WM - 02 - D - UL - - 525 - -



# of LEDs	Dim. "A"
20	11.91" [303mm]
40	11.91" [303mm]
60	13.91" [353mm]
80	15.91" [404mm]
100	17.91" [455mm]
120	19.91" [505mm]

Notes:
TYPE-M

Product	Family	Optic	Mounting	# of LEDs (x 10)	LED Series	Voltage	Color Options	Drive Current	Factory-Installed Options
SEC	EDG	<input type="checkbox"/> 2S ¹ <input type="checkbox"/> 2SB ²	WM ³	<input type="checkbox"/> 02 <input type="checkbox"/> 04 <input type="checkbox"/> 06 <input type="checkbox"/> 08 <input type="checkbox"/> 10 <input type="checkbox"/> 12	D	<input type="checkbox"/> UL Universal 120-277V <input type="checkbox"/> UH Universal 347-480V <input type="checkbox"/> 12 120V <input type="checkbox"/> 24 240V <input type="checkbox"/> 27 277V <input type="checkbox"/> 34 347V	<input type="checkbox"/> SV Silver (Standard) <input type="checkbox"/> BK Black <input type="checkbox"/> BZ Bronze <input type="checkbox"/> PB Platinum <input type="checkbox"/> BR Bronze <input type="checkbox"/> WH White	<input type="checkbox"/> 350 350mA <input type="checkbox"/> 525 ⁴ 525mA <input type="checkbox"/> 700 ⁵ 700mA	<input type="checkbox"/> 40K 4000K Color Temperature ⁶ <input type="checkbox"/> DIM 0-10V Dimming ^{7,8,9} <input type="checkbox"/> F Fuse ^{10,11,12} <input type="checkbox"/> P Photocell ^{11,12} <input type="checkbox"/> ML Multi-Level (75/525) ¹³

Footnotes

- IESNA Type II Short distribution
- IESNA Type II Short distribution w/ backlight control
- Wall mount
- Available on fixtures with 20-80 LEDs
- Available on fixtures with 20-60 LEDs
- Color temperature per fixture; 5700K standard; minimum 70 CRI
- Control by others
- Refer to dimming spec sheet for availability and additional information
- Not available when UH voltage is selected
- When code dictates fusing use time delay fuse
- Not available with all multi-level options. Refer to multi-level spec sheet for availability and additional information
- Must specify voltage other than UL or UH
- Refer to multi-level spec sheet for availability and additional information

LED PERFORMANCE SPECS

# of LEDs	Initial Delivered Lumens - Type II Short @ 5700K	BUG Rating**			Initial Delivered Lumens - Type II Short with Backlight Control @ 5700K	BUG Rating**			Initial Delivered Lumens - Type I Short @ 4000K	BUG Rating**			Initial Delivered Lumens - Type II Short with Backlight Control @ 4000K	BUG Rating**			System Watts 120-480V	Total Current @ 120V	Total Current @ 240V	Total Current @ 277V	Total Current @ 347V	Total Current @ 480V	L ₈₀ Hours* @ 25° C (77° F)	50K Hours Lumen Maintenance Factor* @ 15° C (59° F)
		B	U	G		B	U	G		B	U	G		B	U	G								
350mA Fixture Operating at 25° C (77° F)																								
20	2,037 (02)	1	0	1	1,565 (02)	1	1	1	1,978 (02)	1	0	1	1,449 (02)	0	1	1	26	0.20	0.11	0.10	0.09	0.07	>150,000	93%
40	4,075 (04)	1	0	1	3,131 (04)	1	1	1	3,755 (04)	1	0	1	2,885 (04)	1	1	1	47	0.40	0.21	0.19	0.15	0.12	>150,000	
60	6,033 (06)	2	0	2	4,635 (06)	1	1	1	5,561 (06)	2	0	2	4,272 (06)	1	1	1	68	0.58	0.30	0.26	0.20	0.16	>150,000	
80	8,044 (08)	2	0	2	6,180 (08)	1	1	1	7,414 (08)	2	0	2	5,696 (08)	1	1	1	90	0.77	0.38	0.34	0.26	0.20	>150,000	
100	10,030 (10)	3	0	3	7,706 (10)	1	1	1	9,244 (10)	2	0	2	7,102 (10)	1	1	1	111	0.95	0.47	0.42	0.32	0.24	>150,000	
120	12,036 (12)	3	0	3	9,247 (12)	1	1	1	11,093 (12)	3	0	3	8,523 (12)	1	1	1	132	1.15	0.56	0.50	0.38	0.28	>150,000	
525mA Fixture Operating at 25° C (77° F)																								
20	2,852 (02)	1	0	1	2,191 (02)	1	1	1	2,629 (02)	1	0	1	2,020 (02)	0	1	1	37	0.31	0.17	0.16	0.12	0.10	136,000	92%
40	5,705 (04)	2	0	2	4,383 (04)	1	1	1	5,258 (04)	2	0	2	4,039 (04)	1	1	1	70	0.57	0.29	0.26	0.21	0.16	136,000	
60	8,447 (06)	2	0	2	6,489 (06)	1	1	1	7,785 (06)	2	0	2	5,981 (06)	1	1	1	102	0.87	0.44	0.39	0.30	0.22	129,000	
80	11,262 (08)	3	0	3	8,653 (08)	1	1	1	10,380 (08)	3	0	3	7,875 (08)	1	1	1	133	1.14	0.56	0.49	0.39	0.29	129,000	
700mA Fixture Operating at 25° C (77° F)																								
20	3,484 (02)	1	0	1	2,661 (02)	1	1	1	3,211 (02)	1	0	1	2,452 (02)	1	1	1	50	0.42	0.22	0.20	0.15	0.12	111,000	90%
40	6,968 (04)	2	0	2	5,322 (04)	1	1	1	6,422 (04)	2	0	2	4,905 (04)	1	1	1	93	0.79	0.40	0.35	0.27	0.20	111,000	
60	10,317 (06)	3	0	3	7,880 (06)	1	1	1	9,508 (06)	2	0	2	7,263 (06)	1	1	1	137	1.18	0.59	0.51	0.39	0.29	111,000	

* For recommended lumen maintenance factor data see TD-13 ** For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-11BugRatingsAddendum.pdf



General Description

Slim, low profile design. Fixture sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heatsinks specifically designed for LED applications. Housing is rugged aluminum. Furnished with low copper, lightweight mounting box designed for installation over standard and mud ring single gang J boxes. Secures to wall with four (4) 3/16" (4.8mm) screws (by others). Conduit entry from top, bottom, sides and rear. Allows mounting for uplight or downlight. Designed and approved for easy through-wiring. Includes leaf/debris guard. Five year limited warranty on fixture.

Electrical

Modular design accommodates varied lighting output from high power, white, 5700K (+/- 500K per full fixture), minimum 70 CRI, long life LED sources. Optional 4000K (+/- 300K per full fixture) also available. 120-277V 50/60 Hz, Class 1 LED drivers are standard. 347-480V 50/60 Hz driver is optional. LED drivers have power factor >90% and THD <20% at full load. Integral weather-tight J-box with leads (wire nuts) for easy power hook-up. Units provided with Integral 10kV surge suppression protection standard. Surge protection tested in accordance with IEEE/ANSI C62.41.2.

Testing & Compliance

UL listed in the U.S. and Canada for wet locations and enclosure rated IP66 per IEC 60529. Consult factory for CE Certified products. Dark Sky Friendly. IDA Approved. RoHS compliant.



Product qualified on the Design Lights Consortium ("DLC") Qualified Products List ("QPL") when ordered without backlight control shield.

Finish


Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultra-durable silver powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Bronze, black, white and platinum bronze powder topcoats are also available. The finish is covered by our 10 year limited warranty.

Fixture and finish are endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117.

Patents


U.S. and International patents granted and pending. BetaLED is a division of Ruud Lighting, Inc. For a listing of Ruud Lighting, Inc. patents, visit www.uspto.gov.

Field-Installed Accessories




Bird Spikes
 XA-BRDSPK


Photometrics




Independent Testing Laboratories certified test. Report No. ITL70420. Candlepower trace of 4000K, 60 LED Type II Short security EDGE luminaire with 10,058 initial delivered lumens operating at 700mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.




Isofootcandle plot of 4000K, 60 LED Type II Short security EDGE luminaire with at 10' (3m) A.F.G. Luminaire with 9,508 initial delivered lumens operating at 700mA. Initial FC at grade.



Independent Testing Laboratories certified test. Report No. ITL68358. Candlepower trace of 4000K, 40 LED Type II Short area w/ backlight control luminaire with 5,373 initial delivered lumens operating at 525mA. All published luminaire photometric testing performed to IESNA LM-79-08 standards.



Isofootcandle plot of 4000K, 40 LED Type II short w/ backlight control luminaire at 25' (7.6m) A.F.G. Luminaire with 7,857 initial delivered lumens operating at 525mA. Initial FC at grade.



THE EDGE® ARE-EDG-4MB/4MP-DA

Area Luminaire - Type IV Medium w/ Backlight Control - Direct Arm Mount

TYPE-N
TYPE-N
TYPE-N

Product Description


Slim, low profile design minimizes wind load requirements. Luminaire sides are rugged cast aluminum with integral, weather-tight LED driver compartments and high performance aluminum heat sinks. Convenient, interlocking mounting method. Mounting housing is rugged die cast aluminum and mounts to 3-6" (76-152mm) square or round pole. Luminaire is secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers.

Performance Summary

- Utilizes BetaLED® Technology
- Patented NanoOptic® Product Technology
- Made in the U.S.A. of U.S. and imported parts
- CRI: Minimum 70 CRI
- CCT: 5700K (+/- 500K) Standard, 4000K (+/- 300K)
- Warranty: 5 years on luminaire / 10 years on Colorfast DeltaGuard® finish
- EPA and Weight: Reference EPA and Weight spec sheet

Accessories

XA-BRDSPK Bird Spikes



LED Count (x30)	Dim, "A"
02	12.1" [306mm]
04	12.1" [306mm]
06	14.1" [357mm]
08	16.1" [408mm]
10	18.1" [459mm]
12	20.1" [510mm]
14	22.1" [560mm]
16	24.1" [611mm]
20	28.1" [713mm]
24	32.1" [814mm]

Ordering Information

Example: ARE-EDG-4MB-DA-02-D-UL-SV-350-OPTIONS

ARE-EDG	4MB	DA	10	D	UL		525	
ARE-EDG	4MB Type IV Medium w/ BLS 4MP Type IV Medium w/ Partial BLS	DA Direct Arm	02 04 06 08 10 12 14 16 20 24	D	UL Universal 120-277V UH Universal 347-480V 34 347V	SV Silver (Standard) BK Black BZ Bronze PB Platinum Bronze WH White	350 350mA 525* 525mA 700** 700mA	40K 4000K Color Temperature - Color temperature per luminaire DIM 0-10V Dimming - Control by others - Refer to dimming spec sheet for details - Can't exceed specified drive current F Fuse - When code dictates fusing, use time delay fuse - Not available with all ML options. Refer to ML spec sheet for availability with ML options HL HI / Low (175/350/525 Dual Circuit Input) - Refer to ML spec sheet for details - Sensor not included P Photocell - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Must specify voltage other than UH R NEMA Photocell Receptacle - Not available with all ML options. Refer to ML spec sheet for availability with ML options - Intended for horizontal mounting - Photocell by others ML Multi-Level - Refer to ML spec sheet for details

* Available on luminaires with 20-160 LEDs

** Available on luminaires with 20-60 LEDs



Rev. Date: 7/9/2012



Area Luminaire - Type IV Medium w/ Backlight Control - Direct Arm Mount

Product Specifications

CONSTRUCTION & MATERIALS

- Slim, low profile, minimizing wind load requirements
- Luminaire sides are rugged die cast aluminum with integral, weather-tight LED driver compartments and high performance heat sinks
- Convenient interlocking mounting method. Mounting housing is rugged die cast aluminum mounting to 3-6" (76-152mm) square or round pole, secured by two (2) 5/16-18 UNC bolts spaced on 2" (51mm) centers
- Includes leaf / debris guard
- Exclusive Colorfast DeltaGuard® finish features an E-Coat epoxy primer with an ultradurable powder topcoat, providing excellent resistance to corrosion, ultraviolet degradation and abrasion. Standard is silver. Bronze, black, white, and platinum bronze are also available

ELECTRICAL SYSTEM

- Input Voltage: 120-277V or 347-480V, 50/60Hz, Class 1 drivers
- Power Factor: > 0.9 at full load
- Total Harmonic Distortion: < 20% at full load
- Integral weather-tight electrical box with terminal strips (12Ga-20Ga) for easy power hookup
- Integral 10kV surge suppression protection standard
- To address inrush current, slow blow fuse or type C/D breaker should be used

REGULATORY & VOLUNTARY QUALIFICATIONS


- cULus Listed
- Suitable for wet locations
- Enclosure rated IP66 per IEC 60529 when ordered without P or R options
- Consult factory for CE Certified products
- Certified to ANSI C136.31-2001, 3G bridge and overpass vibration standards
- 10kV surge suppression protection tested in accordance with IEEE/ANSI C62.41.2
- Luminaire and finish endurance tested to withstand 5,000 hours of elevated ambient salt fog conditions as defined in ASTM Standard B 117
- Product qualified on the DesignLights Consortium ("DLC") Qualified Products List ("QPL") when ordered without the backlight control shield
- Dark Sky Friendly, IDA Approved
- RoHS Compliant
- Meets Buy American requirements within ARRA

PATENTS


- Visit website for patents that cover these products: Patents <http://www.cree.com/patents>

Photometry


All published luminaire photometric testing performed to IESNA LM-79-08 standards by Independent Testing Laboratories, a NVLAP certified laboratory.




ITL Test Report #: 66639
STR-LWY-4MB--04-D-UL-700-43K
Initial Delivered Lumens: 4,926



ITL Test Report #: 72169
STR-LWY-4MP--04-D-UL-700-43K
Initial Delivered Lumens: 5,849



ARE-EDG-4MB--12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 10,985
Initial FC at grade



ARE-EDG-4MP--12-D-UL-525-40K
Mounting Height: 25' (7.6m) A.F.G.
Initial Delivered Lumens: 12,879
Initial FC at grade

IES Files

To obtain an IES file specific to your project consult: <http://www.cree.com/lighting/tools-and-support/interior-ies-configuration-tool>

Lumen Output, Electrical, and Lumen Maintenance Data

Type IV Medium Distribution w/ BLS																
LED Count (x10)	5700K				4000K				System Watts 120-490V	TOTAL CURRENT						50K Hours Projected Lumen Maintenance Factor @ 15°C (59°F)**
	Initial Delivered Lumens w/ BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ Partial BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ BLS	BUG Ratings* Per TM-15-II	Initial Delivered Lumens w/ Partial BLS	BUG Ratings* Per TM-15-II		120V	208V	240V	277V	347V	480V	
350mA @ 25°C (77°F)																
02	1,441	B0 U0 G1	1,690	B1 U0 G1	1,328	B0 U0 G1	1,557	B1 U0 G1	26	0.20	0.13	0.11	0.10	0.09	0.07	93%
06	4,267	B2 U0 G2	5,003	B3 U0 G3	3,933	B2 U0 G2	4,611	B3 U0 G3	68	0.58	0.34	0.30	0.26	0.20	0.16	
10	7,095	B2 U0 G2	8,318	B3 U0 G4	6,539	B2 U0 G2	7,666	B3 U0 G4	111	0.95	0.55	0.47	0.42	0.32	0.24	
14	9,887	B3 U0 G3	11,592	B4 U0 G4	9,113	B3 U0 G3	10,684	B4 U0 G4	157	1.34	0.78	0.67	0.61	0.47	0.35	
20	14,125	B1 U0 G3	16,560	B4 U0 G5	13,018	B1 U0 G3	15,262	B4 U0 G5	221	1.92	1.10	0.95	0.84	0.65	0.48	
525mA @ 25°C (77°F)																
02	2,017	B0 U0 G1	2,365	B2 U0 G2	1,859	B0 U0 G1	2,180	B2 U0 G2	37	0.31	0.19	0.17	0.16	0.12	0.10	92%
06	5,974	B2 U0 G2	7,004	B3 U0 G3	5,506	B2 U0 G2	6,456	B3 U0 G3	102	0.87	0.50	0.44	0.39	0.30	0.22	
10	9,932	B3 U0 G3	11,645	B4 U0 G4	9,154	B3 U0 G3	10,732	B4 U0 G4	172	1.47	0.85	0.75	0.67	0.51	0.39	
14	13,842	B3 U0 G3	16,229	B4 U0 G5	12,758	B3 U0 G3	14,957	B4 U0 G5	233	2.01	1.14	0.99	0.87	0.69	0.51	
20	19,779	B3 U0 G3	23,273	B4 U0 G5	18,023	B3 U0 G3	21,041	B4 U0 G5	324	2.79	1.61	1.41	1.26	0.97	0.73	
700mA @ 25°C (77°F)																
02	2,450	B0 U0 G1	2,889	B2 U0 G2	2,258	B0 U0 G1	2,663	B2 U0 G2	50	0.42	0.25	0.22	0.20	0.15	0.12	90%
06	7,255	B2 U0 G2	8,555	B3 U0 G4	6,696	B2 U0 G2	7,885	B3 U0 G4	137	1.18	0.67	0.59	0.51	0.39	0.29	

* For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Erratas/TM-15-IIBUGRatingsAddendum.pdf
** Projected L₈₀(10K) Hours: >60,000. For recommended lumen maintenance factor data see TD-13





VILLAGE OF HOFFMAN ESTATES
PLANNING AND ZONING COMMISSION
FINDING OF FACT

PROJECT NO.: 2012020P

VILLAGE BOARD MEETING DATE: June 17, 2013

PETITIONER(S): Grace Management Enterprises V, LLC

PROJECT ADDRESS: 2370 W. Higgins Road

ZONING DISTRICT: B-2, COMMUNITY BUSINESS

Does the Planning and Zoning Commission find that this request meets the Standards
for a Special Use and Variation?

YES

NO

Recommendation: APPROVAL

Vote: 7 Ayes 2 Absent 2 Vacancy

PZC MEETING DATE: June 5, 2013

STAFF ASSIGNED: JOSH EDWARDS

MOTION #1 – SITE PLAN AMENDMENT/SPECIAL USE

Request by Grace Management Enterprises V, LLC (owner) to consider a site plan amendment for a building expansion and a special use for an animal hospital/veterinary clinic at 2370 W Higgins Road. The following conditions shall apply:

1. The building permit shall be obtained within nine (9) months of the Village Board action on this request.
2. The approval of the special use and site plan amendment shall be based on the application materials submitted by the petitioner for this request.
3. The following conditions relate to the construction of the building addition.
 - a. A performance guarantee for all exterior building and site work shall be submitted to the Village prior to issuance of a building permit.
 - b. A construction phasing plan shall be provided for review and approval by Village staff prior to a pre-construction meeting for the project and prior to construction commencing.
 - c. A pre-construction meeting shall be conducted with the Village staff prior to construction commencing.
 - d. Construction shall be limited to the petitioner's property, and construction access onto an adjoining property shall only occur with written permission from that property owner; such written permission shall be provided to the Village prior to construction commencing and access onto said property occurring.
 - e. If access to an adjoining property occurs, all areas and grounds shall be restored to their original condition prior to issuance of an occupancy permit.

- f. Customer parking and construction parking shall be managed to ensure that illegal parking does not occur. This may require construction parking off-site if work is occurring during business hours.
 - g. Fire Department and emergency access to the property shall be maintained at all times.
 - h. In accordance with Village Code, construction hours shall be limited to 7 a.m. to 7 p.m. Monday through Friday, and 8 a.m. to 6 p.m. Saturday and Sunday.
4. The entire site plan improvements and building changes, as shown on the approved plans, shall be completed prior to issuance of any occupancy permit for the expansion space of the animal hospital.
 5. Parking is only permitted to occur within designated parking spaces. To prevent obstructions for emergency or customer vehicle circulation, the site operations shall be managed and monitored to ensure that areas not specifically designated for car parking shall be kept clear of parked vehicles, and that illegal parking does not occur.

MOTION #2 – SIGN VARIATION

Request by Grace Management Enterprises V, LLC (owner) to consider a variation under the Zoning Code to permit a ground sign to be located zero feet from the east side property line and zero feet from the curb along the east side of the parking lot on the property located at 2370 W Higgins Road.

AUDIENCE COMMENTS

None.

FINDING

Section 9-1-15 of the Zoning Code (Standards for Variation) states that no variation shall be recommended by the Planning and Zoning Commission unless it finds that the Standards for Variation set forth in the Zoning Code are met.

The Commission determined that the animal hospital will be expanding for the purpose of modernizing and improving the internal efficiency of the facility. There would not be an increase in the number of exam rooms. The building addition would be designed to match the existing building. Landscaping would be installed around the building and one exterior light fixture would be installed above the rear exit door.

The property has 9 parking spaces and it was noted that the facility has at most 3 employees at any time on site. The conditions of approval include a condition that the petitioner monitor and manage the parking lot so that illegal parking does not occur, which would include no parking on the adjacent shopping center without obtaining that property owner's permission. The conditions include several items related to the construction process; due to the limited space on the property the construction process will need to be closely managed, including the prevention of illegal parking.

Planning and Zoning Commission Finding of Fact

2370 W. Higgins Road – Barrington Square Animal Hospital – Special Use, Site Plan Amendment & Sign Variation

Village Board Meeting Date: June 17, 2013

The request includes a special use, and the Commission found no concerns with the Standards for a Special Use to grant the request. The facility has been operating for about 30 years without significant complaints.

The request includes a variation for the setbacks of the ground sign, and the Commission found no concerns with the Standards for a Variation to grant the request. The existing sign is installed in the only feasible location on the property. The Commission found this to be a hardship since it would impossible to install a typical ground sign in the front of the property while complying with the required setbacks.

The Commission voted unanimously to recommend approval of the requested site plan amendment, special use, and sign variation.

PLANNING AND ZONING COMMISSIONERS

Chairperson Eva Combs	Myrene Iozzo
Thomas Krettler	Steve Hehn
Gaurav Patel	Steve Wehofer
Steve Caramelli	
Lenard Henderson	
Denise Wilson	

ROLL CALL VOTE

7 Ayes
2 Absent (Patel, Wilson)
2 Vacancy

MOTION PASSED

The following attachments are hereby incorporated as part of this Finding of Fact:

- Staff Report
- Petitioner's Applications and Submittals
- Plan Set
- Staff Exhibit – Aerial Photo
- Legal Notice
- Location Map



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING COMMISSION STAFF REPORT

PROJECT NO.: 2012020P

PROJECT NAME: BARRINGTON SQUARE ANIMAL
HOSPITAL

PROJECT ADDRESS/LOCATION: 2370 W HIGGINS ROAD

PUBLIC HEARING
YES NO

REZONING MASTER SIGN PLAN SPECIAL USE VARIATION
SITE PLAN AMENDMENT PRELIMINARY & FINAL PLAT

MEETING DATE: June 5, 2013

STAFF ASSIGNED: JOSH EDWARDS JAE

REQUESTED MOTIONS

1. Request by Grace Management Enterprises V, LLC (owner) to consider a site plan amendment for a building expansion and a special use for an animal hospital / veterinary clinic at 2370 W Higgins Road.
2. Request by Grace Management Enterprises V, LLC (owner) to consider a variation under the Zoning Code to permit a ground sign to be located zero feet from the east side property line and zero feet from the curb along the east side of the parking lot on the property located at 2370 W Higgins Road.

INCLUDES RECOMMENDED CONDITIONS
YES NO

ACRES: 0.24 (APPROXIMATE)	ZONING DISTRICT: B-2 COMMUNITY BUSINESS DISTRICT	
ADJACENT	NORTH: VACANT LAND, ZONED B-2	SOUTH: STONEGATE CONFERENCE CENTER, ZONED B-2
PROPERTIES:	EAST: VILLAGE OWNED LIFT STATION & BARRINGTON SQUARE TOWN CENTRE, ZONED B-2	WEST: VACANT LAND, ZONED B-2

BACKGROUND

The Barrington Square Animal Hospital building was constructed in 1983. The owner and veterinarian Dr. Dan Markwalder purchased the animal hospital in 2009 and subsequently made minor, mostly cosmetic improvements to the one-story building such as repainting as well as installing a new ground sign.

PROPOSAL

Dr. Markwalder is proposing to expand the building northward toward the rear point of the triangular property. The addition would be one-story and would match the building materials of the existing building. The roof line of the addition would tie into the existing roof.

The petitioner has provided a narrative describing the purpose of the building addition and the benefits it would provide to the business. The purpose of the expansion is to have a more efficient space and to modernize the facility. The animal hospital interior has not been substantially remodeled since its original construction. The existing facility has limited space for animal treatment, preparation, bathing, and dental procedures, which results in customers waiting in exam rooms until those areas are available. The addition would expand those facilities while maintaining the same number of exam rooms. The number of customers in the facility at any time would not change, but their time spent in the facility would be reduced so the overall number of customers during the day could increase (faster turnover). An increase in exam rooms is not feasible due to the limited number of parking spaces.

A special use is required for the animal hospital as well as a sign variation for an existing ground sign.

SPECIAL USE – ZONING CODE SECTION 9-8-2-C-8

The subject property is zoned B-2, Community Business District. This district includes a reference to the B-1 District, which includes the Special Use listing for "Animal hospitals and veterinary clinics, including boarding or kennels within the principal building." In reviewing the history for this property, a Special Use was never approved for the original animal hospital owner in 1983. As such, a Special Use review will be required at this time (not an amendment to an existing Special Use approval).

Animal hospitals, including those with kennels or overnight boarding, require a Special Use primarily because of the unique hours of operation of such a business and the potential for sanitary or noise concerns. The existing building has been an animal hospital in almost continuous operation since 1983 and staff has noted no significant complaints about the business during that time. The building is bordered by Higgins Road, a sanitary sewer lift station, vacant commercial property, and a creek, and therefore any concerns about impacts on neighboring properties are minimized. The operation of the business is contained within the building. The only notable concern about the business in the past has been the limited number of parking spaces, to which the petitioner has adjusted the business operation.

Section 9-1-18-l of the Zoning Code (Standards for a Special Use) states: "No special use shall be recommended by the Planning and Zoning Commission unless said Planning and Zoning Commission shall find:

1. That the establishment, maintenance, or operation of the special use will not be detrimental to or endanger the public health, safety, morals, comfort, or general welfare;
2. That the special use will not be injurious to the use and enjoyment of other property in the immediate vicinity for the purposes already permitted, nor substantially diminish and impair property values within the neighborhood;

3. That the establishment of the special use will not impede the normal and orderly development and improvement of surrounding property for uses permitted in the district;
4. That adequate utilities, access roads, drainage, and/or necessary facilities have been or are being provided;
5. That adequate measures have been or will be taken to provide ingress or egress so designed as to minimize traffic congestion in public streets; and
6. That the special use shall in all other respects conform to the applicable regulations of the district in which it is located, except in each instance as such regulations may be modified by the Village Board pursuant to the recommendation of the Planning and Zoning Commission.

VARIATION STANDARDS

A freestanding V-shaped sign was installed on the property in 2009 and a variation was approved for the sign to be set back 2 feet from the curb instead of the minimum required 5 feet; a clearance variation was also approved for a 6 foot clearance beneath the sign instead of the minimum required 8 feet. The sign was installed 10 feet from the east side property line, which complied with the Zoning Code, and the sign was installed according to those requirements. A permit was subsequently issued to install a new double-sided sign in the same location. However, the sign appears to have been installed in a slightly different location closer to the east side property line, and thus farther from opening car doors. The property owner has also recently had the property re-surveyed due to a now-settled dispute between this property and the adjacent shopping center with respect to the property line location. This survey resulted in a determination that the east side property line is in fact farther west than previously documented. This results in the east edge of the ground sign being located at the property line (a zero foot setback), instead of the minimum required 10 feet, and at the edge of the parking lot curb. A variation is requested to allow the sign to be located zero feet from the east side property line and zero feet from the nearest curb in the triangular landscape island in which it is located.

The zero foot setbacks from the property line and curb are not ideal, but the existing sign location reduces the potential for it being struck by car doors and the sign does not impair visibility.

Section 9-1-15 of the Zoning Code – *Standards for a Variation* - states that the Planning and Zoning Commission shall not recommend the adoption of a proposed variation unless it finds that the variation meets the Standards for Variations as set forth in the Zoning Code.

1. The Planning and Zoning Commission shall not recommend the variation of the regulations of the Code unless it shall first make a finding based upon the evidence presented to it in each specific case that:
 - a. The property in question cannot yield a reasonable return if permitted to be used only under the conditions allowed by the regulations in the district in which it is located;
 - b. The plight of the owner is due to unique circumstances;
 - c. The variation, if granted, will not alter the essential character of the locality.
2. For the purpose of implementing the above rules, the Planning and Zoning Commission shall also, in making its determination whether there are practical difficulties or particular hardships, take into consideration the extent to which the following facts favorable to the applicant have been established by the evidence;

- a. The particular physical surroundings, shape of topographical condition of the specific property involved would result in a particular hardship upon the owner, as distinguished from a mere inconvenience, if the strict letter of the regulations were carried out;
 - b. The conditions upon which the petition for a variation is based would not be applicable, generally, to other property within the same zoning classification;
 - c. The purpose of the variation is not based exclusively upon a desire to increase the value of the property;
 - d. The alleged difficulty or hardship has not been based exclusively upon a desire to increase the value of property;
 - e. The granting of the variation will not be detrimental to the public welfare or injurious to other property or improvements in the neighborhood in which the property is located; and
 - f. The proposed variation will not impair an adequate supply of light and air to adjacent property, or substantially increase the congestion in the public streets, or increase the danger of fires, or endanger the public safety, or substantially diminish or impair property values in the neighborhood.
3. The Planning and Zoning Commission may recommend to the Village Board that such conditions and restrictions be imposed upon the premises benefited by a variation as may be necessary to comply with the standards set forth in this section to reduce or minimize the injurious effect of such variation upon other property in the neighborhood, and better to carry out the general intent of this Code.

If this request is approved, the sign would be granted to remain at this location by ordinance in perpetuity or until otherwise amended or dissolved by a future ordinance.

SITE PLAN AMENDMENT

The site plan amendment review considers the Subdivision Code items including access, parking, engineering, landscaping, building design, exterior lighting, and fire department accessibility.

Access and Circulation – Subdivision Code Section 10-5

The property is served by an entrance from Higgins Road. The access to the property would not be changed by this proposal.

Parking and Sidewalks – Subdivision Code Section 10-5-2

The property includes 9 parking spaces including one handicapped accessible space. Dr. Markwalder has conducted parking counts at peak times, which are included in the packet. Several parking spaces were in use during peak times. Staff also visited the property at varying times and noted the lot being full. Double or illegal parking was not noted. Overflow parking onto the adjacent Public Works lift station property to the east is not an option nor is on-street parking on Higgins Road, and the animal hospital therefore limits the number of employees and customers based on the parking supply.

A sidewalk exists along Higgins Road as well as along the front of the animal hospital, but a connection between the two is not proposed and would not be feasible given space constraints.

A condition of approval is included requiring the petitioner to monitor appointment scheduling and use of the parking lot to ensure that illegal parking does not occur.

Engineering – Subdivision Code Section 10-3

The Engineering Division has reviewed the proposed plans and has no concerns.

Landscaping – Subdivision Code Section 10-4

Although there is limited space for landscaping on the quarter-acre property, the plans include the installation of some plants around the building addition and in the front of the building. New landscaping includes a Maple, a Scotch Pine, 11 Dense Yews, and 12 clusters of ornamental fountain grass. Existing plants in the front of the building would remain.

Building Design – Subdivision Code Section 10-5-3-H

The building expansion would be built with exterior building materials including face brick, shingle roofing, and aluminum gutters to match those of the existing building façade. The petitioner has provided a color rendering illustrating the proposal.

Exterior Lighting – Subdivision Code Section 10-5-3-G

A light fixture will be installed on the rear of the building addition above the service door, which will be a full cut-off, downcast fixture. No other lighting changes are proposed.

Fire Prevention

The Fire Department has reviewed the proposal and has no concerns. The existing emergency access to the property will not be affected.

Construction

The physical constraints of the property will make the construction of the building addition somewhat more challenging. The petitioner has contracted with a builder with a great deal of experience working in urban areas where space around the project is limited. The business will stay open during construction but may alternate customer and construction hours. Construction trades will also work at staggered times due to the limited parking. The project is expected to take approximately 5 months instead of 3 due to the physical constraints of the project. The petitioner intends to complete the construction with little or no use of the adjoining properties, but has reached out to them and understands that written permission will be required for construction access. Staff has included conditions of approval related to the construction process.

NOTIFICATION

Standard notification letters have been sent to surrounding properties within 300 feet, and no comments have been received.

STAFF SUMMARY AND NOTES

The special use should be considered relative to the Standards for a Special Use.

The existing ground sign location should be reviewed relative to the Standards for a Variation.

The building has functioned as an animal hospital for over 20 years with no complaints received from surrounding properties or otherwise.

The animal hospital has a limited parking supply and therefore the building addition includes no additional exam rooms, but only increased space for the services offered.

The building addition colors and materials would match those of the existing building. New landscaping is proposed around the building in all practical locations.

RECOMMENDED CONDITIONS

If the Planning & Zoning Commission determines that the Standards for a Special Use have been met, the Standards for a Variation have been met, and the site plan amendment meets the intent of the Subdivision Code, Village staff recommends the following conditions of approval.

1. The building permit shall be obtained within nine (9) months of the Village Board action on this request.
2. The approval of the special use and site plan amendment shall be based on the application materials submitted by the petitioner for this request.
3. The following conditions relate to the construction of the building addition.
 - a. A performance guarantee for all exterior building and site work shall be submitted to the Village prior to issuance of a building permit.
 - b. A construction phasing plan shall be provided for review and approval by Village staff prior to a pre-construction meeting for the project and prior to construction commencing.
 - c. A pre-construction meeting shall be conducted with the Village staff prior to construction commencing.
 - d. Construction shall be limited to the petitioner's property, and construction access onto an adjoining property shall only occur with written permission from that property owner; such written permission shall be provided to the Village prior to construction commencing and access onto said property occurring.
 - e. If access to an adjoining property occurs, all areas and grounds shall be restored to their original condition prior to issuance of an occupancy permit.

Meeting Date: June 5, 2013

- f. Customer parking and construction parking shall be managed to ensure that illegal parking does not occur. This may require construction parking off-site if work is occurring during business hours.
 - g. Fire Department and emergency access to the property shall be maintained at all times.
 - h. In accordance with Village Code, construction hours shall be limited to 7 a.m. to 7 p.m. Monday through Friday, and 8 a.m. to 6 p.m. Saturday and Sunday.
4. The entire site plan improvements and building changes, as shown on the approved plans, shall be completed prior to issuance of any occupancy permit for the expansion space of the animal hospital.
 5. Parking is only permitted to occur within designated parking spaces. To prevent obstructions for emergency or customer vehicle circulation, the site operations shall be managed and monitored to ensure that areas not specifically designated for car parking shall be kept clear of parked vehicles, and that illegal parking does not occur.

Attachments: Petitioner's Applications and Submittals
Plan Set
Staff Exhibit – Aerial Photo
Legal Notice
Location Map



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING GENERAL APPLICATION*

Special Use Amendment Rezoning from _____ to _____

Variation: Commercial Residential Sign

Plat (Subdivision & Others): Preliminary Final

Site Plan: Amendment Concept Preliminary Final

Master Sign Plan: Amendment

Other: _____

*** ADDENDUM MATERIALS ARE REQUIRED FOR SPECIFIC REQUESTS**

Posting of Notification Sign(s) may be required.

Specific requirements will be provided when your request is scheduled.

FOR VILLAGE USE ONLY

Hearing Fee _____ Check No. _____ Date Paid _____

Project Number: _____

Staff Assigned: _____

Meeting Date: _____ Public Hearing: Yes No

Sign Posting Required: Yes No Date Sign Posted _____

PLEASE PRINT OR TYPE

Date: April 30, 2013

Project Name: Barrington Square Animal Hospital

Project Description: Addition to existing structure

Project Address/Location: 2370 W. Higgins Rd., Hoffman Estates, IL 60169

Property Index No. 07-07-100-018-0000

Acres: _____ Zoning District: _____

I. Owner of Record

Grace Management Enterprises V, LLC (same)

Name		Company
2370 W. Higgins Rd.		Hoffman Estates
Street Address		City
IL	60169	(cell) 815-382-9659
State	Zip Code	Telephone Number
815-356-6739		dmarkwald@aol.com
Fax Number		E-Mail Address

II. Applicant (Contact Person/Project Manager)

Daniel J. Markwalder, DVM


Name		Company
2370 W. Higgins Rd.		Hoffman Estates
Street Address		City
IL	60169	(cell) 815-382-9659
State	Zip Code	Telephone Number
815-356-6739		dmarkwald@aol.com
Fax Number		E-Mail Address

Applicant's relationship to property: member-manager of record owner LLC

III. Owner Consent for Authorized Representative

It is required that the property owner or his designated representative be at all requests before the Planning and Zoning Commission (PZC). During the course of the meeting, questions may arise regarding the overall site, site improvements, special conditions to be included in a PZC recommendation, etc. The representative present must have knowledge of the property and have the authority to make commitments to comply with any and all conditions included in the PZC recommendations. Failure to have the owner or designated representative present at the meeting can lead to substantial delays in the hearing process. **If the owner cannot be present at the meeting, the following statement must be signed by the owner:**

I understand the requirement for the owner or an authorized representative to be present at the meeting with full authority to commit to requests, conditions and make decisions on behalf of the owner. I hereby authorize _____ to act on my behalf and advise that he/she has full authority to act as my/our representative.



Owner Signature

Grace Management Enterprises V, LLC, by Daniel J. Markwalder

Print Name

IV. Acknowledgement(s)

- Applicant acknowledges, understands and agrees that under Illinois law, the Village President (Mayor), Village Trustees, Village Manager, Corporation Counsel and/or any employee or agent of the Village or any Planning and Zoning Commission member or Chair, does not have the authority to bind or obligate the Village in any way and therefore cannot bind or obligate the Village. Further, Applicant acknowledges, understands and agrees that only formal action (including, but not limited to, motions, resolutions and ordinances) by the Board of Trustees, properly voting in an open meeting, can obligate the Village or confer any rights or entitlement on the applicant, legal, equitable or otherwise.
- Planning and Zoning Commission members and Village Staff often conduct inspections of subject site(s) as part of the pre-hearing review of requests. These individuals will be carrying official Village identification cards that can be shown upon request.

The Owner and Applicant, by signing this Application, certify to the correctness of the application and all submittals.

Owner's Signature: _____ 

Owner's Name (Please Print): _____ Grace Management Enterprises V, LLC, by Daniel J. Markwalder

Applicant's Signature: _____ 
(If other than Owner)

Applicant's Name (Please Print): Daniel J. Markwalder, DVM

Date: April 30, 2013

All requests must be accompanied by the items required and all fees must be paid before the Planning and Zoning Commission can hear any case.

Please contact the Planning Division (located in the Municipal Building) with any questions:

Email: planning@hoffmanestates.org
Address: 1900 Hassell Road
Hoffman Estates, IL 60169
Phone: (847) 781-2660
Fax: (847) 781-2679

Addendums Attached:

- | | |
|---|---|
| <input checked="" type="checkbox"/> Special Use | <input type="checkbox"/> Master Sign Plan |
| <input type="checkbox"/> Rezoning | <input type="checkbox"/> Other _____ |
| <input checked="" type="checkbox"/> Variation | |
| <input type="checkbox"/> Plat | |
| <input checked="" type="checkbox"/> Site Plan | |



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING COMMISSION SITE PLAN ADDENDUM – NON-RESIDENTIAL

Amendment Concept Preliminary Final

I. DESCRIPTION OF PROJECT:

A. ATTACH A NARRATIVE FOR THE PROPOSED PROJECT ON A SEPARATE SHEET

- ✓ Article 10-6 of the Subdivision Code details the application process and required submittal documents. For relevant items, provide detailed information as part of the project narrative.

B. Total Number of Buildings: 1

C. Total Gross Floor Area: 2962 square feet

D. Height of tallest building (including antennas, hvac, etc.): 21.5 feet

E. With respect to this project's compatibility with adjacent land uses, address the following in the Project Narrative: Building Scale, architectural Materials, Coordinated Color Scheme, Existing and Planned Areas of Visual Interest, Design Concept and Relationship of Building Materials to one another.

F. Estimated start of construction: June, 2013

G. Estimated time to complete development: 3 months
Attach a phasing schedule, if applicable.

H. Does the property contain flood plain lands or wetlands? Yes No
If yes, please address as part of the narrative.

I. Is there any historical or archeological significance to the existing structures or features of this site or the surrounding sites? Yes No
If yes, please address as part of the narrative.

J. Are there any endangered, threatened, or unique plants or animals located in or near the area? Yes No
If yes, please address as part of the narrative.

II. OPERATIONAL CONSIDERATIONS

A. Anticipated hours of operation: 7 am/pm to 7 am/pm *Monday - Friday*
8 am. to 2 pm. *Saturday*

B. Anticipated number of employees: 2 total 12 hr per shift 1 number of shifts

C. Estimated number of customers: 22 daily 3 to 4 peak hour

D. If there is any additional information about the proposed development or its operation that may affect the site development, address as part of the narrative.

III. FINANCIAL CONSIDERATIONS

A. Estimated annual gross sales of general merchandise subject to sales tax for this project (includes 1% local share of state tax and 1% home rule tax):

Gross Sales (General)		Tax Rate		General Sales Tax
\$5,000	X	2%	=	\$100

B. Estimated annual gross sales subject to food and beverage (F & B) tax for this project (food prepared on premises and alcoholic beverages consumed on premises). See article 13-7 of the Hoffman Estates Municipal Code for detailed definition:

Gross Sales (F & B)		Tax Rate		F & B Tax
0	X	2%	=	\$0

C. Estimated Annual Hotel Tax: 365 Days X

Estimated Average Room Rate		Number of rooms		Occupancy Percentage		365 Days		Tax Rate		Hotel Tax
N/A	X	N/A	X	N/A	X	N/A	X	6%	=	\$N/A

D. Other tax/revenue:
(Entertainment tax, etc.)

N/A		Rate		Tax
N/A	X	6%	=	\$N/A

E. Estimated Annual Telecommunications (TC) Tax:

Estimated Yearly Phone Bill		Tax Rate		TC tax
N/A	X	6%	=	\$N/A

F. Current assessment of the property: \$322,497

G. Estimated value of Construction: \$250,000

H. Will this project result in any unusual expenditure of public funds or requirements for public services in anyway? Yes No

If yes, please address as part of the narrative.

IV. TRAFFIC CONSIDERATIONS

A. Parking

1. Total number of parking spaces to be provided:

Employees: 2 to 3 Customers/
Visitors: 3 to 5 Handicapped: 1 Total: 9

2. When is the peak parking period for this project?

9 a.m. to 10 a.m. and 5 p.m. to 6 p.m.

3. Will this project share parking spaces with other businesses? Yes No

If yes, please address as part of the narrative.

B. Traffic

1. Estimated number of vehicles entering and exiting this site during the peak one hour period between 4:00 p.m. and 6:00 p.m. 3 to 4

2. Will there be any other peak traffic times for this project? Yes No

If yes, give the time(s) of day and traffic volume: N/A

3. Will this project contain a drive through? Yes No

If yes, the project narrative should address order processing time, projected stacking demand, and other details to explain the operation.

C. Deliveries

1. The project plan submittal should include turning templates to show all routes to be used for making deliveries to and from site. Is this plan included? Yes No

2. How often will deliveries be made on site? Once a week for garbage & once for UPS

2. What is the frequency and time period expected for deliveries? Garbage - Friday a.m.; UPS - Weds. a.m. & Thurs. a.m.

3. What is the largest delivery vehicle to be used and its size?

Vehicle Type	Size	check	
Single Unit truck	30 ft.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Intermediate Semitrailer	50 ft.	<input type="checkbox"/>	<input type="checkbox"/>
Large Semitrailer	55 ft.	<input type="checkbox"/>	<input type="checkbox"/>
Other		<input type="checkbox"/>	<input type="checkbox"/>

If the delivery truck used fits into the "Other" category, please specify type, size and turning radius: _____

D. Any additional site related traffic information not covered above? Yes No
If yes, please address as part of the narrative.

V. RECYCLING AND GREEN INITIATIVES

- A. Article 9 of The Municipal Code of the Village of Hoffman Estates requires that businesses maintain an effective recycling program. Address any unique recycling plans as part of the project narrative.
- B. The Village supports and promotes sustainability. Please address any planned green or sustainability initiatives as part of the narrative.
- C. Do you anticipate submitting this project for LEED certification (or any other similar certifications)? Yes No
If yes, please address as part of the narrative.

VI. GENERAL CONSIDERATIONS

- A. Please list examples of similar uses (including name and location) in the area that can be used for comparison by the Village:
1. Hoffman Estates Animal Hospital, 35 S. Barrington Rd.,
South Barrington, IL 60010
 3. _____
- B. Will this project contain any noise generators that will adversely affect surrounding areas?
Yes No
If yes, please address as part of the narrative.

C. Is there anything included in this project that may be sensitive to surrounding noise generators?

Yes No

If yes, please address as part of the narrative.

D. Do you intend to apply for a liquor license? Yes No

If yes, please contact the Village Clerk's Office at 847.781.2625

E. Will this project contain a cafeteria or food service area (in order to determine applicability of a sewer and water surcharge)? Yes No

If yes, please address as part of the narrative.

F. In the project narrative, please list and explain anything involved in this project that is not covered in this application that should be brought to the Village's attention. Also address any rare or unusual circumstances or needs related to this project.


Please contact the Planning Division with any questions:

Email: planning@hoffmanestates.org

Address: 1900 Hassell Road
Hoffman Estates, IL 60169

Phone: 847.781.2660

Fax: 847.781.2679





VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING COMMISSION SPECIAL USE ADDENDUM

REQUIRED SUBMITTALS:

- General Application
- \$400 special use hearing fee
- Legal Description
Typically found on a tax bill, survey, mortgage documents or deed
- Current Plat of Survey drawn to scale
- A scale drawing of the floor plan and elevations, including windows and door locations.
- A Project Narrative detailing the use, hours of operation, parking demand, etc. Provide relevant plans, studies, and any other documents to support the request.
- A written response to each of the Standards for a Special Use (see below).

You are responsible for posting a notification sign(s) on your property 10 days before the Planning & Zoning Commission hearing and removing the sign(s) 10 days after final Village Board action. Specific requirements will be provided by Planning Staff.

No special use shall be recommended by the Planning and Zoning Commission unless said Commission finds that adequate evidence is provided to meet the Special Use Standards. (Respond to each standard as it applies to your request either below or address on a separate sheet)

1. That the establishment, maintenance, or operation of the special use will not be detrimental to or endanger the public health, safety, morals, comfort, or general welfare;

This is a proposed amendment to a veterinary clinic special use that has been in existence for approximately 30 years. The applicant is proposing an addition to the existing building that will enable the owner to better care for his patients and better service his existing clientele. The existing veterinary clinic has had a substantial positive impact upon the health, safety, morals, comfort, and general welfare of the community, and the proposed amendment will only enhance it.

2. That the special use will not be injurious to the use and enjoyment of other property in the immediate vicinity for the purposes already permitted, nor substantially diminish and impair property values within the neighborhood;

Throughout the many years of its existence, the veterinary clinic special use has not been injurious to the use and enjoyment of other property in the immediate vicinity for the purposes already permitted, and has not substantially diminished and impaired property values within the neighborhood. The proposed amendment to the existing special use will merely enable the applicant to serve existing clientele better, and it will not change or adversely impact the use, enjoyment, or property values of other properties in the immediate vicinity.

3. That the establishment of the special use will not impede the normal and orderly development and improvement of surrounding property for uses permitted in the district;

The longstanding, existing special use has not impeded the normal and orderly development and improvement of surrounding property for permitted uses, and no aspect of the proposed amendment will alter this status quo.

4. That adequate utilities, access roads, drainage, and/or necessary facilities have been or are being provided;


All of these have either been provided for the operation of the existing veterinary clinic, or will be provided if required by staff. The applicant's architect, contractor, and other professionals will comply with all staff recommendations and will meet code standards.

5. That adequate measures have been or will be taken to provide ingress or egress so designed as to minimize traffic congestion in public streets; and

The existing ingress and egress, which has minimized traffic congestion, shall be maintained, and, therefore, no impact upon traffic congestion will occur.

6. That the special use shall in all other respects conform to the applicable regulations of the district in which it is located, except in each instance as such regulations may be modified by the Village Board pursuant to the recommendation of the Planning and Zoning Commission.

The applicant shall comply with all applicable regulations of its zoning district and with any modifications of said regulations recommended by the Planning and Zoning Commission and approved by the Village Board. The applicant has observed and intends to continue to observe the ordinances, codes, and regulations of Hoffman Estates.

A handwritten signature in black ink, consisting of a large, stylized 'D' followed by a series of loops and a long horizontal stroke extending to the right.



VILLAGE OF HOFFMAN ESTATES PLANNING AND ZONING COMMISSION VARIATION ADDENDUM

Commercial Residential Sign

REQUIRED SUBMITTALS

- General Application
- Variation Hearing Fee: (Checks payable to the Village of Hoffman Estates)
Commercial: \$400.00 per Variation*
Residential: \$150.00
Sign: \$400.00 per Sign
- Legal Description
(Typically found on a tax bill, survey, mortgage documents or deed)
- Current Plat of Survey drawn to scale showing the proposed improvement(s) and distance(s) from existing structures and property lines. For sign variations, ALL signs should be shown and labeled on the plat including the sign(s) for which the variation is being requested.
- A scale drawing of the floor plan and elevations, including windows and door locations.
- A Project Narrative detailing the variation request including whether there are other options that would not require a variation, proposed construction materials, whether removal/relocation of trees, utilities will be required and the estimated total project cost. Include any relevant plans, documents, photos to support the request.
- If any part of your existing and/or proposed use is located in any part of a utility easement, written release(s) from the Village or utility company may be required; contact the Planning Division for information.

* *Some commercial requests require the posting of a notification sign(s) on the property 10 days before the Planning & Zoning Commission hearing and removal of the sign(s) 10 days after final Village Board action. Should your request require a notification sign, the specific requirements will be provided by Planning Staff.*

Zoning Code Section 9-1-15-C-2 of the Municipal Code requires that the Planning and Zoning Commission shall, in making its determination whether there are practical difficulties or particular hardships, take into consideration the extent to which the following facts favorable to the applicant have been established by the evidence. (Respond to each standard as it applies to your request either below or address on a separate sheet)

1. The particular physical surroundings, shape of topographical condition of the specific property involved would result in a particular hardship upon the owner, as distinguished from a mere inconvenience, if the strict letter of the regulations were carried out.

The unique triangular shape of the property, the relatively small size of the property, and the lack of open space that is visible from Higgins Rd. essentially make the present location of the sign the only viable location. If the strict letter of the law were followed, and no variation was granted, it would prevent the applicant from having any freestanding sign for clients or potential clients travelling on Higgins Rd.

2. The conditions upon which the petition for a variation is based would not be applicable, generally, to other property within the same zoning classification.

The subject property has a unique shape, size, and location, not shared by other properties in the same zoning classification. With Higgins Rd. to the south, the Barrington Square Shopping Center to the north and east, and vacant property to the west, the subject property has unusual issues regarding signage.

3. The purpose of the variation is not based exclusively upon a desire to increase the value of the property.

The variation will not only help the applicant's business, but it will also make the property easier for customers to locate, and, as a result, help traffic flow smoothly and prevent accidents. It will make the community more aware of the clinic and of the Barrington Square Shopping Center, and, therefore, enable more citizens to benefit from the excellent services provided by both.

4. The alleged difficulty or hardship has not been based exclusively upon a desire to increase the value of property.

The hardship arose out of a slight change in the legal description of the property, of which the applicant was not aware either when the applicant purchased the property, or when the applicant applied for the previous variation that was granted and enables the sign to exist at its present location. Also, I restate my answer to item #3.

5. The granting of the variation will not be detrimental to the public welfare or injurious to other property or improvements in the neighborhood in which the property is located.

The variation would ratify and approve the present sign at its present location, which has existed there for a substantial period of time, and has not drawn any complaints from adjacent or neighboring property owners. Given its location, it does not impact neighboring properties adversely.

6. The proposed variation will not impair an adequate supply of light and air to adjacent property, or substantially increase the congestion in the public streets, or increase the danger of fires, or endanger the public safety, or substantially diminish or impair property values in the neighborhood.

I restate my answer to Item #5. Neither the sign nor its location creates any sort of a nuisance; in fact, it will positively impact traffic and public safety by providing clients with the exact location of the clinic. The sign in no way obstructs the views of drivers by virtue of its size or location. It will positively impact the business of both the clinic and the Barrington Square Shopping Center.

A handwritten signature in black ink, consisting of a large, stylized initial 'D' followed by several loops and a long, sweeping stroke extending to the right. The signature is positioned in the lower right quadrant of the page.

PROJECT NARRATIVE

The Applicant is seeking a Site Plan Amendment, Special Use Amendment, and Sign Variation to permit an addition to the existing structure at the Barrington Square Animal Hospital, and to permit the existing, freestanding sign to remain at its present location.

The Village of Hoffman Estates granted a Special Use approximately 30 years ago to permit the construction of the existing building known as the Barrington Square Animal Hospital. The existing building was constructed to serve the needs of a veterinary clinic in the 1980's and 1990's. The original building contained areas for examination, treatment, surgery, intensive care, grooming, bathing, and kenneling/holding areas. Certain rooms or areas are used for more than one of the aforementioned functions.


It has become apparent to the Applicant that an addition to the existing building would enable the Applicant to improve the workflow, to improve patient care, and to take better care of the Applicant's existing clientele. The additional space would enable the Applicant to have separate rooms or areas for each of the aforementioned functions. There would not be an increase in the types of services rendered, the number of staff, or the number of examination rooms. The addition is not intended to increase the number of patients seen at the clinic per day or per hour, but rather to reconfigure the clinic to enable the Applicant to serve his existing clientele more efficiently and at a higher level of care.


The Applicant's veterinary practice is an established practice that was acquired from the previous owner in 2009. The reconfigured clinic will enable staff to provide more efficient, higher quality service to meet or exceed the standards as set by the American Veterinary Medical Association.

The Village of Hoffman Estates granted a variation of the existing, freestanding building sign approximately two years ago. Since the granting of that variance, the legal description of the subject property has changed slightly, as the result of a settlement between the Applicant and the Barrington Square Shopping Center. The new legal description places the existing sign closer to the curb/paved area than permitted by the existing variation. Therefore, the Applicant seeks a new variation to permit the existing sign to remain at its existing location, despite being closer than 10 feet to the lot line and closer than 5 feet to the curb/pavement.

The Applicant submits that the Site Plan Amendment Application, Special Use Amendment Application, and Sign Variation Application satisfy the standards and requirements of the Village of Hoffman Estates Code. The granting of said Applications would be in the best interests of the Village of Hoffman Estates and its citizens.

Respectfully submitted,


Daniel J. Markwalder, DVM


Jerome C. Majewski, Attorney for Applicant

COOPER LIGHTING - LUMARK®



DESCRIPTION

The Lumark Wal-Pak Series of wall luminaires provides traditional architectural style with high performance energy efficient illumination. Rugged die-cast aluminum construction, stainless steel hardware along with a sealed and gasketed optical compartment make the Wal-Pak virtually impenetrable to contaminants. IP65 Rated. Six available lamp sources including patent pending energy efficient LED, pulse start metal halide, compact fluorescent, ceramic metal halide, standard metal halide and high pressure sodium. UL/cUL wet location listed. The Wal-Pak wall luminaire is ideal for pathway illumination, building entrances, vehicle ramps, schools, tunnels, stairways and loading docks.

SPECIFICATION FEATURES

Housing

Rugged one-piece die-cast aluminum housing and hinged, removable die-cast aluminum door. One-piece silicone gasket seals the optical chamber. UL 1598 wet location listed and IP65 ingress protection rated. Not recommended for car wash applications.

Electrical

Ballasts, LED driver and related electrical components are hard mounted to the die-cast housing for optimal heat sinking and operating efficiency. Wiring is extended through a silicone gasket at the back of the housing. Three 1/2" threaded conduit entry points allow for thru-branch wiring. LED thermal management system incorporates both conduction and natural convection to transfer heat rapidly away from LED source. Integral LED electronic driver incorporates internal fusing designed to withstand a 3kV surge test and is Class 2 rated for 120-277V with an operating temperature of -30° to 60°C.

Wal-Pak LED systems maintain greater than 70% of the initial light output after 50,000 hours of operation. UL listed HID high power factor ballasts are Class H insulation rated (metal halide: 150, 175, 200, 250, 320, 350, 400W [-30°C / -20°F], (high pressure sodium: 50, 70, 100, 150, 250, 400W [-40°C / -40°F]). High efficiency HID ballasts are available in 120V, 208V, 240V, 277V, 347V and 480V. Compact fluorescent high power factor ballasts are Class P insulation rated for 120-277V and have a starting temperature of -18°C / 0°F.

Optical

Highly reflective anodized aluminum reflectors provide high efficiency illumination. Optical assemblies include impact resistant borosilicate refractive glass, Solite™ flat diamond patterned glass and full cutoff IESNA compliant configurations. Patent pending, solid state LED luminaires are thermally optimized with 2400 or 4000 sourced lumen package modules. HID models are offered in

Catalog #		Type
Project		
Comments		Date
Prepared by		


horizontal medium or mogul-based metal halide [MH / MP] or high pressure sodium [HP] lamps. T6 ceramic metal halide [CM] and 4-pin compact fluorescent [CF] lamp models offer high efficiency energy saving illumination.

Door Assembly

Single point, captive stainless steel hardware secures the removable hinged door allowing for ease of installation and maintenance. Door assembly is hinged at the bottom for easy removal, installation and re-lamping.

Finish

Housing and door are protected with 5-stage TGIC dark bronze polyester powder coat paint. Premium TGIC power coat finishes withstand extreme climate changes while providing optimal color and gloss retention. Optional premium colors are available.



WP WAL-PAK

2400 - 4000 Lumen LED
39 - 400W

High Pressure Sodium
Pulse Start Metal Halide
Metal Halide


Ceramic Metal Halide
32 - 140W

Compact Fluorescent

DARK SKY **FCO**
COMPLIANT Full Cutoff

WALL MOUNT LUMINAIRE

DIMENSIONS



TECHNICAL DATA

UL/cUL Wet Location Listed
IP65 Rated
40°C Maximum Ambient Temperature
External Supply Wiring 90°C Minimum
EISA @, ARRA, Title 20 Compliant
LM79 / LM80 Compliant

ENERGY DATA

Reactor Ballast Input Watts
50W HPS NPF (58 Watts)
70W HPS NPF (82 Watts)
100W HPS NPF (118 Watts)
150W HPS NPF (175 Watts)

High Reactance Ballast Input Watts
50W MP HPF (69 Watts)
70W MP HPF (94 Watts)
100W MP HPF (129 Watts)
150W MP HPF (185 Watts)

CWA Ballast Input Watts
200W HPS HPF (250 Watts)
200W MP HPF (227 Watts) @
250W MP HPF (283 Watts) @
320W MP HPF (365 Watts) @
350W MP HPF (400 Watts) @
400W HPS HPF (465 Watts)
400W MP HPF (452 Watts) @

SHIPPING DATA

Approximate Net Weight:
32-42 lbs. (15-19 kgs.) ADH092103 pc
2012-01-12 09:08:16

ORDERING INFORMATION

Sample Number: MPWP-GL-250-MT-2EM/SCMR

--	--	--	--	--	--

Lamp Type MP= Pulse Start Metal Halide HP= High Pressure Sodium LD= Solid State Light-Emitting Diodes (LED) CF= Compact Fluorescent ¹ CM= Ceramic Metal Halide ² MH= Metal Halide ³	Series WP= Wal-Pak Door Type⁴ GL= Borosilicate Glass Door FC= Full Cutoff Door FL= Flat Solite Glass Door PL= Polycarb Door	Lamp Wattage⁵ LED 2A=(2 Package), 28W 4A=(4 Package), 40W MP 50=50W 70=70W 100=100W 150=150W 200=200W 250=250W 320=320W 350=350W 400=400W MH 175=175W 250=250W 400=400W	HP 50=50W 70=70W 100=100W 150=150W 250=250W 400=400W CM 39=39W 70=70W 100=100W 150=150W CF 32=32W 42=42W 57=57W 70=70W 64=(2-32) 84=(2-42) 114=(2-57) 140=(2-70)	Voltage⁶ 120V=120V 208V=208V 240V=240V 277V=277V 347V=347V ⁷ 480V=480V DT=Dual-Tap MT=Multi-Tap TT=Tri-Tap ST=S-Tap E= Electronic Ballast ⁸ ED=Electronic LED Driver	Options⁹ F1=Single fuse ¹⁰ F2=Double fuse ¹⁰ PE=Photocontrol button ¹⁰ LL=Includes lamp ² BK=Black housing WH=White housing GM=Graphite Metallic housing AP=Grey housing DP=Dark Platinum housing DIMA=CF Dimming Ballast ¹¹ DIMB=CF Dimming Ballast ¹¹ SGL=Solite Glass Lens ¹² Q=Quartz Restrike T4 Lamp ¹³ EM=Emergency Quartz Restrike T4 Lamp with Time Delay Relay ¹³ EM/SC=Emergency Separate Circuit T4 Lamp ¹³ QMR=Emergency Back-Up 1-MR16 Lamp ^{14,15} 2QMR=Emergency Back-Up 2-MR16 Lamps ^{14,15} 2QMR/SC=Emergency Back-Up MR16 and EM separate circuit 2-MR16 Lamp ^{14,15} EMMR=Emergency Back-Up 1-MR16 Lamp with Time Delay Relay ^{14,15} 2EMMR=Emergency Back-Up 2-MR16 Lamps with Time Delay Relay ^{14,15} 2EMMR/SC=Emergency Back-Up 1-MR16 Lamp with Time Delay Relay and EM Separate Circuit ^{14,15,16} EM/SC/MR=Emergency Back-Up Separate Circuit 1-MR16 Lamp ^{14,15,16} 2EM/SC/MR=Emergency Back-Up Separate Circuit 2-MR16 Lamps ^{14,15,16} EM/SC/12V=Emergency Separate Circuit 12V 1-MR16 Lamp ^{14,14,17} 2EM/SC/12V=Emergency Separate Circuit 12V 2-MR16 Lamps ^{14,16,17} EM140=Emergency Cold Temperature UL 924 CF Power Pack 1 Lamp ¹⁸ EM140/2L=Emergency Cold Temperature UL 924 CF Power Pack 2 Lamp ¹⁸ CF-EM=Emergency UL924 CF Power Pack 1 Lamp ¹⁹ CF-EM/2L=Emergency UL924 CF Power Pack 2 Lamp ¹⁹ EMLED-CD=LED Battery Back-Up Cold Temperature ²⁰	Accessories²¹ WG/WPGL=Wire Guard Borosilicate Glass Lens Door WG/WPFC=Wire Guard Full Cutoff Door WG/WPFL=Wire Guard FL Lens Door TR/WP= Tamper Resistant Screw and Bit VS/WPGL=Polycarbonate Vandal Shield for Borosilicate Glass Lens Door
---	--	--	---	--	--	---

STOCK SAMPLE NUMBER - LAMP INCLUDED

SAMPLE NUMBER: WPP40C

--	--	--	--	--	--

Series WP= Wal-Pak	Lamp Type L=LED P= Pulse Start Metal Halide S=High Pressure Sodium	Lamp Wattage 2A=28W 4A=40W 10=100W 15=150W 25=250W 32=320W 40=400W	Door/Glass Type Blank=Standard C=Full Cutoff Door
------------------------------	--	--	--

NOTES: Options not available with stock products. Refer to standard order information to add options. MT is standard, Lamp Type: MP not available in 100W, HPS not available in 320W or Full Cutoff [C] Door. Borosilicate glass door is standard. 2A and 4A models available in LED only. LED models are 120-277V.

LED LUMEN TABLE

BUG RATING	B	U	G	Delivered Lumens ²²	B	U	G	Delivered Lumens ²²
Borosilicate Glass Door (GL)								
LDWP-GL-2A-ED	0	3	2	1836	0	2	1	1454
LDWP-GL-4A-ED	1	3	2	2795	0	3	1	2084
Polycarbonate Lens (PL)								
LDWP-PL-2A-ED	0	3	2	1508	0	1	1	1090
LDWP-PL-4A-ED	1	3	2	2257	0	1	1	1313

For more information on the IES BUG (Backlight-Uplight-Glare) Rating visit www.iesna.org/PDF/Errata/TM-15-07BugRatingsAddendum.pdf

- NOTES: 1 CF Single lamp offered in all door configurations. CF dual lamp models not offered with FL door type. 70W models not available with EM140-2L, CF-EM, CF-EM-2L. CF not available in 347V.
 2 All CM models offered with T6 envelope G12 lamp base. T6 Lamp included with CM models. Order LL with CM models. Ceramic Metal Halide (CM) is available with (MP) pulse start metal halide or E - Electronic Ballast. 400W MP must be ordered with LL option to be Title 20 Compliant.
 3 MH products available for non-US markets only.
 4 Small housing offered for 175W and below, CF and LD models. Large housing for 200W-400W. FL door not available with CF or 200-400W models.
 Polycarbonate lens available in models up to 175W max including LD. Polycarbonate lens not available with full cutoff door or FL models. Solite stipple glass is standard for FL lens. Clear glass is standard for full cutoff door types except for LD. LD full cutoff door is standard with solite glass.
 5 LED packages based on 67 CRU5000K package at 25°C ambient. MH and MP 175W and below are medium base all others are mogul base.
 CF 64, 84, 114 and 140 models are offered in borosilicate glass and full cutoff doors only. In cold temperatures, compact fluorescent lamps produce lower illumination levels. CF 140 models and 400W HPS rated for 25°C.
 6 See Voltage Chart for descriptions. ST available in 400W MH models only. 90°C Rated wire required for thru-branch wiring for units 175W and lower. 105°C Rated wire required for thru-branch wiring for units 200W and higher. Thru-branch wiring is rated for 40°C for LD and 175W and below. Higher wattage thru-branch wiring is rated for use in 25°C ambient operating environments.
 7 347V not available with thru-branch wiring. For 347 or 480V LD specify voltage. ED will be supplied with integral step down transformer. 347V not available with CF lamps.
 8 Available with 70-150W MP or CM lamps. E is standard for all CF models. All electronic ballasts are universal 120-277V.
 9 Not all options can be combined. Only one emergency or battery back-up option available within the fixture. CF Models utilize EM140, EM140/2L, CF-EM or CF-EM/2L option for emergency egress. LD Models utilize EM-LED or EMLED-CD options only for battery back-up.
 10 Must specify voltage. F1=120, 277 or 347V. F2=208, 240 or 480V. PE=120, 208, 240 or 277V.
 11 DIMA dimming ballast, specify number of lamps, available for 1 or 2-26W or 1-32W, 1-42W. DIMB available for 2-42W, 1-57W or 1-70W.
 12 SGL optional on HID and CF models only. See note number 4.
 13 Q or EM not available with LD or E electronic ballast. Q or EM Minimum HID wattage is 70 watts. EM/SC available in 120V only, EM/SC not available with LD. Maximum 100W 120V T4 DC Bayonet Quartz lamp. Lamp supplied by others.
 14 QMR, 2QMR, EMMR, 2EMMR & 2EMMR/SC not available with LD or E electronic ballast. Minimum HID wattage is 70 watts.
 15 1 or 2 GU10 base 50W max - 120V Halogen. Lamps supplied by others. EM/SC/MR, 2EM/SC/MR, EM/SC/12V, 2EM/SC/12V not available with LD.
 16 Emergency lamp leads out of the back of the unit to auxiliary power. Lamps independently wired to separate circuits.
 17 Low Voltage 1 or 2 GUS.3 MR16 base, 12V DC, 35W max. Lamps supplied by others.
 18 For use in 25°C ambient operating temperature environments. EM140, EM140/2L used for CF lamps. Specify 120 or 277V. EM140 supports 1-70W CF max, EM140/2L supports 2-32W CF max. Minimum -18°C/-4°F.
 19 For use in 25°C ambient operating temperature environments. Specify 120 or 277V. CF-EM supports up to 1-57W CF. CF-EM/2L supports 2-18W CF, 18W lamps supplied by others. Minimum temperature is 32°C/90°F.
 20 EMLED-CD available with 4A models only. For use in 25°C ambient operating temperature environments. Specify 120 or 277V. EMLED-CD minimum -20°C/-4°F. Battery pack is a UL recognized component.
 21 Order separately.
 22 Delivered lumens subject to change. Consult IES file for details.

VOLTAGE CHART	
DT= Dual-Tap	120/277 (wired 277V)
MT= Multi-Tap	120/208/240/277 (wired 277V)
TT= Tri-Tap	120/277/347 (wired 347V)
ST= S Tap	120/208/240/277/480 (wired 480V)
E= Electronic Ballast	120-277V (Universal) (50/60 HZ)
ED= Electronic LED Driver	120-277V (Universal) (50/60 HZ)

LAMP TYPE	WATTAGE
Pulse Start Metal Halide	50, 70, 100, 150, 200, 250, 320, 350, 400W
Metal Halide	175, 250, 400W
High Pressure Sodium	50, 70, 100, 150, 250, 400W
T6 Ceramic Metal Halide	39, 70, 100, 150W
Compact Fluorescent	(1) 32, (1) 42, (1) 57, (1) 70, (2) 32, (2) 42, (2) 57, (2) 70
LED	2A (2 Package) 28W, 4A (4 Package) 40W



NOTE: Specifications and dimensions subject to change without notice. Visit our web site at www.cooperlighting.com

Customer First Center 1121 Highway 74 South Peachtree City, GA 30269 770.486.4800 FAX 770.486.4801

ADH092103 pc 2012-01-12 09:08:16

NOTICE OF PUBLIC HEARING

Notice is hereby given that the Planning and Zoning Commission of the Village of Hoffman Estates will hold a public hearing at the request of Grace Management Enterprises, V, LLC (Owner) to consider a site plan amendment, a special use amendment for an animal hospital / veterinary clinic, and a variation under the Zoning Code on the property located at 2370 W Higgins Road.

P.I.N.: 07-07-100-018

The hearing will be held on Wednesday, June 5, 2013 at 7:00 p.m. in the Hoffman Estates Municipal Building, 1900 Hassell Road, Hoffman Estates, IL.

Eva Combs, Chairperson
Planning and Zoning Commission

Published in Daily Herald
May 21, 2013. (4339968)

CERTIFICATE OF PUBLICATION

Paddock Publications, Inc.

Daily Herald

Corporation organized and existing under and by virtue of the laws of the State of Illinois, DOES HEREBY CERTIFY that it is the publisher of the **DAILY HERALD**. That said **DAILY HERALD** is a secular newspaper and has been circulated daily in the Village(s) of Algonquin, Antioch, Arlington Heights, Aurora, Barrington, Barrington Hills, Lake Barrington, North Barrington, South Barrington, Bartlett, Batavia, Buffalo Grove, Burlington, Campton Hills, Carpentersville, Cary, Deer Park, Des Plaines, South Elgin, East Dundee, Elburn, Elgin, Elk Grove Village, Fox Lake, Fox River Grove, Geneva, Gilberts, Grayslake, Green Oaks, Gurnee, Hainesville, Hampshire, Hanover Park, Hawthorn Woods, Hoffman Estates, Huntley, Inverness, Island Lake, Kildeer, Lake Villa, Lake in the Hills, Lake Zurich, Libertyville, Lincolnshire, Lindenhurst, Long Grove, Mt. Prospect, Mundelein, Palatine, Prospect Heights, Rolling Meadows, Round Lake, Round Lake Beach, Round Lake Heights, Round Lake park, Schaumburg, Sleepy Hollow, St. Charles, Streamwood, Tower Lakes, Vernon Hills, Volo, Wauconda, Wheeling, West Dundee, Wildwood, Sugar Grove, North Aurora

County(ies) of Cook, Kane, Lake, McHenry and State of Illinois, continuously for more than one year prior to the date of the first publication of the notice hereinafter referred to and is of general circulation throughout said Village(s), County(ies) and State.

I further certify that the **DAILY HERALD** is a newspaper as defined in "an Act to revise the law in relation to notices" as amended in 1992 Illinois Compiled Statutes, Chapter 7150, Act 5, Section 1 and 5. That a notice of which the annexed printed slip is a true copy, was published May 21, 2013 in said **DAILY HERALD**.

IN WITNESS WHEREOF, the undersigned, the said **PADDOCK PUBLICATIONS, Inc.**, has caused this certificate to be signed by, this authorized agent, at Arlington Heights, Illinois.


PADDOCK PUBLICATIONS, INC.
DAILY HERALD NEWSPAPERS

BY *Paula Baitz*
Authorized Agent

Control # 4339968

2370 W. Higgins Road


P.I.N. 07-07-100-018



May 14, 2013
 Village of Hoffman Estates
 Planning Division



Barrington Sq. Animal Hospital - 2370 W. Higgins Rd




Demolished
Burger King



0 12.5 25 50 Feet




Planning Division
Village of Hoffman Estates
May 2013



EXISTING SOUTH ELEVATION

SCALE: NONE



PROPOSED NORTH ELEVATION

SCALE: NONE


RECEIVED
MAY 22 2013
PLANNING DIVISION




ARCHITECTURAL PLANNING & SERVICES, LTD.

BARRINGTON SQUARE ANIMAL HOSPITAL
HOFFMAN ESTATES, ILLINOIS

123 W. Front St., Suite 202
Wheaton, Illinois 60187
T: 630-665-0355
F: 630-665-3022
www.apsarchitects.com



PROPOSED WEST ELEVATION
SCALE: NONE



PROPOSED EAST ELEVATION
SCALE: NONE



ARCHITECTURAL PLANNING & SERVICES, LTD.

BARRINGTON SQUARE ANIMAL HOSPITAL
HOFFMAN ESTATES, ILLINOIS

123 W. Front St., Suite 202
Wheaton, Illinois 60187
T: 630-665-0355
F: 630-665-3022
www.apsarchitects.com

**ADDITIONAL
BUSINESS**

VILLAGE OF HOFFMAN ESTATES

**AN ORDINANCE AMENDING SECTION 8-7-13, RESALE BUSINESS,
OF THE HOFFMAN ESTATES MUNICIPAL CODE**

WHEREAS, the Board of Trustees of the Village of Hoffman Estates has previously enacted its Ordinance Nos. 1251-1981, and 2446-1992 which provide, among other things, in Section 8-7-13 for the licensing and regulation of Resale Businesses being operated in the Village of Hoffman Estates; and

WHEREAS, the Village of Hoffman Estates as a home rule municipality pursuant to Article VII, Section 6 of the Illinois Constitution of 1970, is authorized pursuant to the Illinois Municipal Code, 65 ILCS 5/11-42-3 to license, tax, locate, and regulate all places of business of dealers in any second-hand article whatsoever; and

WHEREAS, with the increase in the prices of precious metal and stones, in particular, the purchase for resale and/or exchange of second-hand goods that are articles of personal property containing precious metals and stones from individuals for money, legal tender or in trade has increased; and

WHEREAS, the prompt recording and reporting of the purchase for resale and/or exchange of all pieces of personal property for money, legal tender or in trade, including but not limited to those second-hand goods containing precious metals and stones will greatly aid the Village of Hoffman Estates Police Department and other jurisdictions in identifying and recovering stolen goods; and

WHEREAS, the Village's Police Department currently subscribes to the LeadsOnline web based record keeping system which assists law enforcement nationwide by maintaining a searchable database containing certain identifying information from the purchase, sale and/or exchange of resale goods, and reporting requirements for such transactions to LeadsOnline is already required by other regional municipalities.

NOW, THEREFORE, BE IT ORDAINED by the President and Board of Trustees of the Village of Hoffman Estates, a municipal corporation of the Counties of Cook and Kane, in the State of Illinois as follows:

Section 1: That Section 8-7-13, Resale Business, of the Hoffman Estates Municipal Code be amended to read as follows:

Section 8-7-13. RESALE BUSINESS

A. Definition.

1. *Resale Business* shall mean every person in the Village of Hoffman Estates that is engaged in the business of receiving or purchasing second-hand goods for money, legal tender or in trade for other merchandise from any person other than the licensed manufacturer, vendor or distributor, having the intent to trade, sell or otherwise transfer or exchange those second-hand goods for value.
2. *Second-hand goods* shall mean articles of personal property previously owned or used by any person other than the manufacturer, vendor or distributor, including but not limited to antiques and collectibles, artwork, electronics,

bicycles, cameras, computers, electronic toys, games and software, musical instruments, cellular telephones, precious metals and stones, power tools, and trading cards and memorabilia. Excluded from application of this Section 8-7-13-A-2 are articles of clothing and large furniture.

3. *Precious metals and stones* shall mean any articles of personal property containing precious metals, including but not limited to silver, gold and platinum, such as, but not limited to, commemorative coins or other articles of memorabilia, United States or foreign currency and any articles containing any genuine diamond, ruby, emerald, sapphire or pearl of any value and any other genuine stone or gem having a value of more than One Hundred Dollars (\$100.00).

B. *License Required.* It shall be unlawful for any person to engage in the business of receiving or purchasing for money, legal tender or in trade for other merchandise second-hand goods from any person other than the licensed manufacturer, vendor or distributor, with intent to resell with first obtaining a Resale Business license therefor from the Village for each separate place, premise or location where such Resale Business is to be conducted, except that this Section 8-7-13 shall not apply to vehicles registered pursuant to the Illinois Vehicle Code, 629 ILCS 5/1 et seq.

C. *Record Requirements.* All Resale Businesses shall subscribe to and participate in the LeadsOnline web-based record keeping system and for that purpose shall maintain a computer system with internet access sufficient to use the LeadsOnline service. Any outage or failure relative to the Resale Business's computer system shall not excuse the Resale Business from the requirements of this Section 8-7-13-C.

Every article that is a second-hand good within the meaning of this Section 8-7-13-A-1 that is deposited with or received by a Resale Business shall be entered into the LeadsOnline database on a daily basis by the Resale Business and shall include at a minimum the time and date the article was purchased or received by the Resale Business; the serial number, make, model and description of the article; the amount of money or tender paid by the Resale Business for the article; the name, date of birth, telephone number, sex and residence address of the person selling or exchanging the article; a digital color photograph of the form(s) of identification presented by the person selling or exchanging such article with the Resale Business; and digital color photographs showing any serial numbers or other identifying marks. No Resale Business shall purchase, sell or exchange any article that is a second-hand good within the meaning of Section 8-7-13-A-2 from which the original manufacturer's serial number has been removed, altered or obliterated.

In the event the LeadsOnline system is not operational, the Resale Business shall, during that time, be required to keep written records of any and all purchases, sales and/or exchanges of second-hand goods to include all information required by this Section.

Such written records shall be open and available for review upon request by any member of the Police Department during regular business hours.

D. *Identification.* Every Resale Business shall require two forms of identification to be shown by each person selling or trading any second-hand goods to the Resale Business, or buying items received by the Resale Business for resale and/or exchange. One of the two forms of identification shall be a valid driver's license or identification card issued by a governmental entity which must include such person's address and photo.

No Resale Business or its agent or employee shall accept or receive any second-hand goods from any person under the age of eighteen (18) years without a written consent signed by the minor's parent or legal guardian in the presence of the Resale Business licensee, or from any person appearing to be intoxicated or under the influence of any drug or controlled substance, or known to the resale business to have been convicted of theft, burglary, deceptive practices, robbery or armed robbery.

E. *Inspection.* No second-hand goods received by the Resale Business from any person for money, legal tender or in trade for merchandise shall be sold by the Resale Business or removed from the Resale Business's place of business for a period of seven (7) days after entry of the required information into the LeadsOnline database by the Resale Business, but during that period shall be open and available for inspection upon request by any member of the Police Department during regular business hours.

All computer generated records and reports, including copies of all forms of identification and digital photographs of the property received by the Resale Business shall be maintained for a period of three (3) years after the date of which the record was prepared and open and available for inspection by the Police Department.

F. *Duty to Report Stolen or Lost Property.* Each Resale Business or its agent or employee shall promptly report to the Police Department any property presented to the Resale Business for sale or exchange with the Resale Business, if the Resale Business or its agent or employee reasonably believes that the property was stolen or that the property was lost and found by the person attempting to sell or exchange it with the Resale Business.

G. *Return of Stolen Property.* When any person is found to be the owner of stolen property which has been received or purchased as a second-hand good by any resale business, such second-hand property shall be seized by the Police Department and returned to its owner, or held as evidence, subsequent to any criminal prosecution, without the payment of money or legal tender to the Resale Business for any costs or charges of any kind which the Resale Business may have incurred.

H. *Regulations.* All Resale Businesses shall comply with this Section 8-7-13, and with all applicable State laws and this Municipal Code, including Code Enforcement and Police Department.

Section 2: The Village Clerk is hereby authorized to publish this ordinance in pamphlet form.

Section 3: This Ordinance shall take effect sixty (60) days from and after its passage and approval.

PASSED THIS _____ day of _____, 2013

VOTE	AYE	NAY	ABSENT	ABSTAIN
Trustee Karen V. Mills	_____	_____	_____	_____
Trustee Anna Newell	_____	_____	_____	_____
Trustee Gary J. Pilafas	_____	_____	_____	_____
Trustee Gary G. Stanton	_____	_____	_____	_____
Trustee Michael Gaeta	_____	_____	_____	_____
Trustee Gayle Vandenberg	_____	_____	_____	_____
Mayor William D. McLeod	_____	_____	_____	_____

APPROVED THIS _____ DAY OF _____, 2013

Village President

ATTEST:

Village Clerk

Published in pamphlet form this _____ day of _____, 2013.